

JANUARY — JUNE 2026



Scan here to visit our website
or go to www.autoworks.pub

PURPLE ABRASIVES

PURPLE +
CERAMIC FILM
SANDING DISC



See
page
2



Pro Series Black Paint Suit

SATA



- Reusable paint suit
- Antistatic permanent carbon fiber
- 2 utility back pockets

See
page
195

3M Science.
Applied to Life.™

One for All
MMM.26852

Versatility
applied to your
body shop

See
page
6



NEW

HIGH TECK DETAIL PRODUCTS



See
page
11

upol

DRIVING SURFACE PERFECTION™

AXALTA



See
page
4

THE PERFECT FINISH NEEDS A PERFECT START
Introducing Tectium™


PURPLE ABRASIVES

PURPLE + CERAMIC FILM SANDING DISC

PURPLE + CERAMIC FILM SANDING DISC is a film-based product, with ceramic mixed with semi-brittle corundum grain. It provides super-fast sanding speed. It is stronger and more durable than other film-based products. Special coating technology ensures anti-clogging performance. It has a laser-cutting multiple-hole pattern for maximizing dust extraction.

PURPLE + CERAMIC AIR FILE GRIP ROLLS 2.75" X 13YD 180G NO-HOLE GRIP

| PART # | GRIT | QTY/CS | PART # | GRIT | QTY/CS |
|--------------|------|--------|--------------|------|--------|
| HIT.AFR080PG | 80G | 4 | HIT.AFR220PG | 220G | 4 |
| HIT.AFR120PG | 120G | 4 | HIT.AFR320PG | 320G | 4 |
| HIT.AFR150PG | 150G | 4 | HIT.AFR400PG | 400G | 4 |
| HIT.AFR180PG | 180G | 4 | | | |



PURPLE CERAMIC FILM SANDING AIR FILE ROLL is a film-based product, with ceramic mixed with Semi brittle corundum grain, can provide customers super fast sanding speed, due to the plastic base makes the product stronger, and more durable. Special coating technology on the surface ensures very good anti-clogged performance during the sanding process. Its laser-cutting multiple hole pattern for maximizing dust extraction. The Grip backing makes file changes fast and easy. The products are suitable for wood sanding, body filler or putty, paint and metal.

PURPLE + CERAMIC AIR FILE GRIP MULTI-HOLE ROLLS 2.75"X13YD 180G NO-HOLE GRIP


| PART # | GRIT | QTY/CS | PART # | GRIT | QTY/CS |
|----------------|------|--------|----------------|------|--------|
| HIT.AFR080PGMH | 80G | 4 | HIT.AFR220PGMH | 220G | 4 |
| HIT.AFR120PGMH | 120G | 4 | HIT.AFR320PGMH | 320G | 4 |
| HIT.AFR150PGMH | 150G | 4 | HIT.AFR400PGMH | 400G | 4 |
| HIT.AFR180PGMH | 180G | 4 | | | |



- Preferred ceramics and semi-brittle corundum abrasives grain
- More durable and more longer using life
- Super sharper and the fastest cutting rate
- Multifunctional and can be applied in putty, primer, paint, hard wood and metal and industrial purpose

PURPLE + CERAMIC 6" GRIP MULTI-HOLE DISCS 50/BOX

| PART # | GRIT | QTY/CS | PART # | GRIT | QTY/CS |
|----------------|------|--------|----------------|------|--------|
| HIT.DAG6080PMH | 80G | 4 | HIT.DAG6320PMH | 320G | 4 |
| HIT.DAG6120PMH | 120G | 4 | HIT.DAG6400PMH | 400G | 4 |
| HIT.DAG6150PMH | 150G | 4 | HIT.DAG6600PMH | 600G | 4 |
| HIT.DAG6180PMH | 180G | 4 | HIT.DAG6800PMH | 800G | 4 |
| HIT.DAG6220PMH | 220G | 4 | | | |



PURPLE + CERAMIC GRIP 3" DISCS 50/BOX

| PART # | GRIT | QTY/CS | PART # | GRIT | QTY/CS |
|--------------|------|--------|--------------|------|--------|
| HIT.DAG3040P | 40G | 16 | HIT.DAG3220P | 220G | 16 |
| HIT.DAG3080P | 80G | 16 | HIT.DAG3320P | 320G | 16 |
| HIT.DAG3120P | 120G | 16 | HIT.DAG3400P | 400G | 16 |
| HIT.DAG3150P | 150G | 16 | HIT.DAG3600P | 600G | 16 |
| HIT.DAG3180P | 180G | 16 | HIT.DAG3800P | 800G | 16 |

PURPLE + CERAMIC 6" GRIP DISCS 50/BOX

| PART # | GRIT | QTY/CS | PART # | GRIT | QTY/CS |
|--------------|------|--------|--------------|------|--------|
| HIT.DAG6040P | 40G | 4 | HIT.DAG6220P | 220G | 4 |
| HIT.DAG6080P | 80G | 4 | HIT.DAG6320P | 320G | 4 |
| HIT.DAG6120P | 120G | 4 | HIT.DAG6400P | 400G | 4 |
| HIT.DAG6150P | 150G | 4 | HIT.DAG6600P | 600G | 4 |
| HIT.DAG6180P | 180G | 4 | HIT.DAG6800P | 800G | 4 |



2

New Products

| | |
|--------------|------------|
| High Teck | 2, 11, 196 |
| U-POL | 4 |
| RTi | 5 |
| S&G Tool Aid | 5 |
| 3M | 6, 7 |
| Milton | 8 |
| MotorGuard | 9 |
| SATA | 10, 195 |
| SEM | 12 |
| SprayMax | 13 |

14

Spray Equipment & Booth Supplies

| | |
|---|-------|
| Spray Guns | 14-26 |
| Pressure Pots | 26-27 |
| Disposable Cup Systems | 27-31 |
| Spray Gun Accessories & Cleaning Products | 32-33 |
| Mixing Cups | 34-35 |
| Spray Booth Maintenance | 35-39 |

40

Tools & Equipment

| | |
|-----------------------|-------|
| Air Management | 40-43 |
| Air Regulators | 44-45 |
| Air Hoses & Couplers | 45-46 |
| Supplied Air Systems | 47-48 |
| Color Matching | 48 |
| Infrared Curing | 49 |
| Gun Washers | 50-51 |
| Clean Sanding System | 52 |
| Structural Repairs | 53-58 |
| Riveters | 59 |
| Plastic Repairs | 60-62 |
| Spotweld Cutters | 63 |
| Rotabroach Cutters | 64 |
| Drill Bits | 64 |
| Parts Carts & Storage | 65-67 |

67

Masking Products

| | |
|-------------------------|-------|
| Masking Machines | 67 |
| Masking Paper | 68-70 |
| Plastic Sheeting | 70 |
| Crash Wrap | 70 |
| Drop Sheeting | 71 |
| Miscellaneous Masking | 71-72 |
| Liquid Mask | 72 |
| Masking Tapes | 72-75 |
| Fine Lines & Foam Tapes | 76 |
| Miscellaneous Tapes | 77 |

78

Body Repair Tools

| | |
|--------------------|-------|
| Heat Guns | 78 |
| Body Repair | 79-82 |
| Windshield Repair | 82 |
| Surface Prep Tools | 82-85 |

86

Abrasives

| | |
|--|---------|
| Sanding, Grinding, Scuff Pads, Cutoff Wheels | 86-99 |
| Sanding Accessories | 100-105 |

106

Body Repair Materials

| | |
|----------------------------------|---------|
| Surface Cleaners | 106-107 |
| Body Fillers & Glazes | 108-114 |
| Adhesives, Caulks & Seam Sealers | 114-125 |
| Aerosols | 125-133 |

134

Coatings & Paint Systems

| | |
|-------------------------------|---------|
| Solvents | 134-135 |
| Coatings & Rust Preventatives | 135-150 |
| Factory Packages | 151-152 |
| Bed Liners | 153-158 |
| Undercoating and Sound | 158-161 |

161

Detailing

| | |
|----------------------------|---------|
| Polishers & Buffers | 161-162 |
| Compounds, Polishes & Pads | 162-177 |

178

Safety

| | |
|------------------------|---------|
| Respiratory Protection | 178-179 |
| Disposable Gloves | 179-180 |
| Protective Apparel | 181-184 |
| Miscellaneous Safety | 184-185 |

185

Shop Supplies

| | |
|--------------------------|---------|
| Tack Cloths | 185-186 |
| Sticks & Strainers | 187 |
| Cloth Rags | 188 |
| Shop Towels | 188-190 |
| Miscellaneous Shop Items | 190-192 |

194

Promotions

| | |
|------------|-----|
| Motorguard | 194 |
|------------|-----|



WARNING: This publication may feature products that contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For product specific information, please visit our website at nodonline.nationaloak.com. You can read more about Proposition 65 by visiting www.p65warnings.ca.gov.

DISCLAIMER: Some products may not be compliant in all markets. You should purchase products which are compliant in your area. Some products are available for drop ship only, such as large equipment. Please check with your representative for all product availability and shipping options. Not responsible for pictorial or typographical errors. This issue expires 6/30/26.



DRIVING SURFACE PERFECTION™



THE PERFECT FINISH NEEDS A PERFECT START

Introducing Tectium™

| Part No. | Description | Size |
|-----------------|----------------------------|------|
| UP0.0644 | Tectium™ Elite Body Filler | 3L |
| UP0.0634 | Tectium™ Elite Body Filler | QT |
| UP0.0643 | Tectium™ Body Filler | 3L |
| UP0.0633 | Tectium™ Body Filler | QT |
| UP0.0645 | Tectium™ Glaze (Bag) | EA |





Reading Technologies, Inc.



PERF-50-PRO
Desiccant dryer with
activated carbon
element, additional
after filter



STEALTH 6950B
Tool Saver with 1.0
micron final filtration
and rated for 60 SCFM



SHC-35/SHC-50
35' or 50' spray
hose, rated for
400 PSI working
pressure



ED-2-4
Electronic timer
drain with indicator
lights and manual
override

SGT-90010



Reciprocating Air Saw
Blades, 4", 18 TPI

TOOL AID[®]

TOOLS FOR THE PROFESSIONAL

SGT-90040



Reciprocating Air Saw
Blades, 4", 32 TPI

SGT-15210



1/8" Stubby Double
Ended Drill Bits

SGT-15060



Titanium Multi-Step
Drill

SGT-17280



Spray Gun
Cleaning Kit

SGT-98300



Air Adjustment Valve
with Gage for Paint
Spraying

SGT-89790



Fine Nib File

SGT-89800



5" Sanding Block

SGT-89810



9" Sanding Block

3M Science.
Applied to Life.™

One for All

The most versatile spray gun in the industry.

Introducing the our next generation – the 3M™ Performance Spray Gun 2.

It's more than just a spray gun – it's an application tool with precision performance you can rely on.

It allows you to spray virtually all common automotive coatings. Just by changing the nozzle, you can switch material within seconds from a heavy textured rocker guard coating to the finest clear coat atomization.

Use it with 3M™ HVLP or Fine Finish Atomizing Heads ranging from 0.9 to 2.0 sizes – the choice is yours.

3m.com/spraygun



For additional information, including important safety and warranty information regarding 3M Automotive Aftermarket products, visit www.3Mcollision.com/info. Copyright 2025 by 3M. All rights reserved. 3M is a trademark of 3M Company.



Introducing

3M™ Performance Gravity Fine Finish Atomizing Heads

The newest addition to the 3M™ Performance Spray Gun lineup.



Premium Finish



Consistent Atomization



Faster Application*

In an industry that demands speed, just like you demand a quality finish, there's no time for compromises. You need the right spray equipment to match your expertise and pace as a painter where a finer finish is needed.

Introducing 3M™ Performance Fine Finish Nozzles, for the 3M™ Performance Spray Gun. Innovative quick-change nozzle technology, now equipped to spray some of the most challenging coatings. Help perfect your color match and lay down clear coats like glass. Experience a premium finish with the speed, quality, and fine atomization you look for.

3m.com/spraygun

*Compared to HVLP nozzles.

For additional information, including important safety and warranty information regarding 3M Automotive Aftermarket products, visit www.3Mcollision.com/info. Copyright 2022 by 3M. All rights reserved. 3M is a trademark of 3M Company.



**PROSTEP****STC20350**

Heavy duty stool, height adjustable, sturdy design, and non-slip surface.

**PANEL TREE****STC35900**

Provides a convenient and secure solution for storing spare panels.

**LIGHTWEIGHT RUBBER HOSE****ULR385038**

Made out of strong rubber, this heavy-duty hose connector is built to withstand extreme environments.

**HIGHFLOWPRO® V-STYLE****s-760** 1/4" MNPT Brass Plug 2/cd

V-Style/Euro Interchange Brass Air Plug Fitting (High Volume Low Pressure Application)

**1/4" FNPT Brass Plug 2/cd**
s-761**3/8" MNPT Brass Plug 2/cd**
s-762**3/8" FNPT Brass Plug 2/cd**
s-763**E-Z REST DOOR HANGER****STC21870**

Streamlines the process, ensuring precise alignment and saving valuable time during repairs and restorations.

**PLUGWELD PLIERS****STC23230**

Easy plugwelding with copper alloy backing for smoother, stronger welds.

**1/4" body, 1/4" MNPT**
1751**1/4" body, 3/8" FNPT**
1752**1/4" body, 3/8" MNPT**
1753**UNIVERSAL COUPLER****1750** 1/4" body, 1/4"

Quick connect coupling for a safe & easy air hose connection.

MORE FROM MILTON AT MILTONINDUSTRIES.COM

60th Anniversary PLATINUM SERIES

M-30

FEATURES MOUNTING BRACKET AND HARDWARE **FOR USE WITH 1/4 INCH HOSE.**

THIS UNIT WILL MOUNT IN SPRAY BOOTHS, ON PLASMA CUTTERS OR ON OTHER EQUIPMENT REQUIRING ULTRA-CLEAN AIR AND A FLEXIBLE CONNECTION.

SPECIFICATIONS

CONNECTION SIZE:
1/4-18 NPT(F)
MAX AIR FLOW
@80PSI: 45 CFM
MAX INLET
PRESSURE:
125 PSI
TEMP RANGE:
32-175°F



ALSO AVAILABLE

M-26

PLATINUM SERIES
1/4 NPT FOR
PLASMA CUTTING

M-60

HIGH-FLOW MODEL FOR DIRECT INLINE INSTALLATION **ON 1/2 INCH OR LARGER LINES.**

MOUNT ONE AT EVERY STATION TO PROTECT TOOLS & OTHER CRITICAL APPLICATIONS.

SPECIFICATIONS

CONNECTION SIZE:
1/2-14 NPT(F)
MAX AIR FLOW
@80PSI: 100 CFM
MAX INLET
PRESSURE:
125 PSI
TEMP RANGE:
32-175°F



ALSO AVAILABLE

M-60R

PLATINUM SERIES
TWO STAGE FILTER
SYSTEM

E S T . 1 9 6 6

The Original Sub-Micronic Compressed Air Filter



THE ULTIMATE DEFENSE
AGAINST DAMAGING,
DIRTY AIR



REMOVES PARTICULATES,
CONDENSED MOISTURE,
AND OIL AEROSOLS DOWN
TO 0.01 MICRONS IN SIZE



LOW PRESSURE DROP
AND EASY TO USE



M-723 REPLACEMENT ELEMENT

HYDRO-PURE TECHNOLOGY - PRODUCED FROM ENVIRONMENTALLY FRIENDLY UNBLEACHED, RECYCLED CELLULOSE, THE WOUND ELEMENT IN THE MOTOR GUARD FILTER TRAPS CONTAMINANTS AND ABSORBS LARGE QUANTITIES OF MOISTURE AND OIL. (4 PER PACK)

**MOTOR
GUARD**
60 YEARS OF EXCELLENCE

WWW.MOTORGUARD.COM

You give your best every day. Here is ours.

SATA



The new jet X.

It comes with a completely new nozzle concept.

Features a basic or digital options with an unprecedented range of functions.

Packed with features that make the difference.

We did this for one reason alone: to make it easier for you to be better.

Looks good for you: the design: The beginning of a new design era at SATA.

Balanced - in every respect: The jet X DIGITAL ready is approx. 50 grams lighter than its predecessor. The ergonomic gun body sits comfortably in the hand and is balanced so that it does not become top-heavy even with a large filled cup.

Easy to clean: the detachable trigger: The trigger can be removed in one easy step - without tools (excludes basic). The integrated tool can be used to loosen or tighten the fluid tip.

3 in 1: the innovative air inlet: The air micrometer for setting the dynamic inlet pressure is located at the air inlet. It allows convenient and precise adjustment of the air pressure.



RP pending EPA approval



INFO
www.satausa.com/jetx

SATA USA Inc.
www.satausa.com



CUT. POLISH. PERFECT.

Boost efficiency, reduce work time, and achieve that mirror-gloss finish with our all-in-one solution for body shops, detailers, and serious car care pros.



High Teck™ Ultra Fine Cut Compound

- Removes 1500 grit and finer scratches w/ minimal swirl marks
- Low dust formula
- Works with rotary or dual action buffers
- Contains no wax or silicones
- Low VOC



| Part No. | Size |
|-----------------|--------|
| HIT.6001 | Gallon |
| HIT.6004 | Quart |
| HIT.6016 | Pint |

High Teck™ Final Finish

- Eliminates swirl marks
- Low dust formula
- Contains no wax or silicones
- No hazing or smearing
- Produces soft long lasting shine
- No wax needed



| Part No. | Size |
|-----------------|--------|
| HIT.6101 | Gallon |
| HIT.6104 | Quart |
| HIT.6116 | Pint |

www.highteck.com

Mix'n'Shake™

Stop Stirring, Get Spraying. Let's Shake.

SEM's **Mix'n'Shake** system is not your average paint stirring machine. With years of research spent on testing and development, the system uses a unique, indented cup design and exclusive stirring mechanism to create organized chaos, resulting in a perfect mix that is scientifically proven.

Say goodbye to manual stirring and welcome improved productivity and profitability to your body shop.



**IMPROVED
PRODUCTIVITY**
100%
ACCURACY



**GREATER
PROFITABILITY**
UP TO 10% SAVINGS
ON CONSUMABLES



**CLEANER WORK
ENVIRONMENT**
100% FOCUS
ON PEOPLE



**INCREASED
EFFICIENCY**
GAIN UP TO 6%
PRODUCTIVE HOURS

semmixnshake.com | Compatible with the **PPG** LINQ™ digital ecosystem



SEM is a registered trademark and Mix'n'Shake and PPG LINQ are trademarks of PPG Industries Ohio, Inc. © 2025 PPG Industries, Inc. All rights reserved.



BEST IN CLASS

2K EPOXY PRIMER FILLER

For repairs, restoration and new parts.

- ✓ Excellent adhesion and corrosion protection properties
- ✓ Smooth flow, resulting in ease of use
- ✓ Outstanding insulating & sealing properties
- ✓ Recoatable with all solvent and water-borne basecoats, as well as single stage topcoats
- ✓ Long potlife: 72 hours / 68°F



**SEE PAGE 126 FOR FULL
PART NUMBER LISTING.**

www.spraymax.com



SPRAY GUNS

3M™ Performance Fine Finish Spray Gun System

- Delivers faster spray rates than traditional HVLP spray guns
- Achieves a smoother, more controllable finish with consistent patterns
- Uses 3M™ Performance Fine Finish Nozzles for precise color matching and glass-like clear coats
- Designed for exceptional results on even the most demanding finishes



KIT INCLUDES:

- 1 - 3M™ Performance Spray Gun Body
- 1 - Air regulator valve
- 1 - 3M™ Performance Spray Gun Locking Collar 26835
- 1 - 3M™ PPS™ Series 2.0 Cup, Standard (22 fl oz, 650 mL)
- 4 - 3M™ PPS™ Series 2.0 Lids Large/Standard, 200-micron Filter
- 1 - 3M™ PPS™ Series 2.0 Lids 26199, Large/Standard, 125-micron Filter
- 5 - 3M™ PPS™ Series 2.0 liners, Large/Standard size
- 5 - 3M™ Performance Gravity Fine Finish 1.2 Atomizing Heads
- 5 - 3M™ Performance Gravity Fine Finish 1.3 Atomizing Heads
- 5 - 3M™ Performance Gravity Fine Finish 1.4 Atomizing Heads
- 3 - 3M™ PPS™ Series 2.0 Sealing Plugs

3M™ Performance Spray Gun

- Lightweight, impact-resistant body made from advanced composite material
- Easy-change, replaceable nozzles range from 1.1 to 2.0
- Designed for comfort



3M™ Performance Spray Gun System

- Precision spray performance with high transfer efficiency and large, adjustable fan pattern
- Faster clean up
- Lightweight, impact-resistant spray gun body



3M™ Accuspray™ ONE Spray Gun System with PPS™

- All-in-ONE packaged display
- Fast, simple head replacement affords the performance of a brand new spray gun on demand
- Atomizing heads can be used on any Accuspray™ replaceable atomizing head spray gun



KIT INCLUDES:

- (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue)
- (5) standard size (22 oz) PPS™ Series 2.0 Lids and Liners
- (1) standard size (22 oz) PPS™ Series 2.0 Hard Cup

3M™ Performance Gravity Fine Finish Atomizing Heads

- Designed for high performance coatings
- Optimized for the latest coating technologies
- Controllable fine finish for all your applications



GRAVITY FINE FINISH ATOMIZING HEAD

| Part No. | Color | Size |
|------------------|--------|------|
| MMM.26909 | White | 0.9 |
| MMM.26911 | Yellow | 1.1 |
| MMM.26912 | Blue | 1.2 |
| MMM.26913 | Green | 1.3 |
| MMM.26914 | Orange | 1.4 |
| MMM.26916 | Purple | 1.6 |
| MMM.26918 | Clear | 1.8 |
| MMM.26920 | Red | 2.0 |

3M™ Performance Gravity HVLP Atomizing Heads

- Superior transfer efficiency
- Optimized for consistent atomization
- Enhanced material usage and mixing less paint
- Same or better coverage is possible



GRAVITY HVLP ATOMIZING HEAD

(FITS MMM.26832 AND MMM.26778)

| Part No. | Color | Size |
|------------------|---------|------|
| MMM.26709 | White | 0.9 |
| MMM.26712 | Blue | 1.2 |
| MMM.26713 | Green | 1.3 |
| MMM.26714 | Orange | 1.4 |
| MMM.26716 | Purple | 1.6 |
| MMM.26718 | Clear | 1.8 |
| MMM.26720 | Red | 2.0 |
| MMM.26730 | Variety | --- |

The choice is yours - choose your nozzle type and size, then please always refer to the individual paint manufacturers product recommendations.



Automotive Coatings

| | 2.0 | 1.8 | 1.6 | 1.4 | 1.3 | 1.2 | 1.1 | 0.9 |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| High Viscosity Coatings | ● ▲ | ○ △ | | | | | | |
| Sprayable Fillers | ● ▲ | ○ △ | | | | | | |
| High Build Primer | | ○ △ | ● ▲ | ● ▲ | | | | |
| Primer Surfacer | | ○ △ | ● ▲ | ● ▲ | | | | |
| Wet on Wet Primer | | | | ● ▲ | ● ▲ | | | |
| Primer Sealer | | | | ● ▲ | ● ▲ | | | |
| Direct Gloss | | | | ● ▲ | | | | |
| Single Stage Top Coat | | | | ● ▲ | | | | |
| Solvent Base Coat | | | | ● ▲ | ● ▲ | | | |
| Clearcoat | | | | ● ▲ | ● ▲ | ● ▲ | | |
| Waterborne Base Coat | | | | | ● ▲ | ● ▲ | ● ▲ | |
| UV Primers | | | | | ● ▲ | ● ▲ | ● ▲ | ● ▲ |
| Midcoat / Effect Coats | | | | | ● ▲ | ● ▲ | ● ▲ | ● ▲ |
| Smart / Spot Repair | | | | | | | ● ▲ | ● ▲ |

SPRAY GUNS

3M™ Accuspray™ ONE Spray Gun Kit

- Fast, simple head replacement affords the performance of a brand new spray gun on demand
- Atomizing heads can be used on any Accuspray™ replaceable atomizing head spray gun



3M



MMM.26578

KIT INCLUDES:

- (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue)
- Color indicator rings
- Mountable spray gun holder
- Nozzle indicator insert
- Airflow control valve

ACCUSPRAY ATOMIZING HEAD REFILL PACK

(FITS MMM.26580 AND MMM.26578)

| Part No. | Color | Size |
|------------------|--------|------|
| MMM.26612 | White | 0.9 |
| MMM.26613 | Blue | 1.2 |
| MMM.26614 | Green | 1.3 |
| MMM.26618 | Orange | 1.4 |
| MMM.26620 | Purple | 1.6 |

3M™ Accuspray™ ONE Spray Gun System with Standard PPS™

- Easy cleaning
- Performance of a brand new spray gun with each new atomizing head
- Reduces cleaning solvent by up to 70% and reduces gun cleaning time
- Requires no spray gun maintenance kits



3M



MMM.16580

ACCUSPRAY ATOMIZING HEAD REFILL KIT

(FITS MMM.16580 AND MMM.16579)

| Part No. | Color | Size |
|------------------|--------|------|
| MMM.16585 | Clear | 1.8 |
| MMM.16615 | Blue | 1.2 |
| MMM.16614 | Green | 1.3 |
| MMM.16612 | Orange | 1.4 |
| MMM.16611 | Clear | 1.8 |
| MMM.16609 | Red | 2.0 |

3M™ Accuspray™ ONE Replacement Spray Gun

- Boosts productivity with reduced gun cleaning time
- Maximizes benefits of PPS™ disposable cup system
- Durable, lightweight 1-piece composite spray gun body contains no gaskets, seals or O-rings, eliminating maintenance kits



3M

MMM.16579

3M™ Performance Industrial Spray Gun System

- Lightweight, impact-resistant body made from advanced composite material
- Convert between pressure fed whip hose and 3M™ PPS Series 2.0 spray cup system
- Quick change, replaceable nozzles ranging from 1.1 to 2.0
- Designed for comfort



3M



MMM.26878

PERFORMANCE ATOMIZING HEAD REFILL KIT

| Part No. | Color | Size |
|------------------|---------|------|
| MMM.26809 | White | 0.9 |
| MMM.26811 | Yellow | 1.1 |
| MMM.26814 | Orange | 1.4 |
| MMM.26818 | Clear | 1.8 |
| MMM.26820 | Red | 2.0 |
| MMM.26830 | Variety | --- |

Get Cleaner, Quicker

3M™ High Power Spray Gun Cleaner blasts excess paint off spray gun surfaces, delivering improved performance for your quick cleaning jobs.

3M™ High Power Spray Gun Cleaner

- Helps reduce the use of cleaning solvents
- Compatible for cleaning waterborne and solvent-based coatings
- Aerosol cleaner is low VOC less than 25 g/L
- Designed for use on metal spray equipment or composite/plastic components


MMM.26689

3M



Works to Clean:

- Any paint spray gun and related components
- 3M Accuspray atomizing heads
- PPS hard cups and any metal or plastic paint spray cups
- Spray gun adapters
- Hoses



Complete 2 Gun Performance HVLP Spray Gun Kit



HIT.T520

Includes a locking pressure regulator, fluid filter, and gun cleaning kit.



- One year OTC warranty
- Stainless steel needle and fluid tip allow for the use of water-based coatings
- One-piece, ergonomic aluminum body with anodized finish offering corrosion protection
- Adjustable fluid, fan pattern and air controls for precise app

PERFORMANCE SERIES 2-GUN KIT

| Part No. | Color | Size |
|-----------------|-------------------------|------|
| HIT.T501 | Spray Gun for Top Coats | 1.4 |
| HIT.T502 | Spray Gun for Primers | 1.8 |

Complete 3 Gun Performance HVLP Spray Gun Kit



HIT.T530

*Not included in T530 Kit



- One year OTC warranty
- Stainless steel needle and fluid tip allow for the use of water-based coatings
- One-piece, ergonomic aluminum body with anodized finish offering corrosion protection
- Adjustable fluid, fan pattern and air controls for precise application and smooth, high quality finishes

PERFORMANCE HVLP SPRAY GUNS

| Part No. | Color | Size |
|------------------|-------------------------|------|
| HIT.T501 | Spray Gun for Top Coats | 1.4 |
| HIT.T502 | Spray Gun for Primers | 1.8 |
| HIT.T500 | Spray Gun for Touch Ups | 1.0 |
| HIT.T510* | Suction Feed Spray Gun | 1.8 |


SPRAY GUNS

SATAJet X 5500 Phaser Spray Guns


- Controlled or fast applications in any environment
- Available in "I" series or "O" series
- Suitable for any topcoat
- HVLP or RP technology



I-NOZZLE



O-NOZZLE



| I-NOZZLE | | | O-NOZZLE | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|
| RP | | | | | | |
| Nozzle Size | 1.2I | 1.3I | 1.4I | 1.2O | 1.3O | 1.4O |
| Part No. | SAT.1096066 | SAT.1096074 | SAT.1150002 | SAT.109609 | SAT.1096082 | SAT.1150010 |
| ("I" & "O" nozzle set cppl. with rps multi-purpose cup 0.6 i / 0.9 (each 1x), with swivel joint | | | | | | |
| HVLP | | | | | | |
| Nozzle Size | 1.2I | 1.3I | 1.4I | 1.2O | 1.3O | 1.4O |
| Part No. | SAT.1096157 | SAT.1096149 | SAT.1096131 | SAT.1096107 | SAT.1096115 | SAT.1096123 |

RP = REDUCED PRESSURE

HVLP = HIGH VOLUME LOW PRESSURE

(Both achieve at least 65% transfer efficiency)

SATAJet X 5500 Spray Guns

- Optimized material distribution
- Constant fan size across the entire nozzle spectrum
- Whispering nozzle™ due to optimized air flow geometry



| I-NOZZLE | | | O-NOZZLE | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|
| RP | | | | | | |
| Nozzle Size | 1.2I | 1.3I | 1.4I | 1.2O | 1.3O | 1.4O |
| Standard with one each RPS multipurpose cup 0.6 I / 0.9 I, with swivel joint | | | | | | |
| Part No. | SAT.1061556 | SAT.1061564 | SAT.1061572 | SAT.1061598 | SAT.1061605 | SAT.1061613 |
| HVLP | | | | | | |
| Nozzle Size | 1.2I | 1.3I | 1.4I | 1.2O | 1.3O | 1.4O |
| Standard with one each RPS multipurpose cup 0.6 I / 0.9 I, with swivel joint | | | | | | |
| Part No. | --- | SAT.1061887 | SAT.1061910 | --- | SAT.1061952 | SAT.1061960 |
| Digital opt. with one each RPS multipurpose cup 0.61 I / 0.9 I, with swivel joint | | | | | | |
| Part No. | --- | SAT.1062017 | --- | --- | SAT.1062132 | --- |

SATAmijet 4400B Spray Guns

- Special SR nozzles are perfectly suitable for spot repairs on vehicles
- Great for all modern paint systems - including Waterborne Paints
- Spray fan can be exactly adjusted with a 3/4 turn
- Easy to clean, corrosion-resistant Pearlodized™ surface
- Compatible with all RPS cup sizes

HVLP SPOT-REPAIR 0,3 L RPS

| Part No. | Nozzle |
|-------------------|--------|
| SAT.198168 | 0.8 SR |
| SAT.198176 | 1.0 SR |
| SAT.198184 | 1.2 SR |
| SAT.198192 | 1.4 SR |
| SAT.204164 | 0.3 |
| SAT.204172 | 0.5 |
| SAT.204180 | 0.8 |
| SAT.204198 | 1.0 |
| SAT.204206 | 1.1 |

RP SPOT-REPAIR 0,3 L RPS

| Part No. | Nozzle |
|--------------------|--------|
| SAT.202390 | 0.8 SR |
| SAT.198358 | 1.0 SR |
| SAT.198366 | 1.2 SR |
| SAT.1065136 | 1.3 SR |



SATAJet 100 B Spray Guns

- Fine atomisation even at low inlet pressure
- Low overspray
- Pressure adjustment from 0.5 – 2.0 bar is possible
- Smoothly polished, ergonomically optimised gun body
- QCC- cup connection
- Self-adjusting sealings

SATAJET 100 B F HVLP

| Part No. | Nozzle |
|--------------------|--------|
| SAT.1012674 | 1.4 |
| SAT.1012682 | 1.7 |
| SAT.1012690 | 1.9 |
| SAT.1012707 | 2.1 |

SATAJET 100 B P

| Part No. | Nozzle |
|--------------------|--------|
| SAT.1012715 | 2.5 |

SATAJET 100 B F RP

| Part No. | Nozzle |
|--------------------|--------|
| SAT.1012632 | 1.4 |
| SAT.1012640 | 1.6 |
| SAT.1012658 | 1.8 |
| SAT.1012666 | 2.0 |
| SAT.1100015 | Sealer |

SATA
German Engineering



SATAJet 1500 B SoLV

- Nice-sized, even spray pattern
- Wide air pressure range from 7-29 psi RP, 15-26 psi HVLP
- Fast working speed



1500 B SOLV HVLP RPS

| Part No. | Nozzle |
|--------------------|--------|
| SAT.1010925 | 1.3 |
| SAT.1010933 | 1.4 |

1500 B SOLV RP RPS

| Part No. | Nozzle |
|--------------------|--------|
| SAT.1010892 | 1.3 |
| SAT.1010917 | 1.4 |

SATA
German Engineering

SATAglyph 4 Airbrush Gun

- Coupled air and material adjustment for safe spray control
- Removable needle cap to allow drawing finest lines
- Highest precision in various fields of application



SAT.S004B

SATA
German Engineering

SATAJet 1000 K Spray Gun

- Can be used for processing a wide variety of materials – water or solvent-based
- Comfortable, ergonomically well balanced control elements, such as material flow control, the thumb adjustable round/flat spray control and integrated air micrometer
- QC thread for easy and quick air nozzle change with only 1.5 turns
- Special air guides on the horns of the air cap prevent deposits caused by overspray
- With extensions in various designs, even hard-to-reach areas can be coated perfectly

SATA
German Engineering

1000 K SUPERFAST RP

| Part No. | Nozzle |
|-------------------|--------|
| SAT.132118 | 1.3 |
| SAT.132126 | 1.5 |



SATAJet X 5500 Maintenance Set

SET INCLUDES:

- 1 Sealing ring for air cap ring 211508
- 1 Sealing element for fluid tip 140582
- 1 Air piston rod 86843
- 1 Seal retainer 133942
- 1 Spindle seal 133934
- 1 Teflon seal for air piston 240
- 1 Paint needle packing 15438



SAT.1173286

SATA
German Engineering

SATAJet 5000 B Maintenance Set

SET INCLUDES:

- Air distribution ring/extraction tool 165951
- 1 Sealing ring for air cap ring 172429
- 1 Sealing element for fluid tip 140582
- 1 Air piston rod 86843
- 1 Seal retainer 133942
- 1 Spindle seal 133934
- 1 Teflon seal for air piston 133991
- 1 Paint needle packing 15438



SAT.1050674 **19**

SATA
German Engineering

SPRAY GUNS

SATAjet 4000 B Maintenance Set



SET INCLUDES:

- Air distribution ring/extraction tool 165951
- 1 Sealing ring for air cap ring 172429
- 1 Sealing element for fluid tip 140582
- 1 Air piston rod 86843
- 1 Seal retainer 133942
- 1 Spindle seal 133934
- 1 Teflon seal for air piston 133991
- 1 Paint needle packing 15438



SAT.1047837

SATAjet 100 B & 1000 B Maintenance Set



SET INCLUDES:

- Air distribution ring/extraction tool 143230
- 1 Sealing ring for air cap ring 130393
- 1 Sealing element for fluid tip 140582
- 1 Air piston rod 91959
- 1 Seal retainer 133942
- 1 Spindle seal 133934
- 1 Teflon seal for air piston 133991
- 1 Paint needle packing 15438



SAT.1173260

SATAjet 1500 B SoLV Maintenance Set



SET INCLUDES:

- Air distribution ring/extraction tool 143230
- 1 Sealing ring for air cap ring 172429
- 1 Sealing element for fluid tip 140582
- 1 Air piston rod 91959
- 1 Seal retainer 133942
- 1 Spindle seal 133934
- 1 Teflon seal for air piston 133991
- 1 Paint needle packing 1543



SAT.1173278

SATA Universal Key/Wrench



- Fits SATAjet and SATAminijet fluid tips, paint can opener, slot to straighten air horns
- If the tool slips it won't damage your nozzle tip
- Prevents over torque of fluid nozzle



Part No.

SAT.1060938

SAT.1097379

SATA High Performance Grease

- Silicone and acid free
- 100 ml/3.3 oz



Part No.

SAT.48173

SAT.10009-6



SATA High Performance Grease

- Silicone and acid free
- 100 ml/3.3 oz



SAT.1050260

SATA Cleaning Set

- 2 cleaning brushes
- 12 cleaning needles



SAT.64030



SATA Cleaning Brushes

- Double-sided cleaning brushes
- Pack of 10



SAT.9209



SATA Cleaning Brushes

- Double-sided cleaning brushes
- Pack of 10



SAT.6007



SATA Cleaning Brush Kits

SAT.64035 SET INCLUDES:

- 5 mini brush set
- 3 large brushes
- 2 double ended brushes
- 2 cleaning brushes
- 2 cleaning broches
- 1 plastic handle brush

SAT.64036 SET INCLUDES:

- 5 mini brush set
- 2 large brushes
- 2 double ended brushes
- 2 cleaning brushes
- 2 cleaning broches
- 1 plastic handle brush
- 1 airbrush probe



SATA Nozzle Cleaning Needles

- Fits in small space cleaning needles
- Pack of 12




SAT.9894



LS400 Series2 Base Coat Spray Guns

- HVLP Technology – 10 PSI at the nozzle
- Concentrated coarse atomization
- Excellent for solvent or waterborne base coat application
- Large fan pattern
- Superior transfer efficiency

LS400
SERIES2 BASE



STANDARD LS400 SERIES 2 BASE

| Part No. | Climate | Nozzle |
|------------------|----------|--------|
| IWA.2912 | Standard | 1.2 |
| IWA.2913 | Standard | 1.3 |
| IWA.2914 | Standard | 1.4 |
| IWA.2915 | Standard | 1.5 |
| IWA.2912S | Hot/Dry | 1.2 |
| IWA.2913S | Hot/Dry | 1.3 |
| IWA.2914S | Hot/Dry | 1.4 |
| IWA.2915S | Hot/Dry | 1.5 |

DIGITAL LS400 SERIES 2 BASE

| Part No. | Climate | Nozzle |
|-------------------|----------|--------|
| IWA.2912D | Standard | 1.2 |
| IWA.2913D | Standard | 1.3 |
| IWA.2914D | Standard | 1.4 |
| IWA.2915D | Standard | 1.5 |
| IWA.2912SD | Hot/Dry | 1.2 |
| IWA.2913SD | Hot/Dry | 1.3 |
| IWA.2914SD | Hot/Dry | 1.4 |
| IWA.2915SD | Hot/Dry | 1.5 |

SERIES2 EXCLUSIVE **SPLIT NOZZLE™ 2.0**

ANEST IWATA
SPRAY EQUIPMENT



Designed by
Pininfarina



WBX Spray Gun Kits

- Split Nozzle Technology
- Gives users a fast, smooth, even, flat finish
- Operating at a low air pressure, while maintaining a wide fan pattern

ANEST IWATA
SPRAY EQUIPMENT



IWA.9278

KIT INCLUDES:

- W-400-LV-WBX 1.3 Gravity Compliant Spray Gun
- 1.5 Nozzle (use with 1.3 needle)
- 1.2 Nozzle Needle Set
- 700 ml Aluminum Gravity Cup
- Air Regulator
- Spray Gun Lubricant
- Brush
- Wrench



IWA.9279

KIT INCLUDES:

- W-400-LV-WBX 1.8 Gravity Compliant Spray Gun
- 1.5 Nozzle Needle Set
- 1.3 Nozzle Needle Set
- 700 ml Aluminum Gravity Cup
- Air Regulator
- Spray Gun Lubricant
- Brush
- Wrench

W-400 LV-WBX Primer/Sealer Spray Guns

- Developed specifically with a high-end, flawlessly finished primer/sealer coat
- Exclusive red air cap and precision engineered split nozzle combine to create a fast, smooth, even, flat finish.
- Operates at low air pressure while maintaining a wide fan pattern and excellent transfer efficiency
- Best for Thin Viscosity Sealers



PROVEN **SPLIT NOZZLE™**
TECHNOLOGY

ANEST IWATA
SPRAY EQUIPMENT

| Part No. | Description | Nozzle MM |
|-----------------|----------------|-----------|
| IWA.2112 | W-LV-400-12WBX | 1.2 |
| IWA.2113 | W-LV-400-13WBX | 1.3 |
| IWA.2114 | W-LV-400-14WBX | 1.4 |
| IWA.2115 | W-LV-400-15WBX | 1.5 |
| IWA.2116 | W-LV-400-16WBX | 1.6 |
| IWA.2118 | W-LV-400-18WBX | 1.8 |

SPRAY GUNS

WS400 Series2 Base Coat Spray Guns

- Exclusive Split Nozzle™ 2.0 Technology for repeatable results and unmatched performance
- Ideal for wet on wet basecoat applications
- Nozzle configurations to optimize your paint and climate conditions
- Optional DPG1 high-performance digital pressure regulator

WS400
SERIES2 BASE

SERIES2 EXCLUSIVE SPLIT NOZZLE™ 2.0


ANEST IWATA
SPRAY EQUIPMENT

STANDARD LS400 SERIES 2 BASE

| Part No. | Climate | Nozzle |
|-----------------|----------|-----------|
| IWA.2916 | Humid | 1.3 OBS-O |
| IWA.2917 | Standard | 1.3 OBS |
| IWA.2918 | Dry | 1.3 OBS+1 |

DIGITAL LS400 SERIES 2 BASE

| Part No. | Climate | Nozzle |
|------------------|----------|--------|
| IWA.2912D | Standard | 1.2 |
| IWA.2913D | Standard | 1.3 |
| IWA.2914D | Standard | 1.4 |



WS400 Series2 Clear Coat Spray Guns

- Exclusive Split Nozzle™ 2.0 Technology for repeatable results and unmatched performance
- Ideal for a wide range of clear coat applications
- Nozzle configuration to suit your application style and speed
- New standard for fast, high-delivery fine atomization

WS400
SERIES2 CLEAR

SERIES2 EXCLUSIVE SPLIT NOZZLE™ 2.0

ANEST IWATA
SPRAY EQUIPMENT

STANDARD WS400 SERIES 2 CLEAR

| Part No. | Speed | Nozzle |
|-----------------|------------|--------|
| IWA.2712 | Control | 1.2HD |
| IWA.2713 | Standard | 1.3HD |
| IWA.2714 | Speed | 1.4HD |
| IWA.2715 | High Speed | 1.5HD |

DIGITAL LS400 SERIES 2 CLEAR

| Part No. | Speed | Nozzle |
|------------------|------------|--------|
| IWA.2712D | Control | 1.2HD |
| IWA.2713D | Standard | 1.3HD |
| IWA.2714D | Speed | 1.4HD |
| IWA.2715D | High Speed | 1.5HD |



LPH400LV Series Spray Guns

- Patented LV Technology with split nozzle for increased material savings
- Great for base or clear, solvent or waterborne, woodworking or automotive
- HVLP with low operating air pressure
- Quality surface for easy cleaning
- Minimal wear parts for easy maintenance
- 16 psi

| Part No. | Nozzle | Air Cap |
|-----------------|--------|---------|
| IWA.5640 | 1.3 | LV4 |
| IWA.5643 | 1.3 | LV4 |
| IWA.5660 | 1.3 | LVX |
| IWA.5663 | 1.3 | LVX |
| IWA.5670 | 1.4 | LVX |
| IWA.5673 | 1.4 | LVX |



LPH300 Gravity Feed Spray Guns

- Patented LV Technology with split nozzle for increased material savings
- Rounded pattern produces low overspray
- Extremely low air supply pressure, only 14.5 psi
- Finer atomization is suitable for wet on wet topcoat (1.4/1.6mm)
- Easy maintenance
- No cup; pattern: 9"

| Part No. | Nozzle | Primary Unit |
|-----------------|--------|----------------|
| IWA.3945 | 1.4 | Sealer |
| IWA.3950 | 1.6 | Surfacer |
| IWA.3955 | 1.3 | Wet Bed Sealer |

ANEST IWATA
SPRAY EQUIPMENT



SPRAY GUNS

LS-400 Entech Series (Gun Only)

- ETS Technology
- Excellent for water or solvent borne basecoats
- Exceptional TE
- Color correct application



| Part No. | Model No. | Nozzle |
|-----------------|------------|--------|
| IWA.5930 | LS400-1205 | 1.2 |
| IWA.5935 | LS400-1305 | 1.3 |
| IWA.5940 | LS400-1405 | 1.4 |
| IWA.5945 | LS400-1505 | 1.5 |

WS-400 Series (Gun Only)

- HD technology
Concentrates the atomization for a better finish and better TE
- Large Dense fan pattern



| Part No. | Model No. | Nozzle |
|-----------------|--------------|--------|
| IWA.5905 | WS400-1301HD | 1.3 |
| IWA.5910 | WS400-1401HD | 1.4 |
| IWA.5920 | WS400-OBS | 1.3 |

LPH-80 Compact HVLP Gravity Spray Guns

- Very fine atomization with low air consumption
- Extremely low material consumption
- Smaller pattern, perfect for touch up or small surface work
- Minimal wear parts for easy maintenance
- Compatible with the 3M PPS cup system (Adapter Type 31)
- Repair Serive Kit Part # 2860



| Part No. | Model No. | Description |
|-----------------|------------|-------------|
| IWA.4910 | LPH80-082G | Gun Only |
| IWA.4911 | LPH80-082G | Gun w/Cup |
| IWA.4915 | LPH80-102G | Gun Only |
| IWA.4916 | LPH80-102G | Gun w/Cup |
| IWA.4920 | LPH80-122G | Gun Only |
| IWA.4925 | LPH80-104G | Gun Only |
| IWA.4930 | LPH80-124G | Gun Only |
| IWA.4931 | LPH80-124G | Gun w/Cup |

AirGunsa AZ3HV2 Spray Guns

- Affordable center post gravity HVLP spray gun
- Softer trigger pull to reduce fatigue
- Polished surface allows for easier cleanup

| Part No. | Model | Nozzle |
|-----------------|-------------|--------|
| IWA.9230 | AZ3HV2-13GC | 1.3 |
| IWA.9231 | AZ3HV2-15GC | 1.5 |
| IWA.9232 | AZ3HV2-18GC | 1.8 |
| IWA.9233 | AZ3HV2-20GC | 2.0 |



VERSATILITY THAT WON'T BREAK THE BANK

IWA.9276



AIR GUNSA HVLP GRAVITY SPRAY GUN KIT 9276

Featuring an Air Gunsa AZ3-HV2 HVLP spray gun with 1.3, 1.5 and 1.8 mm needles and nozzles, 600 ml plastic gravity cup, air regulator, spray gun lubricant and wrench.

A Start To Finish Solution with Professional Results at an Unbeatable Value!

When Passion, Innovation, and Creativity Meet — that's #TEAMIWATA.

SPRAY GUNS

DV1 Guns - 3 Gun Bundle

- Delivers ultimate SMART Repair application performance
- Sprays consistent and homogeneous spray patterns
- Atomizes effortlessly with a selection of finely tuned air cap and fluid nozzle setups
- Provides maximum comfort and easy use from set-up through the entire spraying process
- Provides maximum comfort and ease of use with right the first time results
- Improved transfer efficiency saving time, money, and repair costs per job

DEV.704703



DeVilbiss
By Binks

704703 3 GUN BUNDLE INCLUDES

| Part No. | Description | Air Caps |
|-------------------|----------------------|----------------------------------|
| DEV.704504 | DV1 Base Coat Gun | 1.2, 1.3, 1.4 HVLP B+ Air Cap |
| DEV.704521 | DV1 Clear Coat Gun | 1.2, 1.3, 1.4 C1+ & C2+ Air Caps |
| DEV.704532 | DV1s Spot Repair Gun | 1.0, 1.2 S1+ HVLP Air Cap |

DV1 Guns - 3 Gun Bundle with GPG Primer Gun

- Designed for professional auto body shops that demand precision and reliability
- Each gun is equipped with multiple fluid tips and specialized air caps to handle a variety of coatings and finishes
- Advanced fluid dynamics and air cap technology ensure superior atomization and a flawless finish
- Robust construction meant to withstand the demands of a busy paint shop

DEV.704702



DeVilbiss
By Binks

704702 3 GUN BUNDLE INCLUDES

| Part No. | Description | Air Caps |
|-------------------|--------------------|----------------------------------|
| DEV.704504 | DV1 Base Coat Gun | 1.2, 1.3, 1.4 HVLP B+ Air Cap |
| DEV.704521 | DV1 Clear Coat Gun | 1.2, 1.3, 1.4 C1+ & C2+ Air Caps |
| DEV.905026 | GPG Primer Gun | 1.4, 1.6. PR10 and PR30 Air Caps |

DV1 Basecoat Spray Guns

- (DV1-B PLUS (HVLP) air cap
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter



DeVilbiss
By Binks

| Part No. | Air Caps |
|-------------------|----------------------------------|
| DEV.704504 | 1.2, 1.3, 1.4 HVLP B+ Air Cap |
| DEV.704528 | 1.2, 1.3, 1.4 C1+ & C2+ Air Caps |

DV1 Clear Spray Guns

- DV1-C1 & DV1-C2 PLUS HVLP air caps
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter



DeVilbiss
By Binks

| Part No. | Air Caps |
|-------------------|----------------------------------|
| DEV.704521 | 1.2, 1.3, 1.4 C1+ & C2+ Air Caps |

DV1 Spot Repair Spray Guns

- DV1-M1, DV1-S1 Plus HVLP and DV1-S2 air caps
- Multiple fluid tips
- Premium digitalGauge
- Tool kit



DeVilbiss
By Binks

| Part No. | Air Caps | Tips |
|-------------------|----------|----------|
| DEV.704531 | DV1s M | 0.7, 0.9 |
| DEV.704532 | DV1s S1 | 1.0, 1.2 |
| DEV.704533 | DV1s S2 | 1.0, 1.2 |

SPRAY GUNS

PROLite® Spray Guns

- Lightweight design
- Uniform pattern and atomization
- Exceptional finish quality
- Range of air caps for water and solvent materials
- Ergonomic handle design
- Built to last

PROLite
Basecoat/Clearcoat Gravity

Basecoat/Clearcoat



DeVilbiss
By Binks

PROLite
Repair Gravity

Repair Gravity



PROLITE® BASECOAT/CLEARCOAT GRAVITY SPRAY GUN KITS

| Part No. | Description | Air Cap | Nozzle |
|-------------------|--------------------------------|-------------|---------------|
| DEV.905038 | HVLP Gun Kit | HV30 | 1.2, 1.3 |
| DEV.905039 | HVLP Gun Kit | HV30 | 1.3, 1.4 |
| DEV.905040 | HVLP Gun Kit | HV30 | 1.2, 1.3 |
| DEV.905041 | HVLP Gun Kit | HV30 | 1.3, 1.4 |
| DEV.905042 | HVLP & High Efficiency Gun Kit | TE20 & HV30 | 1.3, 1.4, 1.5 |
| DEV.905043 | High Efficiency Gun Kit | TE10 & TE20 | 1.2, 1.3, 1.4 |
| DEV.905044 | High Efficiency Gun Kit | TE10 & TE20 | 1.2, 1.3, 1.4 |
| DEV.905045 | HVLP & High Efficiency Gun Kit | TE25 & HV30 | 1.2, 1.3, 1.4 |

PROLITE® - S SPOT REPAIR GRAVITY SPRAY GUN KITS

| Part No. | Description | Air Cap | Nozzle |
|-------------------|--------------------------------------|----------|--------|
| DEV.905081 | HVLP & High Efficiency Micro Gun Kit | MC1, HV5 | 0.6 |
| DEV.905082 | HVLP & High Efficiency Kit | HV5, TE5 | 1.0 |

PROLite® Spray Guns (continued)

DeVilbiss
By Binks

PROLite
Suction/Pressure

Suction/Pressure



PROLITE® PRESSURE FEED PROFESSIONAL SPRAY GUN KITS

| Part No. | Description | Air Cap | Nozzle |
|-------------------|----------------------------------|-----------|---------------|
| DEV.905125 | Conventional Gun Kit | C797 | 1.4 |
| DEV.905123 | Suction (C30, 1.8, uncupped) | --- | 1.8 |
| DEV.905128 | High Efficiency Gun Kit | TE40 | 1.2 |
| DEV.905131 | HVLP & High Efficiency Gun Kit | TE40/HV40 | 1.0, 1.4 |
| DEV.905132 | HVLP & High Efficiency Gun Kit | TE40/HV40 | 1.0, 1.2, 1.4 |
| DEV.905135 | Suction (GPG2, 2.0, 2.2, cupped) | GPG2 | 2.0, 2.2 |
| DEV.905139 | Suction (TE10, 1.6, 1.8, cupped) | TE10 | 1.6, 1.8 |

GPG Gravity Spray Gun Kits

- Rugged forged aluminum
- Robust and smooth air valve design
- Suitable for primers, waterborn and UV materials
- DeVilbiss atomization quality
- High flow fluid nozzles

DeVilbiss
By Binks

GPG



GPG GRAVITY SPRAY GUN KITS

| Part No. | Description | Air Cap | Nozzle |
|-------------------|--|-----------|---------------|
| DEV.905016 | HVLP Gun Kit | GPG2 | 1.3, 1.4, 1.5 |
| DEV.905012 | HVLP Gun Kit | GPG2 | 1.3, 1.5, 1.8 |
| DEV.905013 | HVLP Gun Kit | GPG2 | 1.3, 1.5, 1.8 |
| DEV.905014 | High Efficiency Gun Kit | GPG2 | 1.0, 2.2 |
| DEV.905015 | High Efficiency Gun Kit | 7E7 | 1.2, 1.3, 1.4 |
| DEV.905019 | High Efficiency Gun Kit | 7E7 | 1.3, 1.4 |
| DEV.905020 | High Efficiency Gun Kit | 7E7 | 1.3, 1.4 |
| DEV.905021 | High Efficiency Gun Kit | 7E7 | 1.2, 1.3 |
| DEV.905022 | High Efficiency Gun Kit | 7E7 | 1.2, 1.3 |
| DEV.905026 | HVLP & High Efficiency Gun Kit | PR10+PR30 | 1.4, 1.6 |
| DEV.905027 | HVLP & High Efficiency Gun Kit | PR10+PR30 | 1.8, 2.0 |
| DEV.905028 | HVLP & High Efficiency Gun Kit | PR10+PR30 | 2.5 |
| DEV.905036 | HVLP & High Efficiency UV Primer Gun Kit | PR10+PR30 | UV1, UV2 |

SPRAY GUNS

FLG General Purpose Spray Guns

- Balanced, ergonomic handle
- Smooth action trigger
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape



DeVilbiss
By Binks

FLG GENERAL PURPOSE SPRAY GUNS

| Part No. | Description | Air Cap | Nozzle |
|-------------------|---------------------------|-------------|---------------|
| DEV.905161 | FLG Pressure HVLP Gun Kit | FLG-693 | 1.4, 1.8 |
| DEV.905162 | FLG Pressure HVLP Gun Kit | KB-555 2 QT | 1.4, 1.8 |
| DEV.905163 | FLG Gravity HVLP Gun Kit | FLG-693 | 1.3, 1.4, 1.8 |
| DEV.905165 | FLG Gravity HVLP Gun Kit | FLG-693 | 1.8, 2.0 |

SLG Finish Coat and Primer Spray Guns

- Balanced, ergonomic handle
- Smooth action trigger
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape



DeVilbiss
By Binks

SLG FINISH COAT AND PRIMER SPRAY GUNS

| Part No. | Description | Nozzle |
|-------------------|--|---------------|
| DEV.802342 | 2-Gun Painting & Touch Up (Finish Coat Detail) | 1.3, 1.0, 1.8 |
| DEV.802343 | 2-Gun Painting & Priming (Finish Coat Primer) | 1.3, 1.5, 1.8 |
| DEV.802789 | 3-Gun Painting (Finish Coat Primer/Detail) | 1.3, 1.8, 1.0 |
| DEV.802405 | Detail Gun only | 1.0 |

FX3000 HVLP Spray Guns

- Large pattern size, up to 12.5 inches
- HVLP gun with multiple nozzles ranging from 1.0 to 1.8 spray primer, base, and clear
- Includes FX3000 gun, 600 cc aluminum cup, wrench and cleaning brush
- One year warranty



FINEX
BY SHARPE

| Part No. | Nozzle |
|-------------------|--------|
| SHA.288878 | 1.0 |
| SHA.288879 | 1.3 |
| SHA.288880 | 1.4 |
| SHA.288881 | 1.5 |
| SHA.288882 | 1.8 |

FX1000 HVLP Spray Guns

- Two-finger trigger for anti-fatigue painting in small areas
- Mini-gun with multiple nozzle options ranging from 0.6 to 1.4 to spray primer, base and clear
- Includes FX1000 gun, 125cc cup, wrench and cleaning brush
- One year warranty



FINEX
BY SHARPE

| Part No. | Nozzle |
|-------------------|--------|
| SHA.289200 | 1.0 |
| SHA.289221 | 1.2 |
| SHA.289222 | 1.4 |

PRESSURE POTS

Pressure Pots

- Works with a wide range of coatings for various painting and finishing needs
- Built for long-lasting performance in industrial and automotive applications
- Ensures consistent material flow for a smooth, high-quality finish

BINKS

| Part No. | Description | Size |
|---------------------|---|----------|
| BNK.83C-210 | Single regulator, no agitation | 2 Gallon |
| BNK.83C-220 | Double regulator, no agitation | 2 Gallon |
| BNK.83C-221 | Double regulator, direct drive agitator | 2 Gallon |
| BNK.183G-520 | Double regulator, no agitation | 5 Gallon |



PRESSURE POTS

Pressure Tank Liner

- Superior-grade solution
- Perfect for recoloring, repairing and respraying
- Makes your paint job restoration fast and easy
- Helps remove scratches and chips from your vehicle's body



DeVilbiss
By Binks

| Part No. | Size |
|------------------------|------------|
| DEV.PT-52 | 2.7 Gallon |
| DEV.PT-52-K60 | 2 Gallon |
| DEV.PTL-406-K20 | 5 Gallon |

Fluid Hose Assembly

- Ideal for use with a wide range of materials
- Tube is nylon; cover is black neoprene rubber; yarn reinforced
- Maximum application temperature: 150°F



DeVilbiss
By Binks

| Part No. | Size | Part No. | Size |
|--------------------|------------|--------------------|------------|
| DEV.HA-7325 | 3/8" x 25' | DEV.HA-7350 | 3/8" x 50' |
| DEV.HA-7335 | 3/8" x 35' | DEV.HA-7535 | 1/4" x 35' |

Fluid and Air Hose Set

- Superior resistance to oil, weathering, ozone and abrasion
- Maximum application temperature: 150°F
- Max working pressure 250 PSI

DeVilbiss
By Binks

| Hose Type | Length | Thread Size |
|-----------|--------|---------------------|
| Air | 5' 9" | 1/4" NPS (F) Swivel |
| Fluid | 6' 3" | 3/8" NPS (F) |



DEV.KB-4006

DISPOSABLE CUP SYSTEMS

3M™ PPS™ 1.0 Paint Preparation System Cups

- Ability to spray 90 degrees to the panel
- Optimum material transfer allows painters to use less
- Minimize use of cleaning solvents, solvent exposure and solvent disposal waste
- Easy to mix, spray and cleanup

3M

PPS
Paint Application Solutions



200 MICRON LIDS AND LINERS

| Part No. | Description | Qty/Bx |
|------------------|--------------------------------------|--------|
| MMM.16024 | Large Lids and Liners | 25 |
| MMM.16000 | Standard Lids and Liners | 50 |
| MMM.16112 | Midi Lids and Liners w/Full Diameter | 50 |
| MMM.16114 | Mini Lids and Liners w/Full Diameter | 50 |
| MMM.16028 | 3 oz Lids and Liners w/Full Diameter | 50 |

LIDS ONLY

| Part No. | Description | Micron |
|------------------|----------------------------------|--------|
| MMM.16199 | Std/Lg Lids Only w/Full Diameter | 125 |
| MMM.16200 | Std/Lg Lids Only | 200 |
| MMM.16204 | Midi Lids Only w/Full Diameter | 200 |
| MMM.16205 | Midi Lids Only w/Full Diameter | 125 |
| MMM.16201 | Mini Lids Only w/Full Diameter | 200 |
| MMM.16203 | Mini Lids Only w/Full Diameter | 125 |

125 MICRON LIDS AND LINERS

| Part No. | Description | Qty/Bx |
|------------------|--------------------------------------|--------|
| MMM.16325 | Large Lids and Liners | 25 |
| MMM.16301 | Standard Lids and Liners | 50 |
| MMM.16312 | Midi Lids and Liners w/Full Diameter | 50 |
| MMM.16314 | Mini Lids and Liners w/Full Diameter | 50 |
| MMM.16328 | 3 oz Lids and Liners w/Full Diameter | 50 |

CUPS AND COLLARS

| Part No. | Description | Qty/Bx |
|------------------|----------------------|--------|
| MMM.16115 | 3 oz/Mini Cup/Collar | 2 |
| MMM.16122 | Midi Cup/Collar | 2 |
| MMM.16001 | Standard Cup/Collar | 2 |
| MMM.16023 | Large Cup/Collar | 1 |

ACCESSORIES

| Part No. | Description | Qty/Bx |
|------------------|-----------------------------------|--------|
| MMM.16113 | Mini Lid/Liner Dispenser Kit | 1 Kit |
| MMM.16099 | Large/Standard/Midi Lid Dispenser | 1 |
| MMM.16019 | Large/Std/Midi Liner Dispenser | 1 |

DISPOSABLE CUP SYSTEMS

3M™ PPS™ 2.0 Paint Preparation System Cups

- Hard cups designed specifically for 3M™ PPS™ Series 2.0
- Mix ratios built into every hard cup – no need for separate inserts
- Clear access window lets you firmly grasp the liner, making lid removal easier during tinting/refilling
- 'Max Fill' notation allows users to fit maximum amount of fluid in cup
- Designed for use with quarter-turn PPS™ Series 2.0 lid locking system for faster, easier assembly



200 MICRON CUP SYSTEM KITS

| Part No. | Description | Qty/Bx |
|------------------|---------------------|--------|
| MMM.26024 | Large (28 oz) | 50 |
| MMM.26000 | Standard (22 oz) | 50 |
| MMM.26112 | Midi (13.5 oz) | 50 |
| MMM.26114 | Mini (6.8 oz) | 50 |
| MMM.26028 | Micro (3 oz) | 50 |
| MMM.26710 | UV Standard (22 oz) | 50 |
| MMM.26172 | Standard (22 oz) | 50 |
| MMM.26170 | Midi (13.5 oz) | 50 |
| MMM.26173 | Standard (22 oz) | 50 |
| MMM.26171 | Midi (13.5 oz) | 50 |

125 MICRON CUP SYSTEM KITS

| Part No. | Description | Qty/Bx |
|------------------|---------------------|--------|
| MMM.26325 | Large (28 oz) | 50 |
| MMM.26301 | Standard (22 oz) | 50 |
| MMM.26312 | Midi (13.5 oz) | 50 |
| MMM.26314 | Mini (6.8 oz) | 50 |
| MMM.26328 | Micro (3 oz) | 50 |
| MMM.26730 | UV Standard (22 oz) | 50 |

3M™ PPS™ Series 2.0 Vented Spray Cup System

- Ready to use instantly
- Consistent material flow
- Confident cup design
- Paint application expanded



200 MICRON VENTED CUP SYSTEM KITS

| Part No. | Description | Qty/Bx |
|------------------|-------------------------------|--------|
| MMM.26264 | Large (32 oz, 950 mL) | 50 |
| MMM.26263 | Standard (23.7 oz, 700 mL) | 50 |
| MMM.26262 | Midi (13.5 oz, 400 mL) | 50 |
| MMM.26261 | Mini (8.5 oz, 250 mL) | 50 |
| MMM.26260 | Standard UV (23.7 oz, 700 mL) | 50 |

125 MICRON VENTED CUP SYSTEM KITS

| Part No. | Description | Qty/Bx |
|------------------|-------------------------------|--------|
| MMM.26164 | Large (32 oz, 950 mL) | 50 |
| MMM.26163 | Standard (23.7 oz, 700 mL) | 50 |
| MMM.26162 | Midi (13.5 oz, 400 mL) | 50 |
| MMM.26161 | Mini (8.5 oz, 250 mL) | 50 |
| MMM.26160 | Standard UV (23.7 oz, 700 mL) | 50 |

VENTED LIDS ONLY

| Part No. | Description | Qty/Bx |
|------------------|------------------------------------|--------|
| MMM.26265 | Large Standard - 200 micron filter | 50 |
| MMM.26165 | Large Standard - 125 micron filter | 50 |
| MMM.26266 | Midi/Mini Lids - 200 micron filter | 50 |
| MMM.26166 | Midi/Mini Lids - 125 micron filter | 50 |

VENTED CUPS (WITH MIXED RATIOS ON CUPS)

| Part No. | Description | Qty/Bx |
|------------------|---------------------------------|--------|
| MMM.26364 | Large Cups (32 oz, 950 mL) | 50 |
| MMM.26363 | Standard Cups (23.7 oz, 700 mL) | 50 |
| MMM.26362 | Midi Cups (13.5 oz, 400 mL) | 50 |
| MMM.26361 | Mini Cups (8.5 oz, 250 mL) | 50 |

RPS Multipurpose Cup System

- Bendable – allows the painting of sill areas or wheel arches "overhead"
- Stable – due to the screw connection between cup and lid, the cup always remains on the lid and gun even when touching obstacles.
- Easy removal of the lid in case of emergency – without soiling the working area
- Clean removal of the cup – by pressing the cup in, vacuum is created, which empties the material passage when pulling the trigger
- Constant material flow – helps the painter to achieve perfect coating results just like child's play

**RPS CUPS - 0.3 LITRES FILLING CAPACITY**

| Part No. | Description | Micron | Qty/Bx |
|--------------------|------------------------|--------|--------|
| SAT.1202043 | Std Lid, Flat Sieve | 125 | 50 |
| SAT.1214816 | Std Lid, Flat Sieve | 125 | 100 |
| SAT.1202077 | Std Lid, Plug-In Sieve | 200 | 50 |
| SAT.1214824 | Std Lid, Plug-In Sieve | 200 | 100 |

RPS CUPS - 0.6 LITRES FILLING CAPACITY

| Part No. | Description | Micron | Qty/Bx |
|--------------------|----------------------------|--------|--------|
| SAT.1202100 | Std Lid, Flat Sieve | 125 | 50 |
| SAT.1202168 | Std Lid, Flat Sieve | 200 | 50 |
| SAT.1202134 | Std Lid, Plug-In Sieve | 200 | 50 |
| SAT.1202142 | UV, Std Lid, Flat Sieve | 125 | 50 |
| SAT.1202150 | UV, Std Lid, Plug-In Sieve | 200 | 50 |

RPS CUPS - 0.9 LITRES FILLING CAPACITY

| Part No. | Description | Micron | Qty/Bx |
|--------------------|------------------------|--------|--------|
| SAT.1202259 | Std Lid, Flat Sieve | 125 | 50 |
| SAT.1202275 | Std, Flat Sieve | 200 | 50 |
| SAT.1202267 | Std Lid, Plug-In Sieve | 200 | 50 |

LIDS ONLY

| Part No. | Description | Qty/Bx |
|--------------------|--------------------------|--------|
| SAT.1204429 | For Std 0.3L Cup | 50 |
| SAT.1204437 | For Std 0.6L & 0.9L Cups | 50 |

**LCS Liner Cup System**

- Favorable center of gravity, easier cleaning, and lower weight
- Particle free premium strainers that click into the lid before painting
- Lids offer a quadruple bayonet safety system that show at a glance whether all tabs are locked in place.
- Hard cup, liner and lid are made with high quality materials
- Complete and detailed scale system with an upside-down scale showing remaining quantity during painting
- LCS: .40 liter, .65 liter, .85 liter



| Part No. | Description | Micron | Qty/Bx |
|--------------------|------------------------|--------|--------|
| SAT.1195818 | 0.40 L, Sieves LCS Cup | 125 | 50 |
| SAT.1195826 | 0.40 L, Sieves LCS Cup | 200 | 50 |
| SAT.1195834 | 0.65 L, Sieves LCS Cup | 125 | 50 |
| SAT.1195850 | 0.65 L, Sieves LCS Cup | 200 | 50 |
| SAT.1195868 | 0.85 L, Sieves LCS Cup | 125 | 50 |
| SAT.1195876 | 0.85 L, Sieves LCS Cup | 200 | 50 |



Spray Cup System

BEST performance
at the BEST price!



This system is manufactured to the CTW Standard, using only top-self, silicone-free materials. You can trust you are buying the best quality system on the market.

| Part No. | Description | Part No. | Description |
|----------------------|--|---------------------------|-------------------------------|
| CTW.CS-90 | 90ml (3oz) Paint System - 190 Micron Filter (50) | CTW.CSA-9 | Spray Cup Adapter (MMM16136) |
| CTW.CS-180 | 180ml (6oz) Paint System - 190 Micron Filter (50) | CTW.CSA-10 | Spray Cup Adapter (MMM16016) |
| CTW.CS-400 | 400ml (13.5oz) Paint System - 190 Micron Filter (50) | CTW.CSA-11 | Spray Cup Adapter (MMM16137) |
| CTW.CS-650 | 650ml (22oz) Paint System - 190 Micron Filter (50) | CTW.CSA-12 | Spray Cup Adapter (MMM16016) |
| CTW.CS-850 | 850ml (28oz) Paint System - 190 Micron Filter (50) | CTW.CSA-13 | Spray Cup Adapter (MMM16054) |
| CTW.CS125-90 | 90ml (3oz) Paint System - 125 Micron Filter (50) | CTW.CSA-14 | Spray Cup Adapter (MMM16053) |
| CTW.CS125-180 | 180ml (6oz) Paint System - 125 Micron Filter (50) | CTW.CSA-15 | Spray Cup Adapter (MMM16017) |
| CTW.CS125-400 | 400ml (13.5oz) Paint System - 125 Micron Filter (50) | CTW.CSA-16 | Spray Cup Adapter (MMM16007) |
| CTW.CS125-650 | 650ml (22oz) Paint System - 125 Micron Filter (50) | CTW.CSA-17 | Spray Cup Adapter (MMM16008) |
| CTW.CS125-850 | 850ml (28oz) Paint System - 125 Micron Filter (50) | CTW.CSA-18 | Spray Cup Adapter (MMM16018) |
| CTW.HC-180 | Hard Cup & Collar 180ML (6OZ.) | CTW.CSA-19 | Spray Cup Adapter (MMM16022) |
| CTW.HC-400 | Hard Cup & Collar 400ML (13.5OZ.) | CTW.CSA-20 | Spray Cup Adapter (MMM16017) |
| CTW.HC-650 | Hard Cup & Collar 650ML (22OZ.) | CTW.CSA-21 | Spray Cup Adapter (MMM16119) |
| CTW.HC-850 | Hard Cup & Collar 850ML (28OZ.) | CTW.CSA-D | Spray Cup Adapter (MMM16015) |
| CTW.CSA-1 | Spray Cup Adapter (MMM16003) | CTW.CSA-E | Spray Cup Adapter |
| CTW.CSA-2 | Spray Cup Adapter (MMM16056) | CTW.CSL-180-90 | 180/90 Cup Lids (50) |
| CTW.CSA-3 | Spray Cup Adapter (MMM16135) | CTW.CSL125-180-90 | 180/90 125 mic Cup Lids (50) |
| CTW.CSA-4 | Spray Cup Adapter (MMM16139) | CTW.CSL-400 | 400 Cup Lids (50) |
| CTW.CSA-5 | Spray Cup Adapter | CTW.CSL125-400 | 400 125 Mic Cup Lids (50) |
| CTW.CSA-6 | Spray Cup Adapter (MMM16130) | CTW.CSL-650-850 | 650/850 650 Mic Cup Lids (50) |
| CTW.CSA-7 | Spray Cup Adapter | CTW.CSL125-650-850 | 650/850 125 Mic Cup Lids (50) |
| CTW.CSA-7M | Spray Cup Adapter (MMM16105) | | |

A thoughtfully selected lineup

New Evolution in DeKups Technology

DEKUPS[®] EVO
by DeVilbiss

DeKups[®] EVO Disposable Cups System

- Liner collapses evenly for superior flow, color match, and less over mixing
- Built-in filtration, with barrel filter or disk filter options to suit your job
- Non-threaded easy on and off design for a tight and secure connection
- Works with all coatings – primers, clearcoats, solvent basecoats, and waterborne coatings
- Sealed, contamination-free system

DISPOSABLE CUP AND LID REFILL KITS

| Part No. | Description |
|----------------------------|-----------------------------------|
| DEV.DPV-09-125-K50 | 9 oz/265 mL Cup, 125 Micron Lid |
| DEV.DPV-09-200-K50 | 9 oz/265 mL Cup, 200 Micron Lid |
| DEV.DPV-09-000-K50 | 9 oz/265 mL Cup, No Micron Lid |
| DEV.DPV-09-125-K100 | 9 oz/DPV Lid Refill Kit |
| DEV.DPV-09-200-K100 | 9 oz/DPV Lid Refill Kit |
| DEV.DPV-24-125-K50 | 24 oz/710 mL Cup, 125 Micron Lid |
| DEV.DPV-24-200-K50 | 24 oz/710 mL Cup, 200 Micron Lid |
| DEV.DPV-24-000-K50 | 24 oz/710 mL Cup, No Micron Lid |
| DPV-24_34-125-K100 | 24/34 oz/DPV Lid Refill Kit |
| DPV-24_34-200-K100 | 24/34 oz/DPV Lid Refill Kit |
| DEV.DPV-34-125-K50 | 34 oz/1000 mL Cup, 125 Micron Lid |
| DEV.DPV-34-200-K50 | 34 oz/1000 mL Cup, 200 Micron Lid |
| DEV.DPV-34-000-K50 | 34 oz/1000 mL Cup, No Micron Lid |

REUSABLE SLEEVES AND LID HOLDERS

| Part No. | Description |
|-----------------------|---|
| DEV.DPV-607 | 9 oz/265 mL Sleeve and Lid Holder |
| DEV.DPV-606 | 24 oz/710 mL Sleeve and Lid Holder |
| DEV.DPV-608 | 34 oz/1000 mL Sleeve and Lid Holder |
| DEV.DPV-607-UV | 9 oz/265 mL Sleeve and Lid Holder, UV |
| DEV.DPV-606-UV | 24 oz/710 mL Sleeve and Lid Holder, UV |
| DEV.DPV-608-UV | 34 oz/1000 mL Sleeve and Lid Holder, UV |

DeVilbiss
By Binks



9oz

24oz

34oz

125
micron125
micron125
micron200
micron200
micron200
micron

SPRAY GUN ACCESSORIES & CLEANING PRODUCTS

12 pc Spray Gun Cleaning Kit

- Designed for use with both HVLP and Conventional systems
- Safe with all thinners & solvents
- Specially-formulated lubricant for spray guns



KIT INCLUDES:

- (1) Body Cleaning Brush with wooden handle
- (1) External Brush with metal handle
- (3) Fluid Tube Brushes with metal handles
- (1) Straight Line Wire
- (5) Picks
- (1) Jar of Lubricant

HIT.T550



2 pc Gravity Feed Spray Gun Holder

- Two piece holder allows painter to fill spray gun without assistance
- Can be kept mobile, or easily mounted to bench or wall
- Top strainer holder swivels & may be removed for additional clearance
- Rugged metal construction guaranteed for one (1) year



HIT.T555

6 pc Professional Spray Gun Cleaning Kit

- Suitable for cleaning all brands of spray guns
- Tools are organized in a handy tool wrap, allowing for easy storage



KIT INCLUDES:

- (1) 1/2 in. Brush
- (1) 3/16 in. End Brush
- (1) Cleaning Needle and Handle
- (3) Mini-brush Set
- (1) Black Handled Brush and Pick

DeVilbiss
By Binks

DEV.192212

Spray Gun Cleaning Kit

- Kits contains all necessary brushes and tools to effectively clean spray guns including HVLP paint spray guns
- Special pick probe is provided for cleaning air caps
- Kit includes five different brushes, a pick probe, five wooden picks and a container of gun lube




TOOL AID
TOOLS FOR THE PROFESSIONAL

SGT.17280

21 pc Spray Gun Cleaning Kit

- Designed for use with both HVLP and Conventional systems
- Safe with all thinners & solvents



KIT INCLUDES:

- (1) Nylon Bristle Parts Brush
- (1) Brass Power Pick-Up Tube Brush
- (1) 12" Pick-up Tube Brush
- (1) 1/4" HVLP Brush
- (1) 1/2" Body Cavity Brush
- (1) Handle for Precision Needle
- (1) Handle for Detail Brush
- (3) Detail End Brush Set (1/4", 3/8", 1/2")
- (5) Precision Mini Twisted Brush
- (6) Precision Needle Set



HIT.T551

17pc Complete Spray Gun Cleaning & Maintenance Kit

- Contains a variety of essential tools for cleaning most spray gun types
- Coated brush handles provide excellent chemical and solvent resistance
- Extra-long 1/2" pick-up tube nylon bristle brush, nylon bristle plastic handle brush
- 1/2" Natural bristle tube brush, 3/8" and 1/2" nylon bristle tube brush
- 5pc 1/8" thru 1/4" mini brush set, 6pc precision needle set



AES INDUSTRIES
For all your refinishing needs!

AES.208

Master Spray Gun Cleaning Kit

- Cleans fluid tip, air cap, air passage and exterior of the gun
- Easy-to-use design for efficient maintenance
- Helps extend the lifespan of your equipment



KIT INCLUDES:

- 6pc. Precision Needle Set
- Handle for Precision Needle
- Handle for Detail Brush
- 3pc. Detail End Brush Set (1/4", 3/8" & 1/2")
- 12" Pick-up Tube Brush
- 5pc. Precision Mini Twisted Brush
- Nylon Bristle Parts Brush
- Brass Power Pick-up Tube Brush
- 1/4" HVLP Brush
- 1/2" Body Cavity Brush

Astro

AST.4544

SPRAY GUN ACCESSORIES & CLEANING PRODUCTS

Gun Cleaner

- Removes both solvent and waterborne paints from difficult to reach surfaces
- No special equipment or dipping is needed
- Meets national VOC regulations.

HIT.9943



1K Gun Cleaner

- Suitable for solvent- and waterborne basecoats
- Equipped with lancet
- Ideal for cleaning of the variator nozzle and conventional spray gun

SPM.3680095



XXX Universal Gun Cleaner

- 2-in-1 cleaner reduces products needed in collision center
- Superior 100% virgin solvent formula
- Reduces mistakes from choosing incompatible cleaners
- Removes waterborne or solvent-based paint as well as dedicated cleaners



SEM.77763



Naked Gun Double Shot

- Use on both solvent and waterborne paint
- Remove paint effortlessly from the gun
- Works better than lacquer thinner
- No need for special equipment or time consuming dipping
- ENG20 - VOC Alternative in CA
- 15 oz



| Part No. | Description |
|-------------------|-------------------------|
| KLE.ENG11* | Spray Gun Paint Remover |
| KLE.ENG20 | Spray Gun Cleaner |

**Not for sale in California.*



Spray Gun Paint Remover

- Easy to Use
- Economical
- Keeps paint guns running smoothly, saving time, labor and material
- 425 g Aerosol



DOM.SSGC



Naked Gun Gun Cleaner

- Cuts epoxy, polyester and urethane paints
- Formulated for automatic gun washers
- Lasts 3 times longer than other thinners



| Part No. | Size |
|-------------------|----------|
| KLE.CGC111 | 5 Gallon |
| KLE.CGC112 | 5 Gallon |
| KLE.GGC112 | Gallon |

Premium Gun Wash

- A premium gun wash and solvent
- Fast acting
- Remove wet and dry paint build-up

DOM.UGW5



Gun Cleaner

- Effectively cleans both waterborne and solvent paint
- 20 to 30 spray gun cleanings in each 13 ounce aerosol can

HER.SCB06 



Spray Gun Paint Remover

- Removes hard, cured paint build-up from spray guns
- Reconditions guns, extending the life of equipment



| Part No. | Size |
|------------------|----------|
| KLE.GSG30 | 5 Gallon |
| KLE.GSG30 | Gallon |



Super Prep Plastic Cleaner

- Mild solvents won't attack most plastics
- Simple to use, just spray it on and wipe it off
- Maximizes durability of repair by removing contaminants



Polyvance
ADVANCING POLYMER REPAIR

| Part No. | Size |
|-------------------|---------------|
| URE.1000-1 | Gallon |
| URE.1000-4 | Quart |
| URE.1000-A | 19 oz Aerosol |

MIXING CUPS

High Teck™ Mixing Cups and Lids

- Strong, Durable, and Tough Polypropylene Cup is Crack Resistant
- Easy to read for proper mixing every time
- Solvent Resistant
- Made in the USA.
- 10% reduction option has been added to the four popular mixing scales



| MIXING CUPS | | |
|------------------|----------------|-----|
| Part No. | Description | Qty |
| HIT.MC16 | Pint Cups | 100 |
| HIT.MC32 | 1 Quart Cups | 100 |
| HIT.MC86 | 2.5 Quart Cups | 50 |
| HIT.MC165 | 5 Quart Cups | 50 |

| MIXING CUP LIDS | | |
|-------------------|--------------------|-----|
| Part No. | Description | Qty |
| HIT.MC16L | Pint Cup Lids | 100 |
| HIT.MC32L | 1 Quart Cup Lids | 100 |
| HIT.MC86L | 2.5 Quart Cup Lids | 50 |
| HIT.MC165L | 5 Quart Cup Lids | 50 |

E-Z MIX® Disposable Mixing Cups and Lids

- Resistant to solvents and designed for long-lasting use
- Easy-to-read ratio guides for accurate mixing of paints, primers, and clear coats
- Stackable and easy to store
- Reduces product waste and improves material usage



E-Z MIX®

| MIXING CUPS | | |
|------------------|----------------|-----|
| Part No. | Description | Qty |
| EZM.70003 | 1/4 Pint Cups | 200 |
| EZM.70008 | 1/2 Pint Cups | 100 |
| EZM.70016 | 1 Pint Cups | 100 |
| EZM.70032 | 1 Quart Cups | 100 |
| EZM.70064 | 2 Quart Cups | 50 |
| EZM.70086 | 2.5 Quart Cups | 25 |
| EZM.70165 | 5 Quart Cups | 25 |

| MIXING CUP LIDS | | |
|-------------------|----------------|-----|
| Part No. | Description | Qty |
| EZM.70003L | 1/4 Pint Lids | 200 |
| EZM.70008L | 1/2 Pint Lids | 100 |
| EZM.70016L | 1 Pint Lids | 100 |
| EZM.70032L | 1 Quart Lids | 100 |
| EZM.70064L | 2 Quart Lids | 50 |
| EZM.70086L | 2.5 Quart Lids | 25 |
| EZM.70165L | 5 Quart Lids | 25 |

E-Z MIX® Mixing Pitcher

E-Z MIX®



| Part No. | Description | Qty |
|------------------|--------------------------|-----|
| EZM.42500 | 2.5 Quart Mixing Pitcher | 10 |
| EZM.44000 | 4 Quart Mixing Pitcher | 6 |

E-Z MIX® Mixing Bucket and Lids

- Mix bigger batches with a larger 4.25-gallon capacity while keeping your workspace clean and mess-free
- A sturdy, comfortable handle makes carrying and transporting your mixed paint effortless



E-Z MIX®

EZM.70544

E-Z MIX® Touch-up Bottles

- Made of PET shatterproof, clear plastic



| Part No. | Description | Qty |
|------------------|----------------------------------|-----|
| EZM.10002 | Touch-up Bottles Clear (2 oz) | 50 |
| EZM.10003 | Touch-up Bottles / E-Z Pour Caps | 50 |

E-Z MIX®

MIXING CUPS

USC® Painter's Pail and Lids

- Accurately measure and mix primers, clears, single stage and basecoats
- Sturdy, solvent resistant clear plastic mixing cups
- U.S. & Metric liquid measurements
- Includes most common mix ratios
- Markings visible from the inside or outside



| PAINTER'S PAIL | | |
|------------------|----------------------------|-----|
| Part No. | Description | Qty |
| USC.36170 | 1 Pint Painter's Pail | 100 |
| USC.36174 | 1 Quart Painter's Pail | 100 |
| USC.36176 | 2-1/2 Quart Painter's Pail | 50 |
| USC.36178 | 5 Quart Painter's Pail | 50 |
| USC.36182 | 1/2 Pint Painter's Pail | 100 |

| PAINTER'S PAIL LIDS | | |
|---------------------|--------------------------|-----|
| Part No. | Description | Qty |
| USC.36171 | Lids for #36170 Pint Cup | 100 |
| USC.36175 | Lids for #36174 Pint Cup | 100 |
| USC.36177 | Lids for #36176 Pint Cup | 50 |
| USC.36179 | Lids for #36178 Pint Cup | 50 |
| USC.36183 | Lids for #36182 Pint Cup | 100 |

SPRAY BOOTH MAINTENANCE

Squeeze Bottle and Nozzle

- Solvent resistant HDPE bottle and nozzle
- Reduce large bulk containers of liquid materials to a smaller more manageable squeeze bottle
- Standard spout
- 8 oz



AES.9808

Detailer's Spray Bottle with Large Sprayer

- Solvent resistant HDPE bottle and nozzle
- Twist nozzle allows adjustment from fine mist to jet stream spray pattern
- Siphon tube reaches to the bottom of bottle with a built-in screened filter



AES.9900

Spray Gun Holders

- Great way to keep the spray guns in your shop or booth organized
- Strong steel construction made to hold gravity fed spray guns

| Part No. | Description |
|----------------|------------------------------|
| AES.160 | Uncoated, Wall Mountable |
| AES.165 | Non-scratch Coated, Magnetic |



Heavy Duty Pressure Sprayer

- Built in pressure relief
- Spray & Stream mode
- Large Volume (51oz) canister with fluid level window
- Large opening
- Wide Base for stability



X-L.3132

Handy Spray Pump Dispenser

- Easy to fill and use
- Long life seals and nozzle
- Durable construction with comfort grip
- DO NOT USE with chemical formulas containing methanol, m.e.k. (methyl ethyl ketone) and/or silicones



USC.70305

Pump Solvent Spray Bottle

- Action Spray Gun is silicone free
- Container is transparent
- Resist both water/ or solvent based degreasers
- Adjustable spraymist



EMM.9705Z



SPRAY BOOTH MAINTENANCE

Expert-FKM Pump & Spray Compression Sprayer

- Expert-FKM Sealing
- Crafted for strength and longevity
- Designed for ease of use and efficiency
- Ensures user comfort while maximizing application precision
- Available in 1.0L and 1.8L sizes



FBS.50100

EPDM Pump & Spray Compression Sprayer

- EPDM Seals
- Constructed from premium materials that withstand heavy-duty use
- Engineered for comfort and efficiency
- Available in 1.0L and 1.8L sizes



FBS.50101

Heavy Duty Pressure Sprayer - Water Based

- Generates both stream and spray
- 1.5L generous capacity
- Built in pressure relief valve
- Completely enclosed at the top to protect mechanisms from dust and dirt
- Important - Designed for use with water based products



RBL.3132BC

Expert-FKM Pump & Spray Compression Sprayer

- FPV Sealing
- Constructed from strong, high-quality materials
- VARIO Pump Rod with Dual Pump Feature
- Available in 1.0L and 1.8L sizes



FBS.50300

Heavy Duty Pressure Sprayer - Solvent

- Generates both stream and spray
- 1.5L generous capacity
- Built in pressure relief valve
- Completely enclosed at the top to protect mechanisms from dust and dirt
- For solvent based liquids
- Important - Designed for use with wax and grease remover type products



RBL.3132NG



Preval Spray System

- Aerosol-based spray system
- Mix any paint, chemical or solution and turn it in to sprayable material
- Patented Venturri Vacuum Process results in an unadulterated finish with no color change



| Part No. | Description |
|-----------------|----------------|
| PRE.267 | Preval Sprayer |
| PRE.268 | Power Unit |
| PRE.271 | Touch Up Jars |
| PRE.3005 | vGrip |



Pig® Grippy® Paint Booth Mat Rolls

- Reduce airborne contamination up to 85%
- Provides a clean surface that traps paint overspray
- Peels up easily for quick changeouts and reduces cleanup time
- Eight layers of fine-fiber polypropylene

| Part No. | Color | Size |
|-----------------------|-------|------------|
| PIG.25800 | Blue | 32" x 50' |
| PIG.MAT32100 | Blue | 32" x 100' |
| PIG.MAT32100G | Gray | 32" x 100' |
| PIG.MAT32350GY | Gray | 32" x 150' |
| PIG.MAT32350BL | Blue | 32" x 150' |



SPRAY BOOTH MAINTENANCE

24" x 48" x 8" Blow Therm Booth Filter

- Series 420
- V Bag|Header
- 1" Poly Scrim
- Used as Prefilter and Extraction Filter
- Sturdy
- 4 per case



VISKON-AIRE*
Air Filter Products

VIS.420-038

Series 45 Self-Seal Panel Filter

- A non-migrating, user-friendly dry tack to ease installation and enhance efficiency.
- A self-sealing gasket to prevent bypass.
- Heat sealed construction to minimize flutter



| Part No. | Size |
|----------------------|-----------|
| VIS.4520-2020 | 20" x 20" |
| VIS.4520-2025 | 20" x 25" |

VISKON-AIRE*
Air Filter Products

Series 55 Intake Panel

- PBT-32™ Tackifier
- Will not dry out or unload
- A self-sealing gasket to prevent bypass
- Heat sealed construction to minimize flutter

| LINKED PANEL | |
|--------------------|-----------|
| Part No. | Size |
| VIS.464-100 | 20" x 50" |
| VIS.464-120 | 20" x 48" |
| VIS.472-100 | 20" x 50" |


| SINGLE PANEL | |
|--------------------|-----------|
| Part No. | Size |
| VIS.865-000 | 20" x 20" |
| VIS.865-006 | 20" x 20" |
| VIS.872-001 | 20" x 25" |



VISKON-AIRE*
Air Filter Products

107X Blue/ White Heavy Duty 18-Gram Fiberglass Arrestor

- 18 Gram Fiberglass
- 6H Compliant
- 99.54% Efficient




VISKON-AIRE*
Air Filter Products

| PAINT ARRESTOR PADS | |
|---------------------|------------------|
| Part No. | Size |
| VIS.017-202 | 20" x 20" x 2.5" |
| VIS.017-203 | 20" x 25" x 2.5" |
| VIS.017-205 | 24" x 24" x 2.5" |

| PAINT ARRESTOR ROLLS | |
|----------------------|-------------------------|
| Part No. | Size |
| VIS.017-225 | 60" x 100 (ft) x 2.5" |
| VIS.017-239 | 40.5" x 100 (ft) x 2.5" |
| VIS.017-240 | 30" x 100 (ft) x 2.5" |
| VIS.017-241 | 36" x 100 (ft) x 2.5" |
| VIS.017-330 | 30" x 300 (ft) x 2.5" |
| VIS.017-336 | 36" x 300 (ft) x 2.5" |

Yellow/White Extra Heavy Duty 22-Gram Fiberglass

- 22 Gram Fiberglass
- 6H Compliant
- 99.03% Efficient



VISKON-AIRE*
Air Filter Products

XHD PAINT ARRESTOR PADS

| Part No. | Size |
|--------------------|------------------|
| VIS.025-202 | 20" x 20" x 2.5" |

XHD PAINT ARRESTOR ROLLS

| Part No. | Size |
|--------------------|-------------------------|
| VIS.025-330 | 30" x 300 (ft) x 2.5" |
| VIS.025-341 | 40.5" x 300 (ft) x 2.5" |

SG-15 Green/White Standard Duty

- 15-Gram Fiberglass
- 6H Compliant
- 99.03% Efficient



PAINT ARRESTOR PADS

| Part No. | Size |
|--------------------|------------------|
| VIS.028-202 | 20" x 20" x 2.5" |
| VIS.028-203 | 20" x 25" x 2.5" |

VISKON-AIRE*
Air Filter Products

SPRAY BOOTH MAINTENANCE

300 Series Green 15-Gram Paint Fiberglass Arrestor Pad

- 300 series efficiency 98.81
- Provides excellent paint overspray holding capacity

| Part No. | Size |
|--------------------|------------------|
| VIL.300-020 | 20" x 20" x 2.5" |
| VIL.300-025 | 20" x 25" x 2.5" |



viledon
engineering

400 Series Yellow 22-Gram Paint Fiberglass Arrestor Pad

- 400 series efficiency 99.0
- Provides excellent paint overspray holding capacity

| Part No. | Size |
|--------------------|-----------------------|
| VIL.400-020 | 20" x 20" x 2.5" |
| VIL.400-025 | 20" x 25" x 2.5" |
| VIL.400-120 | 20" x 100 (ft) x 2.5" |
| VIL.400-124 | 24" x 100 (ft) x 2.5" |
| VIL.400-127 | 27" x 100 (ft) x 2.5" |
| VIL.400-130 | 30" x 100 (ft) x 2.5" |
| VIL.400-136 | 36" x 100 (ft) x 2.5" |
| VIL.400-140 | 40" x 100 (ft) x 2.5" |
| VIL.400-146 | 46" x 100 (ft) x 2.5" |
| VIL.400-148 | 48" x 100 (ft) x 2.5" |



viledon
engineering

500 Series Green 30-Gram Paint Fiberglass Arrestor Pad

- 500 series efficiency 99.70
- Provides excellent paint overspray holding capacity
- 36" x 100 (ft) x 2.5"

VIL.500-136



viledon
engineering

100 Series Premium Intake Panels

- Self-supporting panels are designed for 95% efficiency on 10 micron particles and larger
- Has a internal tackifier throughout the entire media
- Environmentally friendly

| Part No. | Size |
|--------------------|-----------|
| VIL.100-010 | 20" x 20" |
| VIL.100-020 | 20" x 25" |



viledon
engineering

GA Series Green 15-Gram Fiberglass Paint Arrestor Pad

- Constructed from 15-gram fiberglass material for efficient paint overspray capture
- Water-resistant design ensures durability in various spray booth conditions
- Compliant with EPA 6H regulations for paint arrestors



| Part No. | Size |
|------------------------|-----------|
| AFC.PA152020-50 | 20" x 20" |
| AFC.PA152025-50 | 20" x 25" |

Paint Pocket Booth Filter

- Paint Pockets Paint Arrestor
- 2" thick
- High efficiency
- High paint holding capacity



PAINT POCKET ARRESTOR PADS

| Part No. | Size |
|-----------------------|----------------|
| AFC.PPW2020-30 | 20" x 20" x 2" |
| AFC.PPW2025-30 | 20" x 25" x 2" |



PAINT POCKET ARRESTOR ROLLS

| Part No. | Size |
|-------------------|----------------|
| AFC.PPW305 | 30" x 50' x 2" |

Booth Protective Coating

- Protect Booth Walls and Lights
- Clear water soluble or white peelable
- Water based product




| Part No. | Size |
|------------------|----------|
| AFC.BC-1C | Gallon |
| AFC.BC-5C | 5 Gallon |



Dust Control

- Water-based clear liquid that attracts and holds dust
- Can be applied multiple times before removal with water



AFC.DC-1

SPRAY BOOTH MAINTENANCE

Andreae Standard Filter

- Lasts 3 x 5 times longer than poly, fiberglass or mesh media
- Captures any wet solid or liquid particles
- Standard & high efficiency options
- V shape wall prevents over spray and bounce back migration
- Easy to cut, replace and install
- Size: 36" x 30'



AND.AF813

3M™ Waterbased Booth Coating

- Sprayable water-based liquid that dries to a clear film and cleans up with water
- Designed to protect paint booth walls, lights, etc. from paint and primer overspray
- Conventional spray gun equipment



| Part No. | Size |
|-----------------|----------|
| MMM.6839 | Gallon |
| MMM.6840 | 5 Gallon |

Mask & Peel Spray Booth Coating

- Peelable coating for easy clean up
- Shields booth surface from overspray
- Bright white for max visibility
- 5 Gallon pail



KLE.CMP229



Self-Adhesive Light Box Protect Film

- Covers lite box glass in spray booths
- Eliminates labored cleaning method of glass
- Temp resistant up to 200 degrees
- Preserves booth lighting without distortion or deflection
- 24 x 100'

RBL.435



Spray Booth Wall Film

- Durable, puncture resistant plastic film
- Self adhering leaves no adhesive transfer
- Eliminates labor intensive removal of spray or roll-on peelable coatings
- Cuts booth maintenance time in half
- Resists heat up to 200 degrees
- Remove every 60-90 days
- 36 x 100'

RBL.438



Dirt Control Floor Coat and Pump Spray

- Reduces airborne particles in the spray booth by over 50% and traps them on the floor
- Significantly reduces buffing time caused by dirt in the paint job
- Fast and easy once-a-day application using a pump sprayer
- Traps particles on the floor, not on the vehicle
- Water-based, low VOC



| Part No. | Description | Size |
|-------------------|-------------------------|----------|
| DEV.803491 | Dirt Control Floor Coat | 5 Gallon |
| DEV.803492 | Pump Sprayer | 2 Gallon |

Booth Wall Coating

- Lasts 500 bake cycles or 6 months
- Easy to apply- Spray on
- Fast removal- Peel off
- Water-based formula
- Use on painted or galvanized metal surfaces



DEV.803668



Clean Clear Glass Coat

- Peelable glass surface coating
- Finish Appearance Clear
- Area Coverage 100 Square Foot
- Container Capacity 1 Quart



DEV.803669



AIR MANAGEMENT

3-Stage Desiccant Air Dryer System

- The three-stage desiccant unit provides the ultimate in clean dry air
- Ideally suited for low to medium production



DeVilbiss
By Binks

DEV.DAD-500

5-Stage CamAir CT Plus™ Filter System

- Easy and economical maintenance
- Longer desiccant life
- No tools needed to change first and second stage filters

DeVilbiss
By Binks



DEV.130522

ACCESSORIES:

Replacement filters



DEV.130517



DEV.130518

CT30 Desiccant Air Dryer

- CT series desiccant air dryers remove water vapor from the compressed air down to a dew point of -40 degrees F
- Install at point of use
- 30 CFM air flow capacity
- Bagged desiccant for ease of maintenance



DEV.130500

DeVilbiss
By Binks

ACCESSORIES:

Replacement cartridge



DEV.130504

Camair Qc3 Filter and Dryer Unit

- Three-stage filtering with 0.1 micron rating produces clean, oil- and humidity-free air
- High performance filtration with only 2 PSI pressure drop



DEV.130525

DeVilbiss
By Binks

ACCESSORIES:

Replacement cartridge



DEV.130524

2-stage Filter Unit with Regulator

- Compact and effective
- Removes dirt, water and oil from air lines to 0.01 micron
- Combine 2-stage filter with the CT-30 desiccant dryer to create a CT Plus 5-stage filter system
- 65 SCFM @ 90 PSIG

DeVilbiss
By Binks



DEV.130523

100 CFM Air Line Filter

- Removes dirt, oil and water from air lines down to .01 micron
- Ideal for low humidity conditions
- Supplies cleaner, drier air to the spray gun in the system



DEV.130041

DeVilbiss
By Binks

Air Control Unit with 50 CFM Air Regulator

- 5-micron particle filter eliminates bulk oil and water during the filtration process
- 50 CFM regulator capacity
- Filter element replacement is easy without the need for tools
- Eliminates moisture and grime from air lines so that they don't spoil your equipment
- Regulates air pressure



DeVilbiss
By Binks

DEV.HAR-602

80 CFM Filter Unit with 50 CFM Regulator

- For regulating moisture and dirt in the air line
- 80 CFM air filter with 50 CFM regulator includes a 5 micron particle filter for removing particulates and moisture
- Compact design with a large capacity
- Mounting bracket for space-saving convenience



DeVilbiss
By Binks

DEV.HAR-680

AIR MANAGEMENT

500 Series Filters

- Higher absorption of contaminations
- Synchronised maintenance: Filter maintenance only necessary every six months for all stages
- Maintenance-free bayonet lock with haptic and acoustic feedback
- Maintenance-free sealing elements
- Line connection possible either from the left or the right side
- Air flow at 6 bar: 3,800 NI/min



200 Series Filters

- Excellent compressed air quality - removes oil, water and particles
- User-friendly and easy to maintain
- Activated charcoal cartridge (third filter stage) removes oil vapours from the breathing air
- Air inlet: G 1/2" female thread; Air outlet: 1/4" male thread



| Part No. | Description |
|---------------------|--|
| SAT.1099953 | SATA®filter 584® 3-stage combination filter |
| SAT.1101716* | SATA®filter 584L® 3-stage combination line-filter |
| SAT.1100090 | SATA®filter 544® 2-stage combination filter |
| SAT.1124932* | SATA®filter 544L® 2-stage combination line-filter |

*Low cost version


| Part No. | Description |
|--------------------|---|
| SAT.141218 | SATA®filter 284® triple-stage in-line filter |
| SAT.189290* | SATA®filter 282® triple-stage in-line filter |
| SAT.44404 | SATA®filter 244® double-stage filter |
| SAT.43752* | SATA®filter 242® double-stage filter |

*Low cost version

ACCESSORIES:



ACCESSORIES:



High Tech Air Preparation System


- Developed to trap oil, water and particulates in between the tightly wound sheets of high-efficiency media
- A drop-in replacement cartridge (M-710) and spin-off T-handle provide for a rapid cartridge change
- Designed to set and hold outlet pressure over a wide range of flows and conditions
- A high-visibility, multi-scale pressure gauge features a scratch and solvent proof glass lens



| Part No. | Description |
|---------------------|--|
| MTG.MHT-7000 | 6 Stage 1/2" Air Preparation System |
| MTG.MHT-7100 | 1/2" Water Trap, Filter, Oil Coalescer |
| MTG.MHT-7200 | 1/2" Dessicant Dryer, Oil Absorber |
| MTG.MHT-7300 | 1/2" Diaphragm Regulator With Gauge |

ACCESSORIES:

Replacement cartridges



Air Control Unit

- Removes moisture and particulates from compressed air
- Provides a finely regulated supply of air for critical applications
- Large capacity bowl and high air flow rate



MTG.AC-6500



Air Filter

- The ultimate defense against damaging, dirty air
- Traps contaminants
- Produced from a proprietary blend of hydrophilic fibers



| Part No. | Description | NPT |
|------------------|-----------------------------------|------|
| MTG.M-100 | Clean Air Filter Kit | 1/2" |
| MTG.M-60 | Submicronic Compressed Air Filter | 1/2" |
| MTG.M-45 | Clean Air Filter Kit | 1/4" |
| MTG.M-30 | Submicronic Compressed Air Filter | 1/4" |



ACCESSORIES:

Replacement element filter (1)



MTG.M-723

AIR MANAGEMENT

Air Preparation System

- Motor Guard Sub-Micronic Filter with Hydrophilic Element
- 1/2 NPT Straight-Through Piping Design
- Heavy Duty, Quick-Turn Ball Valve
- Highly-Visible Pressure Gauge with Glass Lens
- Versatile Wall Mounting Brackets



MTG.M-60R



Activated Carbon Filter

- Removes oil vapor from compressed air
- Contains activated carbon media that traps oil and other molecules in microscopic pores through the adsorption process
- Delivers air to the spray gun that is virtually free from oil vapor (<.01 ppm by weight)



MTG.M-C100



ACCESSORIES:

Carbon Max Replacement Element



MTG.M-785C

Disposable Spray Gun Filter

- Pipe Size: 1/4 NPT
- Filtration Rating: .01 Micron
- Maximum Pressure: 100 PSI
- Temperature Range: 32-120 F
- Made in the USA



Pack of 2



MTG.D-12-2

Mini Desiccant Filter

- Pipe Size: 1/4 NPT
- Filtration Rating: 5 Micron
- Maximum Pressure: 125 PSI
- Temperature Range: 32-130 F
- Made in the USA



MTG.01008



Whirlwind™ Disposable Air Filter

- Reduce paint defects caused by dirty air
- Tough - bends rather than breaks
- Longer life and less pressure dip than competitive filters



DEV.HAF-507 **DeVilbiss**
By Binks

Mini Inline Regulator Diaphragm

- An ultra-compact, gauge-free design
- Provides precise and convenient pressure control while adding virtually no weight or bulk
- Features a unique calibrated dial for ultra-precise control of pressure
- For best results, air supply should be in the range of 80 - 120 psi



MTG.MHT-4300



Model 880A Air Control Unit

- Air Inlet: 1/2 NPT
- Air Outlet: 3/8 NPT (F)
- Filtration Rating: 5 Micron
- Maximum Pressure: 200 PSI
- Filter Capacity: 75 CFM

SHA.6950



Model 606A Air Control Unit

- Air Inlet: 1/2 NPT
- Air Outlet: 1/4 NPT
- Filtration Rating: 5 Micron
- Maximum Pressure: 200 PSI
- Filter Capacity: 120 CFM

SHA.6720



Model F88 Air Filter

- Air Inlet: 1/2 NPT
- Air Outlet: 3/8 NPT
- Filtration Rating: 5 Micron
- Maximum Pressure: 160 PSI
- Filter Capacity: 75 CFM

SHA.8130



Dryaire Desiccant System

- Removes dirt, water, oil and uncondensed moisture from compressed air lines
- Silica gel provides maximum moisture absorption
- Features easy desiccant change out, regenerate, or replacement (6765-1) and changes color when saturated

SHA.6760

SHARPEE
A GRACO COMPANY



ACCESSORIES:

Stage 2: Replacement Coalescer Element

SHA.22655

Stage 3: 5 lb replacement desiccant beads, 100% Silica Gel Desiccant

SHA.6765

Eliminator® II Desiccant Dryer

- Continuous dry, oil-free air
- -40°F dew point
- 3 in 1: Activated carbon pre-filter
- Tool-less spin on/spin off elements, comes with two (2) PB-004 brackets for easy mounting
- High flow 3/8" NPT relieving regulator



RTI.EH7000-3R



Reading Technologies, Inc.

Eliminator® II Desiccant Dryer

- Superior clean, dry air
- -40°F dew point
- Equipped with auto drain (1st stage)
- Quick disconnect clamp ring design
- Spin-on/spin-off elements
- High flow 3/8" regulator & gauge
- 1/2" shut off valve on inlet



RTI.EH4000-3R



Reading Technologies, Inc.

Eliminator® II Desiccant Dryer

- Equipped with auto drain
- Quick disconnect clamp ring design
- Spin-on/spin-off elements
- High flow relieving regulators
- Automatic drains w/ manual override
- Inline dew point indicator



RTI.EH4000



Reading Technologies, Inc.

Eliminator® II Desiccant Dryer

- 25 scfm flow capacity
- -40°F dew point air to run
- 1 Micron final dust filter
- RTi Patented Inverse-Flow 1st Stage
- RTi Patented Desiccant Dryer 2nd Stage
- 1/4" regulator and gauge



RTI.E4000



Reading Technologies, Inc.

Stealth Unit

- Removes dirt and water
- Inverse-Flow® Technology with 3-1/2" filter depth
- Quick disconnect clamp ring design
- 1.0 micron final filtration
- Equipped with brass petcock manual drain
- Rated for 60 SCFM



RTI.6950B

ACCESSORIES:

Replacement Filter Element



RTI.6950-1



Reading Technologies, Inc.

Stealth Unit

- Great final polishing filter and control unit
- Quick disconnect clamp ring design
- 0.01 micron at 99.99998% efficiency
- Equipped with brass petcock manual drain
- Comes with high flow regulator gauge
- 0-160 PSI gauge with glass lens
- Cleaner compressed air with no oil to your applications



RTI.7000B



Reading Technologies, Inc.

WindJet® Air Dryer Nozzle

- Perfect for those small spot repairs with water-based paint
- Uniform distribution of air across the impacted surface with strong shear



IWA.ASETWINDJET1



AIR REGULATORS

SATAjet 5000 Adam 2 Digital Air Micrometer

- Converts any non-digital SATAjet 5000 series spray gun to a "DIGITAL"
- Display can be attached and removed in no time at all
- Precise setting and display of the inlet pressure – ensures perfect color match
- Extended battery lifetime, the battery can be replaced by the end-user
- For SATAjet 5000 series only (SATAjet X 5500, 5000 B and 5000 B PHASER)



| Part No. | Finish |
|--------------------|--------|
| SAT.1031715 | Black |
| SAT.211557 | Chrome |

ACCESSORIES:



SATA adam 2 dock
SAT.211565



Battery Kit
SAT.160739

SATA Air Micrometer

- Gauge markings at 29 and 43 psi for SATA HVLP guns
- Pressure range 0 - 145 psi
- Color coded pressure range of SATA HVLP guns (green) and SATA RP (blue)



SAT.27771



Digital Gauge with Air Adjusting Valve

- 1/4 in MNPT Inlet x 1/4 in FNPT Outlet
- Auto off after 60 s to preserve battery life
- Up to 2 years of battery life, depending on usage
- 2.5 to 160 psi gauge range
- Accuracy to +/- 0.5 psi



DeVilbiss
By Binks

DEV.HAV-555

Digital Pressure Gauge

- Designed for precise monitoring of air pressure in spray guns
- Specifically compatible with the DV1 HVLP Gravity Feed Spray Guns



DEV.704427

DeVilbiss
By Binks

AK1B2 - Compact Air Regulator

- Spray Gun Airflow Control, Inline
- Includes 0 - 140 psi Pressure Gauge
- 1/4" NPS



IWA.8130B



AK1-R2 Air Regulator

- Pressure range of 0 to 90 psi
- Color code Blue: Maximum 20 psi for W400LV spray gun
- Green: Refer to manual for LPH HVLP spray guns
- ASME grade B accuracy 3-2-3%
- Steel case and ring on gauge
- Glass window



IWA.8131B

Air Regulator with Gauge Assembly

- Diaphragm-relieving
- Fits any professional spray gun
- Lightweight design is comfortable for use by right or left handed painters
- Precise air control at the gun for better color match ability
- Swivel adapter for fast installation
- Not for use with HVLP spray guns



DEV.HAGR-510

DeVilbiss
By Binks

Air Adjusting Valve

- Positive power control assures correct air pressure
- Fits standard and heavy duty tools
- Lightweight design is comfortable for use by right - or left - handed painters
- Swivel top allows for easy and fast installation



HAV-500



HAV-501



HAV-511



HAV-512

DeVilbiss
By Binks

| Part No. | Max. Pressure |
|--------------------|---------------|
| DEV.HAV-500 | 160 psi |
| DEV.HAV-501 | 160 psi |
| DEV.HAV-511 | 160 psi |
| DEV.HAV-512 | 100 psi |

AIR REGULATORS

Brass Air Regulator

- Increases or decreases air pressure as desired
- Air Inlet NPT: 1/4"
- Air Outlet NPT: 1/4"
- PSI: 90-140PSI

Astro



AST.5706

12AAV Air Adjusting Valve

- Precision tapered valve: Start from closed to fully open in approximately 4 turns
- Air inlet 1/4" npsm
- Air outlets (swivel nut) 1/4" npsm



SHARPEE
A GRACO COMPANY

SHA.1010

Air Regulator with Gauge

- Provides fine air control for spray guns and air tools
- Swivel top allows for easy installation
- Fits any spray gun or air tool

Astro



AST.WS11

24 AAV Air Adjusting Valve with Gauge

- Precision tapered air adjusting valve
- Heavy-duty pressure gauge reading up to 160 psi
- Start from closed to fully open in approximately 4 turns
- Use on HVLP spray guns
- Air inlet 1/4" npsm
- Air outlets (swivel nut) 1/4" npsm



SHARPEE
A GRACO COMPANY

SHA.2210

Cheater Valve

- Needle valve adjustment
- Machined aluminum valve body
- 0-60 PSIG operating range
- 1/4" NPT connections
- Comes standard with a gauge
- Easy to read 1-1/2" 0-60 PSIG chrome gauge with glass lens



RTI.CV-02

Mini Paint Gun Regulator

- 0-60 PSIG operating range for precision adjustment with glass lens
- Push-pull lockable adjustment knob
- High flow air design, up to 30 SCFM
- 1/4" inlet/outlet
- Max. inlet pressure = 200 PSIG
- Temperature range = 40°F to 120°F



RTI.MR-1

Quick Adjust Air Regulator

- Tapered pin valve design allows you to regulate air flow with more precision
- Quickly and accurately adjust air flow right at your tool or spray gun
- High visibility 160psi air pressure gauge
- Easily adjustable thumb screw
- Female air outlet swivels to prevent hose from binding
- Air Inlet: 1/4" NPT (M) / Air Outlet: 1/4" NPT (F)



AES.882



AIR HOSES & COUPLERS




Save hundreds of dollars a year on lost energy expenses.


- One push to disconnect in complete safety
- Non scratch, light weight composite body
- Anti-static, silicone free manufacturing
- Consistent flow rate for high quality finishes
- Maximizes the efficiency of air tools
- Nitrided steel, anti-corrosive plug



- A PRVIRC061201CP, FNPT IND
- B PRVIRC061251CP, MNPT IND
- C PRVIRP066251P3, MNPT IND
- D PRVIRP066201P3, FNPT IND



- A PRV.ERC071201CP, FNPT HF
- B PRV.ERC071251CP, MNPT HF
- C PRV.ERP076251P3, MNPT HF
- D PRV.ERP076201P3, FNPT HF



- A PRV.URC061201CP, FNPT AUTO/TRU
- B PRV.URC061251CP, MNPT AUTO/TRU
- C PRV.URP066251P3, MNPT AUTO/TRU
- D PRV.URP066201P3, FNPT AUTO/TRU



- A PRV.ARC061201CP, FNPT ARO210
- B PRV.ARC061251CP, MNPT ARO210
- C PRV.ARP066251P3, MNPT ARO210
- D PRV.ARP066201P3, FNPT ARO210

AIR HOSES & COUPLERS

Hose Connector

- Designed to Optimize Air Flow for Top Spray Gun System and Air Tool Performance

DeVilbiss
By Binks



| Part No. | Thread Size | Size I.D. | Size O.D. |
|----------------------|--------------|-----------|-----------|
| DEV.P-HC-4523 | 1/4" NPS (F) | 1/4" | 1/2" |
| DEV.P-HC-4527 | 1/4" NPS (F) | 5/16" | 5/8" |
| DEV.P-HC-4528 | 1/4" NPS (F) | 3/8" | 11/16" |
| DEV.P-HC-4543 | 3/8" NPS (F) | 1/4" | 1/2" |
| DEV.P-HC-4548 | 3/8" NPS (F) | 3/8" | 11/16" |
| DEV.P-HC-4599 | 1/4" NPS (M) | 5/16" | 5/8" |
| DEV.P-HC-4955 | 1/4" NPT (M) | 3/8" | 11/16" |

Pneumatic Coupler and Plug Assemblies

- Enhances airflow efficiency, conserving compressed air
- Increases pneumatic power to each line from the air compressor
- Open air chamber with no springs, coils, or mechanical obstructions
- Unrestricted airflow through the coupler passageway and full-flow ported plug



RBL PRODUCTS, INC.
Detroit / USA

| Part No. | Description |
|----------------|-------------------------------------|
| RBL.610 | 1/4" Coupler Set - Includes 611/612 |
| RBL.611 | 1/4" Coupler, (F) NPT |
| RBL.613 | 1/4" Plug, (M) NPT |
| RBL.621 | 1/4" Coupler, (M) NPT |

High Flow Couplers and Plugs

- Easy Assembly/Disassembly
- High Pressure Applications



| Part No. | Description | Size |
|-------------------|-------------------|------|
| RTI.HFFC-1 | High Flow Coupler | 1/4" |
| RTI.HFFP-1 | High Flow Plug | 1/4" |
| RTI.HFMC-1 | High Flow Coupler | 1/4" |
| RTI.HFMP-1 | High Flow Coupler | 1/4" |



Premium Air Hose

- Can be used for all kinds of air-operated equipment
- Smooth brick-red cover, synthetic rubber compound tube with high tensile strength braid
- Offers superior resistance to oil, weathering, ozone and abrasion
- Maximum application temperature: 150°F



DeVilbiss
By Binks

| Part No. | Size |
|--------------------|------------|
| DEV.HA-5825 | 3/8" x 25' |
| DEV.HA-5835 | 3/8" x 35' |
| DEV.HA-5850 | 3/8" x 50' |
| DEV.HA-5867 | 3/8" x 35' |

Flexzilla Air Hose

- Extreme all-weather flexibility
- Won't kink under pressure
- Lays flat – no memory
- Lightweight and easy to handle
- Anodized aircraft aluminum ends
- Includes bend restrictors to reduce wear and tear, prolonging the life of the hose



| Part No. | Size |
|-----------------------|------------|
| LEG.HFZ3825YW2 | 3/8" x 25' |
| LEG.HFZ3835YW2 | 3/8" x 35' |
| LEG.HFZ3850YW2 | 3/8" x 50' |

Air Hose Protective Sleeve

- Slip on / Disposable
- Eliminates wiping off paint, fillers, putties, and grease between paint jobs



| Part No. | Size |
|----------------|--------------|
| RBL.133 | 3" x 100' |
| RBL.135 | 2.25" x 100' |



High Flow Conductive Hose

- No wires to break when hose is flexed
- Silicone-free
- Brass end fittings are 1/4" male NPT



| Part No. | Size |
|------------------|------------|
| RTI.PH35C | 3/8" x 25' |
| RTI.PH50C | 3/8" x 35' |



Spray Paint Hose

- Lightweight and tangle-free industrial polyester
- 400 PSI / 3/8" ID



| Part No. | Size |
|-------------------|------------|
| RTI.SHC-35 | 3/8" x 50' |
| RTI.SHC-50 | 3/8" x 35' |



SUPPLIED AIR SYSTEMS

3M™ Versaflo™ Powered Air Purifying Respirator Painter's Kit

- Designed for improved worker comfort, convenience and control
- Multi-speed blower functions at altitudes up to 16,000 feet
- Battery offers long run time and charges quickly, achieving 90% charge in approximately 3.5 hours
- Choose from particulate filters or gas and vapor combination cartridges for protection in a variety of environments
- Multiple airflow rates put you in control of your comfort



MMM.94248

KIT INCLUDES:

- M-206 Respiratory Faceshield Assembly
- BT-20L Breathing Tube
- TR-6510N (OV/HE) Cartridge
- TR-641N Single Station Battery Charger
- BT-922 Breathing Tube Cover
- Intrinsically Safe TR-802N PAPR Unit
- TR-830 Intrinsically Safe Battery
- TR-838 Battery Attachment Tool
- TR-627 Easy Clean Belt
- TR-6500 Filter Cover
- TR-971 Airflow Indicator
- TR-653 Storage and Cleaning Kit

ACCESSORIES:

| Part No. | Description |
|------------------|--|
| MMM.37361 | TR6510N (OV/HE) Cartridge |
| MMM.37362 | TR-6530N (OV/SD/HC/CL/HF/HE) Cartridge |
| MMM.37354 | TR-6600 (AAD) Prefilter |
| MMM.37299 | Respiratory Faceshield Assembly |
| MMM.37373 | TR-600-HIK Heavy Industry PAPR Kit |
| MMM.37350 | TR-641N Single Station Battery Charger Kit |

SATA® air vision 5000 System

- High breathing air quality
- No inhalation resistance, very comfortable breathing
- High level of protection, suitable for prolonged application intervals
- Non-reflecting view due to solvent-resistant special foil
- Little operating costs, quick pay-off of purchase costs
- Ergonomic design



| Part No. | Description |
|--------------------|-----------------------|
| SAT.214718 | with Air Regulator |
| SAT.1005603 | with Carbon Regulator |



ACCESSORIES:



Hood w/Pressure Gauge
SAT.1005596



Visor Foil
SAT.210405



Hood Comfort Band 10pk
SAT.213728

SATA® vision 2000 Full Face Respirator

- High breathing air quality
- No inhalation resistance, high breathing comfort
- High protection level, suitable for long application intervals
- Protects up to 100 times the TRC-value
- Visor allows one-hand operation
- 100% visibility and reduction in light reflections



SAT.36384



ACCESSORIES:



Anti-Static Hood & Chest Cloth
SAT.60541



Full Hood & Neck Shield
SAT.51854




Visor Tear Off Sheet
SAT.35675 (25pk)
SAT.35659 (5pk)

SUPPLIED AIR SYSTEMS

Regenerative desiccant paint air systems

- Consistent -40° F (-40° C) dew point to the gun
- For HVLP and conventional spray guns
- No upstream dryer required
- Self regenerating desiccant dryer requires less routine maintenance
- Change desiccant every 3-5 years
- Faster cure times - increased production
- Quiet operation
- Easy wall mount design
- Non-corrosive aluminum towers



ONE PAINTER DESICCANT DRYER (RTI.PERF-25)

AVAILABLE KITS

| Part No. | Description |
|--------------------------|------------------------------|
| RTI.PERF-25-MK | Includes elements only |
| RTI.PERF-25-RK | Repair Kit |
| RTI. PERF-25-TCMK | Tower Change Maintenance Kit |

ACCESSORIES:



**After Filter
RTI.PERF-25-AF**

TWO PAINTER DESICCANT DRYER (RTI.PERF-50)

AVAILABLE KITS

| Part No. | Description |
|--------------------------|------------------------------|
| RTI.PERF-50-MK | Includes elements only |
| RTI.PERF-50-RK | Repair Kit |
| RTI. PERF-50-TCMK | Tower Change Maintenance Kit |

ACCESSORIES:



**After Filter
RTI.PERF-50-AF**

COLOR MATCHING

SATA® trueSun™

- Uniform distribution of the light intensity across the entire light cone
- Fast charging
- Adjustable light intensity
- Built-in charge level display
- Includes battery and charger



SAT.1012129

Accessories:

**SATA trueSun™ Battery
SAT.1010082**

**SATA trueSun™ Charger
SAT.1006445**



MatchGUN 5 Color Match Gun Kit

- 5 light colors
- Color Render Index of over 96
- Includes tripod and wall mount
- Ultra Violet (UV) 3W LED



DEN.DFMR007

SunMatch 4 Work Light

- Up to 500 lumen
- Compact and flexible design
- Battery indicator at the front
- Dust and waterproof, IP65

ITT.SG-SM-4



**INNOVATIVE
TOOLS & TECHNOLOGIES, INC.**



Handheld Color Match Light

- Impact Resistant
- IP65 water and dust proof
- Industry leading dual COB 96 CRI LED array
- Collapsible 360-degree rotating hook



Astro AST.50SLMAX

Rechargeable Color Match Light

- Spots color differences and paint imperfections
- 180 degree folding magnetic base



Astro AST.50SL

Rechargeable Lightweight Color Match Light

- Compact and lightweight
- 500 lumens on high, 95+ CRI rating and 4000K color temperature



Astro AST.51SL

INFRARED CURING

Infrared Heat Lamp



- 1,500 watts of curing power over a 2' x 3' coverage area
- Heavy-duty stand adjusts to over 6' high
- Parabolic reflector creates uniform heat distribution
- Energy efficient fixture operates for only pennies per hour

SPECIFICATIONS:


120 volts / 12.5 amps / 36" head / 24 lbs

Also available in 240 volts

INF.14-1000

INFRATECH
AUTOMOTIVE

Speedray Heat Lamp



- Two 1,500 watt heads (3,000 watts total)
- Heavy-duty stand adjusts to over 6' high
- Parabolic reflector creates uniform heat distribution
- Energy efficient fixture operates for only pennies per hour

SPECIFICATIONS:

120 volts / 17 amps / 36" head / 26 lbs

Also available in 240 volts

INF.14-1005

INFRATECH
AUTOMOTIVE

Tub Heater with Casters



- Three switch controls
- New wide base stand adjusts to over 6' high
- Product holds seven 250 watt R40 infrared bulbs (not included)

SPECIFICATIONS:

120 volts / 15 amps / 18" diameter / 27 lbs

INF.14-2505

INFRATECH
AUTOMOTIVE

Single Hi-Intensity



- High intensity medium wave fixture offers increased power (2,000 watts) and improved cure times over a 3' x 4' coverage area
- 60-minute timer
- Heavy-duty stand adjusts to over 6' high
- Parabolic reflector creates uniform heat distribution
- Operates vertically or horizontally

SPECIFICATIONS:

120 volts / 25 amps / 36" heads / 35 lbs

Also available in 240 volts

INF.16-1000

INFRATECH
AUTOMOTIVE

Speed Dry Waterborne Drying System

- Fast dry times
- Cover large areas
- Effective with waterborne or solvent coatings
- Energy efficient – pennies a day to operate
- Compressor free – no maintenance
- Horizontal and vertical rotation
- Adjust up to 6' high



INFRATECH
AUTOMOTIVE

| Part No. | Description | Volts | Amps |
|--------------------|-----------------------|-------|------|
| INF.15-1000 | Speed Dry | 1/4" | 1 |
| INF.15-1015 | Speed Dry with Heater | 1/4" | 15 |

Speed Ray 2 Short Wave System



- Iridium enhanced quartz halogen element
- 1,650 watts of short wave infrared
- 3' x 4' coverage area
- 60 minute timer shut down feature
- Heavy duty stand

INFRATECH **INF.17-1015**
AUTOMOTIVE

SR Spot Short Wave System



- Iridium enhanced quartz halogen element
- 1,000 watts of short wave infrared
- Ideal for small spot repairs
- 60 minute timer shut down feature
- Heavy duty stand

INFRATECH **INF.17-1012**
AUTOMOTIVE

Accessories for 14-100, 14-1005, 14-1100, 14-2505, 16-1000, 17-1012 and 17-1015 Heat Lamps:



32" 1500W 120V Element
1500 Watt 120 Volt
INF.10-1065



31" 1650W 120V Element for 17-1015
240V
INF.17-1125

INFRATECH
AUTOMOTIVE



CAS.UG400S

- 2 minute timer to remove heavy coatings and dried paint.
- Accommodates all makes of disposable cup adapters.
- Conical plug with airflow keeps air passage free from liquid.
- Includes brushes and other cleaning tools to clean components of spray guns (KIT-GCTOOLS).
- Flow-through brush, activated by a foot pedal.
- Spigot, activated by a foot pedal.



1 Plug 2 Spray gun 3 Spigot 4 Brush

CAS.UE5000

- Dedicated solvent tank for primers and clear coat paints.
- Water tank for waterborne base coat paints.
- Efficiently meets all spray gun cleaning needs in one cabinet.

One workstation for both solvent and waterborne cleaning. More efficient than two separate stations.

Stainless steel wash tank for durability and powder-coated paint on mild steel lower unit.



CAS.URS2000SS



- Reclaim lacquer thinners, acetone and gun wash solvents used to remove paint and debris from spray guns and other spray equipment.
- Reclaim acetone used to clean equipment used in making fiberglass products.
- Industrial Paint Shops
- Fibreglass & Metal Fabricators
- Solid-state microprocessor for managing workflow and continuous monitoring
- Adjustable in one-degree increments
- Monitors operations with plain-English fault descriptions
- Pumps dirty solvent into the distillation tank and clean solvent into a clean drum

CAS.URS500PRO

All Uni-Ram Solvent Recyclers feature rapid-start direct electric heating of solvent, eliminating the need for diathermic oil changes and ensuring quick startup times.

Equipped with high-efficiency condensers that are air-cooled with a motor-driven fan, maximizing condensation efficiency and energy savings.

Self-Diagnostic error messages are displayed on the Display Panel



CAS.UR800QVAC

Two-Person Work Station: Equipped with a 16 ft hose and 20 ft power cord, allowing two employees to work independently at the same time, maximizing productivity.

Control Panel: Features an Auto mode where the vacuum turns on and off automatically, and a Manual mode for user-controlled operation. Includes an outlet for electric sanders for added convenience.

Powerful Motor: Utilizes two 800 W motors with a maximum decibel rating of 60 dB, providing powerful suction for effective dust collection.

Replaceable Motor Brushes: Allows for easy maintenance and prolongs the lifespan of the vacuum system.



GUN WASHERS

Mini Gun Washer

- Compact, quick cleaning—thoroughly clean 1 spray gun and 1 cup, or 2 spray guns, in one minute
- Enclosed, automatic, with a safety lid shut-off switch.
- Use exclusively for either solvent or waterborne paintguns
- Three Year pump warranty



Herkules

HER.G100

Stainless Steel Gun Washer

- Featuring a flow-through brush
- Ideal for cleaning either solvent or water-based paint from spray guns, cups, and other painting accessories
- Clean 2 guns & 2 cups or 3 or 4 spray guns, automatically in one minute
- Made in the USA.



Herkules

HER.G202

Gun Washer with Timer

- Cleans 2-4 spray guns with automatic timer
- Safety shut off
- Large tank to work in, small foot print
- Made in the USA.



Herkules

HER.G200

Waterborne Spray Gun Cleaner

- Cleans waterborne spray guns effectively with 3 tools. A high pressure Wash Gun to wash the paint channel, a Flow-Through brush to remove paint from the outside of the spray gun and a Blow Gun for drying.
- Consumables: Uni-ram's top rated waterborne cleaner, AQUA-KLEEN, No. 102-8200, Primary filter, mesh (400 U), No. 102-8125, Secondary (bottom) filter (felt 25U), No. 102-8126.



Uni-ram

CAS.UM120W

Dual Spray Gun Cleaner

- Cleans both solventborne and waterborne spray guns. The right water tank has the same features as the UM120W.
- The left solvent tank consists of automatic wash using the 4" diaphragm pump, air rinse and clean rinse. A Flow-through brush provides additional cleaning.



CAS.U5000W

Accessories:



**AQUA-KLEEN
Waterborne Cleaner
CAS.102-8200**



**COAG-KLEEN
Flocculant Granules 2kg
CAS.102-8300**



**Primary Filter Bag,
Mesh 400U
CAS.102-8125**



**Secondary Filter Bag,
Felt 25U
CAS.102-8126**

Uni-ram

Compact 2 Gunwasher

- Top loading
- Cleans 2 spray guns in under 2 minutes
- Washing is activated by a wash timer and powered by a long-lasting dual-diaphragm pump that outputs 3.7 gallons of solvent per minute
- Stainless steel tank (size is 17.25" w x 13.5" d x 14" h)
- 14 swirl action jets deliver cleaning solvent to wash overspray from the spray guns
- Threaded air caps keep the air passage of the spray gun dry



CAS.UG2000D

Uni-ram

Cascade Auto Spray Economy Mini Gun Washer

- Self-contained, portable, and economical
- Cleans one gun and pot at a time
- Swirl action jet system provides a powerful, yet gentle cleaning action
- Diaphragm pump provides a consistent flow of cleaning solution
- Minimum air pressure: 85 PSI at 2 CFM
- Cleans solvent borne paint from spray guns and cups: gravity, siphon, pressure
- Product Dimensions (WDH): 14.3" x 13.6" x 40.6"



CAS.UG110

Uni-ram

3M CLEAN SANDING SYSTEM



3M™ Clean Sanding System

Designed with technicians and shop owners in mind.



Designed to reduce dust in the air from sanding for a cleaner workspace.



Helps shops boost productivity and efficiency by helping to reduce rework and cleanup time.



Compact and mobile. Designed for easy, flexible use around the shop.



Compatible with pneumatic and/or electric sanders.

DUST EXTRACTOR

| Part No. | Description |
|------------------|--------------------------|
| MMM.33774 | 45 L, 120V, Plug Type B* |

ORBITAL SANDERS - PNEUMATIC

| Part No. | Description |
|------------------|--------------------------------------|
| MMM.33632 | 6 in (150 mm), 3/32 (2.5 mm) Orbit** |
| MMM.33633 | 6 in (150 mm), 3/16 (5 mm) Orbit** |
| MMM.33634 | 6 in (150 mm), 5/16 (8 mm) Orbit** |
| MMM.38505 | 3 in (75 mm), 3/16 mm (5 mm) Orbit** |

ORBITAL SANDERS - ELECTRIC

| Part No. | Description |
|------------------|--|
| MMM.33779 | 6 in (50 mm), 3/16 (5 mm) Orbit, 120V, Plug Type B** |

FLEXIBLE SANDING BLOCKS

| Part No. | Description |
|------------------|---------------------------------------|
| MMM.35825 | 133 mm x 67 mm |
| MMM.35826 | 178 mm x 67 mm |
| MMM.35827 | 273 mm x 67 mm |
| MMM.35828 | 406 mm x 67 mm |
| MMM.35829 | Kit (273 mm, 178 mm, 133 mm included) |

FLEXIBLE RADIUS SANDING BLOCKS

| Part No. | Description |
|------------------|---------------------------------------|
| MMM.35830 | 133 mm x 66 mm |
| MMM.35831 | 178 mm x 66 mm |
| MMM.35832 | 273 mm x 66 mm |
| MMM.35833 | Kit (273 mm, 178 mm, 133 mm included) |

HOSES

| Part No. | Description |
|------------------|---|
| MMM.33645 | 3M™ Antistatic Pneumatic Hose, 5 m |
| MMM.33783 | 3M™ Antistatic Pneumatic Hose, 8 m |
| MMM.33790 | 3M™ Antistatic Pneumatic Hose, 10 m |
| MMM.33646 | 3M™ Antistatic Electric Hose, 5 m |
| MMM.5215 | 3M™ Dust Free Hose Extension Kit, 20 ft |

ORGANIZERS, HANDLES AND WORKSTATIONS

| Part No. | Description |
|------------------|--|
| MMM.33784 | Abrasives Organizer |
| MMM.33765 | Dust Extractor Handle Extension |
| MMM.33653 | Clean Sanding System Workstation |
| MMM.33654 | Clean Sanding System Workstation Extension |

FILTERS AND BAGS

| Part No. | Description |
|------------------|---|
| MMM.33647 | Dust Extractor Filter, 2 Filters/Pack |
| MMM.33648 | Dust Extractor Filter Bag, 5 Filter Bags/Pack |

ACCESSORIES

| Part No. | Description |
|------------------|---|
| MMM.30160 | 6" 53 Hole Low Profile Backup Pad |
| MMM.30062 | 6" 53 Hole Clean Sanding Multi Disc Pad |
| MMM.05771 | 3" Hookit Clean Sand Interface Pad |
| MMM.05777 | 6" Hookit Clean Sand Interface Pad |
| MMM.33652 | Dust Extractor Y-Connector |
| MMM.33771 | Dust Extractor Straight Adaptor 38mm |
| MMM.33772 | Dust Extractor Adaptor 29mm |
| MMM.33770 | Random Orbital Sander Adaptor for Hose Assembly |

* 1- 33652 Y-connector and 1 - 33645 5m hose included

** 1- 30160 Back-up Pad included

STRUCTURAL REPAIRS

Maxi Steel Repair Station

- Single phase steel dent pulling station
- Provides the technician with the power they need to shrink, pull rocker panels, hail damage, creases, dents in hard to access areas
- Increases productivity while producing a cleaner, better repair



INCLUDES:

- Maxi 220 volt unit or Maxi 110 volt unit
- 2 light pulling rods
- 2 slide hammer rods with strike weight
- leverage puller
- pull key electrode
- stud pin electrode
- shrinking electrode
- wiggle wire weld tip
- a nine and four finger Bear Claw
- sample pull keys,
- 1 pound of wiggle wire
- 20 feet of power cable
- 9 feet of welding cable

Part No.

Description

DEN.DF-505/220V

220 Volts

DEN.DF-505/110V

110 Volts



ACCESSORIES:



Accessory Tray
DEN.DF-505AT



Extended Handle
DEN.DF-505PHXT



Maxi Seat
DEN.DF-505MS



Rolling Stand
DEN.DF-509



Weld Keys (Flat)
DEN.DF-503KF



Weld Keys (Twisted)
DEN.DF-503KT



Welding Ground
DEN.DF-WG1



Deluxe Weld & Ground
DEN.DF-WG90



Maxi Long Welding Rods (10'')
DEN.DF-503L



Leverage Puller
DEN.DF-505L



Wiggle Wire
DEN.DF-507 (Thin 1lb)
DEN.DF-507KT (Thick 1lb)
DEN.DF-508 (Thin 1/2lb)
DEN.DF-508TK (Thick 1/2lb)

Eliminator Inline Undercoat and Decal Remover Kit

- Strips away undercoating and seam sealer easily and cleanly
- Brushes do not clog up
- Removes rust and scale
- Remove paint out of tight spaces
- The eraser is ideal for removing the adhesive backing on moldings and badges



DEN.DF-700DX



KIT INCLUDES:

- Eliminator Tool
- Original Decal Eraser
- Offset Decal Eraser
- Fiber Discs
- Single Disc Hub
- Double Disc Hub
- Coarse Brush
- Fine 23mm Brush
- 11mm Coarse Brush
- Fine Brush
- 23mm Hub
- 11mm Hub
- Blow molded Case

ACCESSORIES:



Fine Brush
DEN.DF-702F



Coarse Brush
DEN.DF-702C



Fiber Discs
DEN.DF-7108BW



Decal Eraser
DEN.DF-705



Offset Decal Eraser
DEN.DF-702D

STRUCTURAL REPAIRS

Spot Annihilator Deluxe Kit

- Applies the cutting pressure pneumatically
- No need to push on the drill bit
- Smart Pressure valve helps prevent breakage of bits
- The 1000-rpm motor makes sure you do not burn up bits



DEN.DF-15DX



KIT INCLUDES:

- (1) 1000 RPM Spitznagel Spot Weld Drill
- (1) DF-1480 8mm HSCO Bit
- (2) DF-1680T 8mm Titanium Coated HSCO Spot Weld Drill Bit
- (1) DF-1610T 10mm Titanium Coated HSCO Spot Weld Drill Bit
- (1) Bottle of Pneumatic Tool Oil(1) DF-15INOIL In-line Oiler
- (1) Deluxe Storage Case

ACCESSORIES:



**High Speed Cobalt
Drill Bit (6.5x45mm)
DEN.DF-1465**



**High Speed Cobalt
Drill Bit (8x45mm)
DEN.DF-1480**



**High Speed Cobalt
Drill Bit (10x45mm)
DEN.DF-1610**



**Titanium Nitride
Drill Bit (10x45mm)
DEN.DF-1610T**



**Boron Killer®
Drill Bit (6.7x80mm)
DEN.DF-1667**



**Titanium Nitride
Drill Bit (8x45mm)
DEN.DF-1680T**



**Titanium Carbon Nitride
Drill Bit (8x45mm)
DEN.DF-1680TC**



**Boron Killer®
Drill Bit (8x45mm)
DEN.DF-1690**



**High Speed Cobalt
Drill Bit (8x80mm)
DEN.DF-1780**



**Titanium Carbon Nitride
Drill Bit (10x45mm)
DEN.DF-1610TC**



**Titanium Nitride
Drill Bit (8x80mm)
DEN.DF-1780T**

Self-Piercing Riveter 10T

- Capable of handling heavy duty installs
- Adjustable dial with an easy to read gauge
- C-Arm swings around into multiple positions
- Ergonomic handle for comfortable and stable operation
- Magnetic die makes rivet position effortless and simple



DEN.DF-SPR70



KIT INCLUDES:

- Self-Piercing Riveter
- HR110 arm (DF-SPRHR110)
- SPR matrix set 3mm (DF-SPR/AD)
- SPR matrix set 5mm (DF-SPR/BD)
- SPR matrix extracting set (DF-SPR/ED)
- Hole punch matrix set (DF-SPR/TD)
- Flow form matrix set (DF-SPR/FD)
- Sample set of SPR rivets
- Arm locking pin
- Grip handle and shoulder strap
- Blow molded case

ACCESSORIES:



**Ford SPR Die Set Kit
DEN.DF-SPR-FORD**



**SPR Die Set
DEN.DF-SPR-TESLA9**



**SPR Die Set
DEN.DF-SPR-TESLA15**

STRUCTURAL REPAIRS

Ultra Ding Massager

- An excellent method for removing dings and small dents from OEM paint
- When access to the back panel is not possible glue pullers are the only means of PDR repair

KIT INCLUDES:

- Squeeze Puller
- T-Puller
- Knock down tool with 2 heads (pointed and rounded)
- 6-Piece hard plastic knockdown & shaping tools
- Slide Hammer
- 120V Glue Gun
- Plastic Scraper Stick
- 12 Glue Sticks
- 24 Different Pulling Nibs
- Blow Molded Case



DEN.DF-DM555UDX

Glue Puller Xtreme

- Performs repairs on major panel damage with a minimum of tear down, prep, clean up, and damage to the vehicle
- Pull panels without removing paint or corrosion protection
- No need to weld pull tabs on to the car
- Glue and pull without high temperatures of welding pull tabs

KIT INCLUDES:

- Glue Gun: 12V
- Glue Type: Heavy Duty
- 5-Ring Tabs: Four
- 4-Ring Tabs: Four
- 3-Ring Tabs: Four
- 2-Ring Tabs: Three
- 1-Ring Tabs: Three
- Knock Down Tool: 4 Heads



DEN.DF-GPX

Aluspot® Deluxe Aluminum Repair Station

- Easy to reach self-contained system
- Includes everything you need to be packaged in a ready to go turn-key system for immediate repairing of aluminum panels

INCLUDES:

- 3 drawer tool cabinet
- 110V capacitor discharge stud welder (DF-900W)
- Alu-Magnesium studs (DF-900PM)
- Alu-Silicon studs (DF-900PS)
- Spitznagel pull fingers (DF-900PF)
- Hand T-puller (DF-900TP)
- Squeeze puller (DF-900SP)
- Leverage puller (DF-900LP)
- Bridge puller (DF-900BP)
- Stud cut pliers (DF-900SC)
- Infrared temperature gauge
- Digital set temperature heat gun (DF-900HG)
- Heat gun holster
- 3 piece hammer set (steel); pick/finishing hammer (DF-900PFH), curved pein hammer (DF-900CPH), reverse-curve hammer (DF-900RCH)
- 22mm soft face hammer (DF-900SFH)
- 35mm dead blow hammer (DF-900DBH)
- Bolster-head nylon chisel (DF-900BHND)
- Round-head nylon chisel (DF-900RHND)
- 3 piece steel dolly set; double end nylon dolly (DF-900DEND), utility dolly (DF-900UTD), thin-toe dolly (DF-900TTD), heel dolly (DF-900HLD), curved dolly (DF-900CVD)
- Eliminator - Tool Only (DF-700T)
- Stainless-steel shoe handle brush (DF-900SSB)
- Stainless-steel tooth brush (DF-900SSBS)
- Body file (DF-900BFH)
- 350mm blade (DF-900BFB)
- Safety glasses
- Inline pneumatic paint remover
- Fiber Discs
- Power Strip
- Dust cover (DF-900DC)



DEN.DF-900DX

STRUCTURAL REPAIRS

Portable Pull Tower

- Up to 770 lbs of force on every height setting
- Slide the crank winch up or down for the perfect pulling angle, including rocker panel pulls
- The fully replaceable seal and pad system hold tighter and is simple to replace

INCLUDES:

- Solid Suction Base with Seal Gasket and Four Pads
- Tower with Multiple Height Settings
- Winch, Winch Support, Line
- 6-Finger Bear Claw
- Two Wheels
- High Performance Noise Silencer



DEN.DF-PPT

Tram Gauge - 5 Meter

- Great for writing estimates or to quickly spot check a frame pull
- No need to set up a complicated bench measuring system or mount the car on a rack
- Extend out only as much tram as is needed
- No need to add up sections, the internal tape reads out through a display window
- Extruded aluminum sections make this tram light weight yet rigid when fully extended



DEN.DF-3TC5

Dual Aluminum & Steel Dent Pull Gun

- Hand-held Dual-Spotter stud gun with adjustable power
- Sets both steel and aluminum studs on dented panels
- Gun is lightweight for maximum maneuverability
- Bench top 115V power supply with 15-ft cable
- Kit includes studs & keys with holders
- Heavy-duty Pelican style storage case with laser cut foam



HAS.9700



ACCESSORIES:

Alu-Studs

HAS.1142 (M4x16)
HAS.1162 (M6x16)
HAS.1242 (M4x16)
HAS.1262 (M6x16)



Pull Tab Ring

HAS.2004 (M4 or M6)
HAS.2006 (M6)



Pull Tab Ring

HAS.2040 (M4 or M6)
HAS.2060 (M6)



Uni-Pro Multi-Stud Steel Welder

- Professional multi-function steel dent pulling welder
- Capable of setting stud pins, pull keys, wiggle wire and slide-hammer weld-tips



HAS.9500

See accessories on next page.

Starter Kit Steel Stud Gun

- Includes the basics to get started
- Powerful 1500-Amp Starter gun
- 500 pack of 2.2 studs and all steel slide hammer.



HAS.4550

See accessories on next page.

Stinger Plus Steel Stud Gun

- Powerful 2000-Amp Stinger gun
- Full line of accessories
- Includes key tabs, provided in a heavy-duty blow-mold case



HAS.5500

See accessories on next page.

STRUCTURAL REPAIRS

Deluxe Stud Welder Kit

- Powerful 2500-amp deluxe gun
- Full line of accessories in case
- Includes key tabs, provided in a heavy-duty blow-mold case



HAS.9000



ACCESSORIES:



Dent Pulling Studs
HAS.1001 (2.2mm)
HAS.1002 (2.6mm)



Molding Rivets
HAS.1003



Pull Tab Key Steel
HAS.1061 (Stright)
HAS.1062 (Twisted)



Uni-Wire Deluxe Wiggle
HAS.2101 (1lb)



Pulling Washer Kit
HAS.1068



Shrink Rod Cardon
HAS.2210

Accessories for HAS.9500, HAS.4550, HAS.5500 and HAS.9000

Slide Hammer

- 3-jaw chuck for max. holding power
- Twist-to-lock head for quick work
- Heavy-duty ductile cast iron spool
- high-strength steel shaft
- Sealed package for no contamination



HAS.1016

Self-Piercing Riveter w/ Case

- Adjustable pressure 4-9 tons
- Exclusive non-threaded click-post mounts decrease breakage
- Standard over-sized extension and LCD display
- 16-pc click-in die kit, spare battery and charger included
- Heavy-duty ABS pelican style carrying case



HAS.6800

Pull-PRO Tower Quik-Pull System 65"

- Pulling tower for anywhere in the shop
- Air suction plate contacts any shop floor
- Extended non-scratching pull straps
- Simple rotary winch for control pulls
- Base plate and brackets for accessories



HAS.1096



ACCESSORIES:



Base Plate with extension hose
HAS.1097



Puller Bridge
HAS.1091 (16")



Tower Extension Kit (36")
HAS.1098



Puller Rod 4-pc Kit (4/10/14/18")
HAS.1065

Magna-Spot® Stud Welder Kits

- 120 VAC 1 PH 50/60 Hz 15 A
- 9 foot heavy gauge oil resistant power cord
- Five-Year limited warranty
- Made in USA

| Part No. | Description |
|-------------------|----------------|
| MTG.J01000 | Entry Kit |
| MTG.J01050 | Entry-Plus Kit |



ACCESSORIES:



Magna Draw Pins
MTG.J20014 (2.0mm)
MTG.J20015 (2.5mm)



Stud Electrode
MTG.J20007




Magna T-Puller
MTG.J20017

STRUCTURAL REPAIRS

Tack-N-Pull Pull Plates

- For hard-to-hold pulls
- Attach clamp and pull
- Break tack weld with a grinding cut-off wheel or cutting torch



MOC.0805

MOC.0800



INCLUDES:

- (10) 1" Pull Plates
- (5) 1-1/2" Pull Plates
- (5) 3" Pull Plates

INCLUDES:

- (2) 3" Pull Plates
- (2) 1-1/4" Pull Plates
- (2) 1" Pull Plates

| Part No. | Description |
|-----------------|--------------------|
| MOC.0801 | 1-1/2" Pull Plates |
| MOC.0802 | 1" Pull Plates |
| MOC.0803 | 3" Pull Plates |
| MOC.0804 | 4" Pull Plates |
| MOC.0806 | 6" Pull Plates |

Tight Opening Clamp

- Redesigned and strengthened with a new screw drive mechanism
- 3 ton capacity
- Able to reach core support and upper sheet metal areas where no other can
- Perfect for small pick-up frame rails



MOC.0550N

Dyna-Mo Junior Clamp

- Self-tightening
- Thin-edged nose for getting into hard-to-reach places
- Drop-forged round wedge to keep twist out of chain, aggressive cross-hatch tooth design, spring loaded for easy opening



MOC.0305

C Clamp

- Self-Tightening
- 1-1/2" (39 mm) throat clearance
- Fits over a flange or frame horn, or around a lip to pull from behind
- Original wedge and straight cut tooth design



MOC.0200

J Hook with Chain

- Excellent around the frame machine to help hold a frame while diamond is being pulled
- 5/16" (7.94mm) Chain (anodized)
- Overall Length 6"(228mm)
- Weight 2 lbs.(91 kg)
- Capacity 4 tons (3,629kg)



MOC.6317

J Hook with Grab Hook

- Excellent around the frame machine to help hold a frame while diamond is being pulled.
- 5/16" (7.94mm) Chain (anodized)
- Overall Length: 6"(228mm)
- Weight: 2 lbs.(91 kg)
- Capacity: 4 tons (3,629kg)



MOC.6318

Door Post Puller-Twister

- Self-Tightening
- 1-1/2" (39 mm) throat clearance
- Fits over a flange or frame horn, or around a lip to pull from behind
- Original wedge and straight cut tooth design




MOC.5616

RIVETERS

Professional Hand Rivet Nut Kit

- The most robust and powerful pistol style hand rivet nut setter yet
- At only 7.5" long, fits where most 1/4" capacity tools do not
- Includes rivet nut assortment and sizes M4, M5, M6, 8-32, 10-24 and 1/4-20




AST.1443B  **Astro**

13" Plusnut and Extra-Long Rivet Nut Setter Kit

- For setting bulbed PlusNut's, longer than standard rivet nuts and even standard rivet nuts
- Includes 9 SAE and Metric sizes: 10-32, 10-24, 1/4-20, 5/16-18, 3/8-16, M5, M6, M8 & M10




AST.1450  **Astro**

XL Nut/Thread Setting Hand Riveter Kit

- Six interchangeable mandrel/nosepiece sets in Metric and SAE sizes: M8, M10, M12, 5/16", 3/8", and 1/2"
- Unique spring loaded inner hex sleeve
- Includes 10pc rivet nuts of each included size



AST.1452  **Astro**

1/4" Heavy Duty Hand Riveter Setter Kit

- Extra long handles provide excellent leverage
- Includes 5 nosepieces: 1/8-inch, 5/32-inch, 3/16-inch, 7/32-inch, 1/4-inch
- Spent mandrels are collected in the plastic container for safety and ease of disposal




AST.1426  **Astro**

1/4" Heavy Duty 13" Hand Riveter

- Increases power and reduces shock
- Operates up to 1/4" (6.4mm) stainless steel rivets
- Ideal for working in hard-to-reach area
- 3 piece jaws made of Cr-Mo steel



AST.1423  **Astro**

13" Nut/Thread Setting Hand Riveter Kit Setter Kit

- Sleeve automatically locks the rotation of hand installed mandrel
- Includes 10 pieces of each of the following rivet nuts: M5, M6, M8, 10-24, 1/4-20 and 5/16-18
- Ergonomic grip for easy operation



 **Astro**
AST.1442

HP-2 Hand Rivet Tool

- Cushion-molded vinyl grips for comfort
- Square shoulder fulcrum pin





MRS.39000

Deluxe Hand Rivet Gun Kit

- Durable quality
- Square shoulder fulcrum pin
- Precision die cast, high strength aluminum alloy body
- Cushion-molded vinyl grips for comfort
- Sets up to 3/16 inch steel rivets
- Includes a service wrench





MRS.39001

Big Daddy Rivet Gun

- Powerful hand riveter
- Double gear reduction system
- One-piece collet case
- Comes with 5/32 inch, 3/16 inch, and 1/4 inch nosepieces which are stored in the body





MRS.39010

Rivet Gun

- Heavy Duty Rivet Gun Set
- Material Aluminum, Steel
- Size 3/32 Inch, 1/8 Inch, 5/32 Inch and 3/16 Inch
- Handle Material Vinyl Grip
- Number of Pieces 40



AES.265



PLASTIC REPAIRS

EZ Nitrogen Plastic Welder

- Eliminates the hassle and cost of refilling nitrogen tanks thanks to its built-in high quality Nitro Generator
- The proprietary Flow Adjust Switch Technology (FAST) system makes this the easiest nitrogen plastic welder to learn and operate
- A high pressure N2 Outlet gives you the ability to attach air-powered tools to the side of the unit



Part No.

Description

DEN.DF-EZN1G

EZ Nitrogen Plastic Welder Generator

DEN.DF-EZN1

EZ Nitrogen Plastic Welder

KIT INCLUDES:

- EZ Nitrogen Welder System
- Rolling Storage Cart
- Power Strip On The Cart,
- Heat Gun Holster
- Hand Seaming Tool – 3.5"
- Dual Gauge Tank Regulator
- Aluminum Tape Roll – 150'
- Plastic Welding Rod Sample Pack
- Nitrogen pressure 20PSI
- Air pressure 20 PSI

Hot Stapler - Basic Kit

- Restores bumpers, thermoplastic parts, and headlight assemblies to their original condition
- Three heat settings
- Seven shape styles
- Comes with Z-Clip, V-Clip, S Clip, and M-Clip (50 each)
- Lends structure to repairs



DEN.DF-400BR

Slimline Plastic Riveter

- Perfect for tight places.
- Plier is 1 inch tall and requires 2 inches clearance to fully pull rivets
- No pumping needed
- Specifically designed for plastic rivets
- 5.0mm and 6.3mm tips



DEN.DF-CT887

Hot Stapler - Deluxe

- Strong, structural repair while still maintaining flexibility
- Uses heat to embed a staple into the plastic to "stitch" tears in plastic back together



DEN.DF-800BR


KIT INCLUDES:

- (1) Hot Stapler 110v
- (350) StapleClips
- (5) filler tubes
- (1) finishing iron
- (1) blow molded case



EZ Tab Plastic Repair Kit

- Assists in performing fast, strong slot tab repairs on plastic parts
- Set of 5 different sized slot dies, ranging in size from 1/4" (6mm) to 3/4" (19mm)
- Hand seamer (included) is used to compress the tab and angle after welding
- Each slot die is color coordinated for better identification and powder coated for durability



DEN.DF-EZTAB

Airless Plastic Welder

- Turn the dial to the correct heat setting and you are plastic welding!
- The Spade Tip and Feeder Welding Tip gives you two tools in one
- Easily bring this to any job around the shop and store in a drawer when done
- 1 Year Warranty



DEN.DF-EZA1

StaticZap

- Neutralizes static charge
- Eliminates dust attraction
- Metallic flake will stand up and sparkle
- Easy to use, just hook up to air hose and go
- Lithium ion battery powered



DEN.DF-EZAP

PLASTIC REPAIRS

Mini-Weld Model 7

- 200W airless heating element
- Repair virtually any type of plastic, including urethane
- 8 types of plastic welding rod including universal FiberFlex
- Made in USA



URE.5700HTL

Polyvance
ADVANCING POLYMER REPAIR

Mini-Fuzer Hot Air Plastic Welding Station

- Automatic hot air welder heat-up and cool-down
- Temperature feedback control on both hot air and airless welders
- Three memory buttons to store commonly used settings
- Easily portable – no compressed air connection required
- Includes ten plastic welding rod types and stainless steel wire mesh




Polyvance
ADVANCING POLYMER REPAIR

URE.6180-120V

Bumper Mate 3 Bumper Repair Workstation

- Secures odd-shaped parts for easy repair
- Pivoting arms support bumpers
- Movable cradles support headlights
- Uses standard scissor stand (not included)

Polyvance
ADVANCING POLYMER REPAIR



URE.6077

Hot Spot Plastic Stapler

- Simple, one-button operation
- 5V Micro-USB charging port
- LED light for illuminating dark spaces
- Includes 500 staples




Polyvance
ADVANCING POLYMER REPAIR

URE.6204

ACCESSORIES:

Staples



| Part No. | Style | Size | Qty/Box |
|-----------------|---------------|-------|---------|
| URE.6211 | Flat | .6 mm | 100 |
| URE.6212 | Wave | .6 mm | 100 |
| URE.6213 | Inside Corner | .8 mm | 100 |
| URE.6214 | Flat | .8mm | 100 |
| URE.6215 | Wave | .8 mm | 100 |

Welding Rod Organizers with Welding Rod

- Keeps your plastic welding rod organized
- Set of 3 organizers - each has 5 separate compartments
- Each rod organizer is labeled to make reordering rod simple



Polyvance
ADVANCING POLYMER REPAIR

URE.5003-03

Bumper Dent Removal Rollers

- Makes the dent removal process much easier
- Consists of 3 heavy-duty rollers – one wide and flat, one ball-shaped, and one with a sharp edge which allows you to reshape body lines



Polyvance
ADVANCING POLYMER REPAIR

URE.6148

Bumper Pliers Kit - Bumper Tab Repair Kit

- Quickly and accurately repairs torn slots and recessed bolt holes in automotive bumpers
- Includes 6 different slot tab dies, one recessed hole die, and four sets of die pliers to repair virtually any slot




Polyvance
ADVANCING POLYMER REPAIR

URE.6146

Aluminum Tape Rolls

- Hold broken plastic parts together while you do your plastic welding
- Heavy and thick (5 mil)
- Resists the bending forces that could cause misalignment



| Part No. | Size |
|-----------------|-----------|
| URE.6482 | 2" x 30' |
| URE.6485 | 2" x 180' |

Polyvance
ADVANCING POLYMER REPAIR

PLASTIC REPAIRS

Shim Jim Tab Separator Tool Kit

- Pistol grip design to separate tabs with a twist of the wrist
- Three separate tips
- Includes 25 custom designed steel shims



Polyvance
ADVANCING POLYMER REPAIR

URE.6142

Dent Drivers

- Elongated ends for shaping body lines
- Pointed tips for stretching and shrinking dents
- Ergonomic shape to reduce wrist strain and improve grip
- Lightweight and strong truss-style construction



Polyvance
ADVANCING POLYMER REPAIR

URE.6119

FiberFlex Universal Plastic Welding Rod

- Hot-melt adhesive applied with an airless plastic welder
- Sticks great to polypropylene and TPO
- 3/8" x 1/16", 30 ft., Black



Polyvance
ADVANCING POLYMER REPAIR

URE.R10-04-03-BK

PlastiFix Adhesive

- Holds broken plastic parts together while plastic welding
- Heavy and thick (5 mil)
- Resists the bending forces that could cause misalignment



Polyvance
ADVANCING POLYMER REPAIR

URE.2510

Magna-Stitcher Plastic Repair System

- 115 VAC, 0.3 A, 50/60 Hz
- Three Power Levels to Handle a Wide Variety of Jobs
- Comes with an Assortment of Magna-Stakes, 100/EA in S, M, V & W Shapes
- High-Intensity Work Light in Grip plus an Ironing Tip for Smoothing Rough Areas



MOTOR GUARD

MTG.MS-2500

ACCESSORIES:

Magna Stakes

| Part No. | Style | Size |
|-------------------|-------|-------|
| MTG.MS2004 | S | .028" |
| MTG.MS2005 | M | .028" |
| MTG.MS2006 | V | .028" |
| MTG.MS2007 | W | .028" |



Hot Staple Gun Kit

- For quick repair and reinforcing broken/ripped/damaged/split plastic on autos, motorcycles, ATVs, boats, etc
- Strong durable repair while still leaving plastic flexible enough for correct fit
- Unique Staple Gun heats special designed staples and sets staples into plastic
- Repairs plastic components such as bumpers, headlight fittings and assemblies, panel clips, tabs, plastic pins, spoilers, etc.



AST.7600

Astro

KIT INCLUDES:

- Hot Staple Gun
- Wire Cutter
- Flip Screwdriver
- 50pc each of "M", "S", "V" and "Z" Style Staples

Accessories:

Staples

| Part No. | Style | Qty/Box |
|------------------|-------|---------|
| AST.7600M | M | 50 |
| AST.7600S | S | 50 |
| AST.7600V | V | 50 |
| AST.7600Z | Z | 50 |



FOLLOWING INFORMATION PERTAINS TO ALL ABOVE STAPLES:

- Width: (.500") (12.7 mm)
- Thickness: 1/32" (.03125") (0.793 75 mm)

SPOTWELD CUTTERS

Spotweld Cutter

- Thicker cutter wall for longer tool life and improved durability
- Hollow design which cuts around the spotweld so weld hardness does not effect tool sharpness
- When one end becomes dull, simply unscrew the cutter and use the other side
- Includes: 3/8" cutter (13214), arbor (13216), & pilot (13217)
- Cutter RPM should not exceed 500 RPM



BLA.13224

REPLACEMENT:



**Double-End
Replacement (3/8")
BLA.13214**



Premium Skip-Proof Spotweld Cutter

- Pilot drill helps keep the pilot from skipping off the cutting surface
- Thick wall for extreme durability and a two step tooth geometry which splits the chips and helps to clear them
- For use in 3/8" or larger drill chucks
- Includes 3/8" Rotabroach cutter (11108-3), arbor (11123), and pilot (11097)



BLA.11093

REPLACEMENT:



**Rotabroach Sheet Metal
Hole Cutters (3/8")
BLA.11108-3**

Premium Spotweld Cutter

- Cuts around the spotweld leaving the underlying panel undamaged
- Great for plug welds
- Last for hundreds of spotwelds
- For use in 3/8" or larger drill chucks
- Includes 3/8" Rotabroach cutter (11108-3), arbor (11122), and pilot (11121)



BLA.11094

REPLACEMENT:



**Rotabroach Sheet Metal
Hole Cutters (3/8")
BLA.11108-3**

8mm Drill Bit for Spot Weld Drill

- 8mm drill bit specially designed for spot weld drilling
- Made of High Speed Steel Cobalt
- 8mm spot weld drill bit will remove the most common size of spot welds that need to be removed
- Bit has center nib to prevent walking



Astro

AST.1721

Premium Carbide Spotweld Cutter

- Premium Solid Carbide Spotweld Cutter for Boron and other steels, drills out spotwelds fast
- Made from solid carbide for long life in today's high strength body panels
- Self centering tip and is double coated for maximum durability
- For use with "gun" type spotwelds tools

| Part No. | Size |
|------------------|-------|
| BLA.11306 | 6.5mm |
| BLA.11308 | 8mm |
| BLA.11310 | 10mm |
| BLA.11312 | 12mm |



Heat Treated HSS Spot Weld Cutting Blade Arbor

- Made of heat treated high speed steel (HSS)
- Easily separate autobody panels held together by spot welds
- Double-sided
- Spring loaded center pilot pin
- 3/8" Diameter / 1/4" hex shank arbor



AES.228



Rotary Spot Weld Cutter

- Quickly removes spot welds holding sheet metal
- Can also cut small access holes in sheet metal
- Has double ended 3/8" blade and 1/4" arbor with retractable pilot.
- Blade interchanges with other spot weld arbors
- Arbor fits all 1/4" drills



SGT.18000



ROTABROACH CUTTERS

Rotabroach Cutter Kit - Fractional

- Contains seven of the most popular sizes of Rotabroach Cutters
- A must have for any tool box or fabricator
- For materials up to 1/4" thick
- Includes: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, & 3/4" cutters, arbor (11122), hex wrench, center punch and extra pilots



BLA.11090

KIT INCLUDES:

- 1/4" Rotabroach Sheet Metal Hole Cutters (11100-3)
- 5/16" Rotabroach Sheet Metal Hole Cutters (11104-3)
- 3/8" Rotabroach Sheet Metal Hole Cutters (11108-3)
- Premium Spotweld Cutter (11094)
- Rotabroach Skip-Proof Pilot Drills (11097)

DRILL BITS

1/8" Stubby Double Ended Drill Bits

- Packaged in convenient see-through pouch of 12
- 135 degree split point
- Sturdy double end allows twice the usage
- Ideal for auto body work



AST.9012



Double-Ended Stubby Drill Bits

- Made for drill presses and other handheld cutting applications
- Sharp edges for cutting on both ends of the drill
- Switch to the other side when the edge of one begins to wear down
- High speed steel 135° split point
- 12 bits per tube



KEY.77395

1/8" Double-ended High Speed Steel Stubby Drill Bits

- Chromium finish
- Made from high speed steel
- 12 drill bits come in 1 tube for convenient storage
- 1/8" Diameter; 2-1/4" Length; 135 degree split point



AES.221

1/8" Double-ended High Speed Steel Titanium Coated Stubby Drill Bit

- Chromium finish
- Last 6 times longer than regular HSS drill bits
- Penetrates metal 3 times faster; Runs cooler and needs less pressure than HSS steel drill bits
- 12 drill bits come in 1 tube for convenient storage
- 1/8" Diameter; 2-1/4" Length; 135 degree split point
- Carded



AES.261



PARTS CART & STORAGE

Innovative Panel Train™

- 30% more shelf positions than any other parts carts
- High-carbon, heat-treated steel shelf brackets
- Patented easy-adjust shelf brackets
- Durable powder coat finish



ITT.SSPC-B

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Superstand 6™

- Holds the most difficult plastic bumper covers securely without touching the painted surface
- Cover can be rotated 90 degrees
- Five locking positions



ITT.SS-6

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Door-Fender Double™

- Securely holds fenders and doors in any combination
- Complete paint coverage inside and out
- Easily adjusts to perfect working height
- Eliminate missed edges



ITT.I-DFD

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Door Fender Single

- Securely holds a fender or door
- Complete paint coverage inside and out
- Easily adjusts to perfect working height
- Eliminates missed edges



ITT.I-DFS

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Door Jack™

- Ample padding, no metal-on-metal contact, no damage
- Industry's only 8" front-to-back tilting adjustment
- Side-to-side tilt adjustment for easier part removal and installation



ITT.I-DJ

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative UltraRack™

- Holds hoods, tailgates, doors, lift gates, deck lids, cargo doors and fenders
- Efficient single-hand operation
- Seven locking positions



ITT.URPS

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative SuperStand 2™

- Holds any plastic bumper cover
- Makes repairs, prep, and painting faster and easier
- Cover can be rotated 90 degrees
- Five locking positions



ITT.I-SS-II

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Truck Bed Dolly™

- Multiple adjustments
- Solid rubber 8" total-lock caster wheels, easy-glide with zero movement when locked
- Space-saving storage
- Powder-coat finish



ITT.I-TBD

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Mobile Bumper™ Storage Rack

- Adjustable mobile racking system
- Holds up to eight large bumper covers
- Support arms adjust in seconds
- Four extra-long arms for oversized bumper covers



ITT.MBM

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Wall Bumper™ Storage Rack

- Adjustable wall racking system
- Holds up to six large bumper covers
- Support arms adjust in seconds to customize your storage needs
- Support arms fold down when not in use
- High-carbon, heat-treated steel construction



ITT.MDW

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

Innovative Bed Lift™

- Allows one-person truck bed removal
- Four rubber-padded support arms prevent damage
- Multiple adjustments for easy work height
- Adjustable center hook
- Powder-coat finish



ITT.I-BL

INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

PARTS CART & STORAGE

Portable Work Stand (16 lb)

- Lightweight work bench with capacity of 500lbs
- Steel tubing construction with 1/2" foam padded top
- Adjustable height of 33" to 40" tall



HIT.T430



Portable Workstand

- 1-1/4" pipe with foam padding
- 500 lb weight capacity
- Adjustable height-max height of 46"
- Assembled



HIT.95022



Heavy Duty Plastic Utility Cart

- 300 lb load capacity per shelf
- 4" heavy-duty, locking swivel casters with non-marking tread
- Two 3.5" deep trays handle a multitude of supplies



HIT.T425



Bumper Tree

- Tilt while painting
- Openings in covers can be painted from the front and back to assure complete coverage
- Casters make moving bumpers easy



STECK.35800



Panel Tree Stand

- Panels load easily and quickly
- Save hours of dry time
- Hold one or two panels securely
- Paint panels, jambs, and car all at one time



STECK.35900



Pro Folding Parts Cart

- Flexible part holding cart
- Simple hand-twist fasteners for quick and easy reconfiguration
- Folding mast for two-side usage
- Holds up to 400 lbs.



STECK.35950



WorkStand Wheeler

- Holds square or round tube stand (x-frame) work stands
- 36" Long
- Self-uprighting channel with 2 large 3" wheels
- Accommodates up to a 32" wide extended work stand
- Work Stand Not Included




STECK.35756



Hatch Jammer

- Ideal for holding the hatch open during tasks
- Easy to use and install
- Securely attaches to the hatch's striker and latch
- J-hook design ensures a firm grip on the striker



STECK.17100



Super Stand

- Comes with 8 adjustable bars
- Single handed rotation of panels 350 degrees in 16 degree increments
- Weight capacity: 200 lbs



AST.7300



Adjustable 7' Paint Hanger

- Frame is 5'10" wide and adjusts from 50" - 80" in height
- Six hooks to hold parts
- 4" PU caster wheels, 2 swivel, 2 swivel with brake



AST.7306



Portable Work Stand

- Lightweight work bench with heavy duty 500lbs. capacity
- Steel tubing construction with 1/2" foam padded top
- Adjustable height of 33" to 40" tall
- 1" Tube diameter




AST.557003



The Fender Extender

- 80" adjustable extension for portable work stand
- Tailored for long or wide bumpers, hoods and fenders
- Bungee cord loop attached
- 200lb weight capacity



AST.557100



PARTS CART & STORAGE

Panel Stand

- Lightweight panel stand with 300 lbs capacity
- Bumper extension bar can easily be adjusted for any position
- Great for working on bumpers and other automotive parts



AST.557012 **Astro**

Adjustable Extra Heavy Duty Portable Work Stand

- Capacity 500lbs
- Heavier gauge tubing (31.74mm)
- 1-1/4" Steel tubing construction with 1/2" foam padded top
- Adjustable height of 25" to 41" tall



AST.557010 **Astro**

MASKING MACHINES

18" Masking Machine

- Includes bars for 2 paper rolls and 4 tape rolls
- 8" wheels and 2 comfort grip handles for maneuverability
- Sharp, anodized blade for smooth cutting
- Wing nuts & large, adjustable washers for easy paper loading & alignment
- Includes bottom storage tray, side sandpaper tray and spray gun bar
- 1 Year Limited Warranty



HIT.T415

Masking Machine

- Includes bars for 2 paper rolls and 4 tape rolls
- Wing nuts for easier paper loading
- Sharp, anodized blade for smooth cutting
- Large storage tray on bottom for tools
- Sandpaper tray on side and bar
- Weight: 29 lbs



Astro

AST.MM18

Masking Station - Tree Type

- Holds 4 paper rolls up to 18" and 4 tape rolls
- Non-skid wheels and comfort grip handles for maneuverability
- Sharp, anodized blade for smooth cutting
- Wing nuts & large, adjustable washers for easy paper loading & alignment
- 1 Year Limited Warranty



HIT.T417

4 Tier Masking Tree

- Includes bars for 4 paper rolls and 4 tape rolls
- Nonskid rubber wheels
- Wide-base design prevents toppling
- Lightweight steel frame
- Weight: 27 lbs

Astro



AST.ASMS-2

Triple Masker Tree

- Holds 18", 24" and 36" wide masking paper rolls
- Sharp serrated blades for clean cutting
- Easy to load



AST.176

AE INDUSTRIES
For all your refinishing needs!

Innovative Mobile Masker™

- Holds one roll of up to 12" paper and two rolls of up to 18" paper
- Narrow 19" profile
- Thick steel blades



INNOVATIVE
TOOLS & TECHNOLOGIES, INC.

ITT.I-MM

Mobile Masker

- Holds two rolls of 18" paper and two rolls of 12" paper or smaller
- Narrow 22" profile rolls between cars in shop



KEY.78007

Wall Mount Masker

- Great to dispense plastic
- Does not attract dirt from the floor
- Mounts on wall
- Does not take up floor space



| Part No. | Size |
|------------------|------|
| KEY.78009 | 36" |
| KEY.78011 | 18" |

Vertical Masker

- Narrow profile (22")
- Holds a roll of 36" paper and a roll of 36" plastic. Cut plastic with knife
- Dispenses vertically or horizontally



KEY.78012

Hustler Stick

- Aligns bumpers, panels, hoods, decks and brackets
- 1-1/4" diameter tubing with two welded hooks
- 1/4" chain, 6' long, heavy duty claw style hook
- 52" Long



KEY.77175

MASKING PAPER

**White Masking Paper
(750 ft / 24 lb)**

- Urethane barrier
- Flexible construction
- Tear resistant
- Recommended for waterborne



| Part No. | Size |
|----------------------|------------|
| HIT.MP600W-6 | 6" x 750' |
| HIT.MP600W-12 | 12" x 750' |
| HIT.MP600W-18 | 18" x 750' |
| HIT.MP600W-36 | 36" x 750' |

**Blue Masking Paper
(700 ft / 35 lb)**

- Strongest polycoated paper
- Flexible construction
- Corona treated for better paint adhesion
- Recommended for waterborne



| Part No. | Size |
|----------------------|------------|
| HIT.MP500B-6 | 6" x 700' |
| HIT.MP500B-12 | 12" x 700' |
| HIT.MP500B-18 | 18" x 700' |
| HIT.MP500B-36 | 36" x 700' |

**Green Masking Paper
(400 ft / 35 lb)**

- Machine finished, quality paper
- Lint free
- Good economical choice
- Excellent hold out



| Part No. | Size |
|----------------------|------------|
| HIT.MP140G-3 | 3" x 400' |
| HIT.MP140G-6 | 6" x 400' |
| HIT.MP140G-9 | 9" x 400' |
| HIT.MP140G-12 | 12" x 400' |
| HIT.MP140G-18 | 18" x 400' |
| HIT.MP140G-24 | 24" x 400' |
| HIT.MP140G-36 | 36" x 400' |

**Green Masking Paper
(500 ft / 35 lb)**

- Machine finished, quality paper
- Lint free
- Good economical choice
- Excellent hold out



| Part No. | Size |
|----------------------|------------|
| HIT.MP150G-3 | 3" x 500' |
| HIT.MP150G-6 | 6" x 500' |
| HIT.MP150G-9 | 9" x 500' |
| HIT.MP150G-12 | 12" x 500' |
| HIT.MP150G-18 | 18" x 500' |
| HIT.MP150G-24 | 24" x 500' |
| HIT.MP150G-36 | 36" x 500' |

**Green Masking Paper
(750 ft / 35 lb)**

- Machine finished, quality paper
- Lint free
- Good economical choice
- Excellent hold out



| Part No. | Size |
|----------------------|------------|
| HIT.MP375G-6 | 6" x 750' |
| HIT.MP375G-12 | 12" x 750' |
| HIT.MP375G-18 | 18" x 750' |
| HIT.MP375G-36 | 36" x 750' |

**Green Masking Paper
(750 ft / 28 lb)**

- Machine finished, quality paper
- Lint free
- Good economical choice
- Excellent hold out



| Part No. | Size |
|-----------------------|-------------|
| HIT.MP3100G-6 | 6" x 1000' |
| HIT.MP3100G-12 | 12" x 1000' |
| HIT.MP3100G-18 | 18" x 1000' |
| HIT.MP3100G-24 | 24" x 1000' |
| HIT.MP3100G-36 | 36" x 1000' |

**Green Masking Paper
(180 ft / 28 lb)**

- Machine finished
- Excellent hold out
- Lint free
- Good economical choice



| Part No. | Size |
|----------------------|------------|
| HIT.MP380G-3 | 3" x 180' |
| HIT.MP380G-6 | 6" x 180' |
| HIT.MP380G-9 | 9" x 180' |
| HIT.MP380G-12 | 12" x 180' |
| HIT.MP380G-18 | 18" x 180' |

Handy Mask Dispenser and Refills

- Tape and paper in one easy step
- The perfect size for masking head lights, bumpers and door jams



| Part No. | Description |
|------------------|-------------|
| USC.38081 | Dispenser |
| USC.38082 | Refills |




INTRODUCING OUR NEW **AQUA PREMIUM PLASTIC SHEETING!**

**TRI-LAYERED. ULTRA DURABLE. PRECISION CUT.
NOW AVAILABLE IN 16'X350' & 20'X350' ROLLS.**

- Corona treated for paint anchorage
- Superior cling allowing one man application
- Can be placed at paint edge with no bleed through
- Clearly marked center shows which side to paint
- Available in dispenser boxes

| Part No. | Size |
|----------------|------------|
| HIT.416 | 16' x 350' |
| HIT.420 | 20' x 350' |



MASKING PAPER

Blue Premium Masking Paper

- Tough, film-bonded masking paper
- Coated for durability and performance
- Stops penetration from urethane paints, solvents and water
- Polyfilm coating provides paint anchorage and water-resistance



| Part No. | Size |
|------------------|------------|
| USC.38006 | 6" x 738' |
| USC.38012 | 12" x 750' |
| USC.38018 | 18" x 750' |
| USC.38036 | 36" x 750' |

PLASTIC SHEETING

Plastic Sheeting

- Excellent vehicle cling
- Solvent resistant
- Reduces flaking when painting

| Part No. | Size |
|----------------|------------|
| HIT.112 | 12' x 400' |
| HIT.116 | 16' x 350' |
| HIT.120 | 20' x 250' |



Shark Skin Premium Plastic Sheeting

- Premium quality HDPE plastic sheeting
- Prevents flaking and airborne particles from landing on vehicles
- Solvent resistant



| Part No. | Size |
|------------------|------------|
| USC.36112 | 12' x 400' |
| USC.36114 | 14' x 350' |
| USC.36115 | 16' x 350' |
| USC.36117 | 20' x 350' |



Plastic Sheeting

- High density, tear-resistant, durable polyethylene sheeting
- For painting, paint preparation, paint preparation masking
- Translucent / 16" x 400"



MMM.6724

Overspray Protective Sheeting

- Specially formulated high density polyethylene film (HDPE)
- Protects vehicles from overspray
- Excellent paint adherence and paint overspray adhesion



| Part No. | Size |
|-----------------|------------|
| MMM.6728 | 16" x 350' |
| MMM.6742 | 20" x 250' |

Economical Plastic Sheeting

- An A-fold construction
- A seamless film construction eliminates "zippering"
- Good performance at a value price



| Part No. | Size |
|------------------|------------|
| USC.36119 | 16' x 350' |
| USC.36123 | 12' x 250' |

CRASH WRAP

Collision Wrap

- Secure components on damaged vehicles
- Made from 3.0 mil clear and flexible shatter seal film
- Residue free adhesive on one side for easy application and removal
- 36" x 100' / 3.0 mil



HIT.815



Collision Wrap Film

- 3 mil plastic film with UV inhibitor
- Adheres to clean, dry surface-metal, glass, plastic
- See-through clear plastic
- Cuts easily with poly knife or razor blade
- For use on vehicle exterior surfaces only



| Part No. | Size |
|----------------|------------|
| RBL.428 | 36" x 100' |
| RBL.432 | 18" x 100' |
| RBL.433 | 48" x 100' |
| RBL.434 | 24" x 50' |

DROP SHEETING

Premium Masking Drop Film

- Temperature Resistance up to 230°F / 110°C. (30 min.)
194°F / 90°C. (60 min.)
- Easy/clean removal
- Easy roll release
- Static cling
- Leaves no residue



| Part No. | Size |
|---------------------|----------------|
| Q1P.MDF0260 | 23.62" x 25yds |
| Q1P.MDF02120 | 47.24" x 25yds |
| Q1P.MDF02180 | 70.86" x 25yds |

Automask

- Lint free and anti-static
- Solvent bleed-thru resistance
- Resists heat up to 230°F
- Waterproof
- Clings to surface



| Part No. | Description |
|----------------|----------------------------|
| RBL.101 | 21" x 115' Automask W/Disp |
| RBL.102 | 21" x 115' Automask Refill |
| RBL.103 | 43" x 115' Automask W/Disp |
| RBL.104 | 43" x 115' Automask Refill |
| RBL.108 | 72" x 115' Automask W/Disp |
| RBL.109 | 72" x 115' Automask Refill |



MISCELLANEOUS MASKING



HIT.800

Self Adhering Plastic Floor Mats

- Durable, heavy-duty 2.0 MIL plastic
- Self-adhering to stay in place
- Dimensions: 16" x 21"
- Protects car floor
- 250 pk



HIT.810

Plastic Wheel Maskers

- Durable, heavy-duty 0.7 MIL plastic
- For use on tires up to 35" in diameter (all typical passenger vehicles, and most large trucks)
- Dimensions: 45" x 40" with star bottom
- Four-fold bag design eliminates "rabbit"
- 50 pk



Plastic Seat Covers

- Durable, heavy-duty 0.7 MIL plastic
- Easy to handle for quick installation
- Full coverage from headrest to floor
- Protects car seats from dirt, grease and other stains
- 125 pk



HIT.805

Wheel Cover

- Ideal for protecting wheel and tires from overspray
- Set of 4 per package
- Up to 15" capacity



AST.9004

Wheel Bag Masker

- Built in cling wraps for complete masking protection
- Paint overspray sticks to bag
- Non-static
- Disposable and recyclable



| Part No. | Description |
|----------------|------------------------------------|
| RBL.169 | Truck Wheel Bag Masker |
| RBL.172 | 15" Wheel Bag Masker -Disp Box |
| RBL.176 | 16" Wheel Bag Masker -Disp Box |
| RBL.177 | 17"-20" Wheel Bag Masker -Disp Box |



MMM.36900

3M™ (250) IPA Seat Covers

- One size cover
- Fits all vehicles
- Seat covers resist water, oil and grease
- Single pocket or dual pocket option

3M™ (250) IPA Floor Mats

- 19" x 17" disposable paper floor mat
- Protect automotive floors during maintenance and repair
- Unique non-slip technology keeps floor mat in place



MMM.36901

MISCELLANEOUS MASKING

Plastic Tire Maskers

- 45" x 40" x 17"
- Excellent paint anchorage prevents flaking
- Four-fold bag design eliminates 'rabbit ears'
- Sized to fit most SUV's and trucks



USC.70510

Disposable Wheel Masker

- Protects wheels and tires from paint overspray
- High-density maskers resist tearing
- Wire reinforcement locks maskers in place



MRS.30204

Canvas Tire Masker

- Stitched with a flexible rod on the outer edge
- Heavy canvas material

| Part No. | Description |
|------------------|---|
| AES.30237 | Fits wheels up to 24" diameter with up to 9" wheel width |
| AES.30238 | Fits wheels up to 32" diameter with up to 10" wheel width |
| AES.30239 | Fits wheels up to 39" diameter with up to 12" wheel width |



LIQUID MASK

Magic Mask

- Single application provides total protection
- Water-based
- VOC free formula
- Safe for a variety of surfaces
- Withstands baking
- One quart covers an entire car



| Part No. | Size |
|------------------|---------------|
| USC.36135 | Gallon |
| USC.36136 | 5 Gallon Pail |



Liquid Mask

- Fast drying water-based coating used to protect all non-fabric exterior automotive surfaces
- Dries to a clear, non-tacky film in approximately 25 minutes
- Easily sprays on and rinses off effortlessly with water



| Part No. | Size |
|-----------------|----------|
| AFC.LM-1 | Gallon |
| AFC.LM-5 | 5 Gallon |



MASKING TAPES

High Temp Premium Paper Masking Tape

- Fine crepe paper backing sets the standard, ensuring overall sharp paint lines
- High temperature resistance
- UV resistant up to 3 days
- Clean removal; stain and transfer resistant
- Smooth to touch – easy to work with



| Part No. | Description | Size |
|---------------------|------------------|--------------|
| AMT.PG27-3/4 | 3/4" PG1855 Tape | 18mm x 54.8m |
| AMT.PG27-112 | 1/2" PG3655 Tape | 36mm x 54.8m |
| AMT.PG27-2 | 2" PG4855 Tape | 48mm x 54.8m |

Medium Grade Automotive Refinishing Tape

- Better bonding to itself for improved painting process performance
- Works with both solvent and waterborne paints
- UV resistant up to 3 days
- Rubber-based adhesive provides secure adhesion to painted surfaces, bare metals and plastics, yet removes



| Part No. | Description | Size |
|-----------------|------------------------|--------------|
| AMT.AM18 | 3/4" AM1855 AquaMask | 18mm x 54.8m |
| AMT.AM36 | 1-1/2" AM3655 AquaMask | 36mm x 54.8m |
| AMT.AM48 | 2" AM4855 AquaMask | 48mm x 54.8m |

Q1® Premium Masking Tape

The perfect tool to save time and reduce costs in order to increase your Body Shop profitability.



Q1® Ultimate Masking Tape

- Water and silvering resistance
- Compatible with waterborne, solvent-based and polyurethane coatings
- Withstands temperature up to 248° F (30 min)



| Part No. | Size |
|------------------|------------|
| Q1P.UM118 | 18mm x 55m |
| Q1P.UM136 | 36mm x 55m |
| Q1P.UM148 | 48mm x 55m |



Q1® High Performance Masking Tape

- 3 days UV resistance
- Flexible backing
- Withstands temperature up to 230°F / 110°C (30 min.)
- Excellent adhesion to multiple surfaces



| Part No. | Size |
|-------------------|------------|
| Q1P.HPG118 | 18mm x 55m |
| Q1P.HPG136 | 36mm x 55m |
| Q1P.HPG148 | 48mm x 55m |



Q1® Premium Masking Tape

- Conforms well to curved and irregular surfaces
- 3 days UV resistance
- Performs at high temperatures up to 230° F / 110° C (30 min.)
- Solvent & waterborne paints compatible



| Part No. | Size |
|------------------|------------|
| Q1P.MT118 | 18mm x 55m |
| Q1P.MT136 | 36mm x 55m |
| Q1P.MT148 | 48mm x 55m |



Q1® CarPlus Masking Tape

- Good adhesion on painted metal, rubber, glass or chrome parts
- Clean removal after drying cycle at 90°C/194°F (1 hour)/ 100°C/212°F (30 min)
- Natural rubber adhesive and brown crepe paper



| Part No. | Size |
|-------------------|------------|
| Q1P.CPM118 | 18mm x 55m |
| Q1P.CPM136 | 36mm x 55m |



Q1® Premium Foam Masking Tape

- Highly absorbent
- Solvent resistant
- 80°C temp rating
- Leaves no residue



Q1P.SE01



Q1® Performance Foam Tape

- Flexible and easy to shape around contours
- Solvent and water-based paint resistant
- No bleed through




Q1P.SE02



Q1® Premium Trim Masking

- High Performance rubber-based adhesive
- Pre-perforated for easy tear off
- Very flexible to follow contours and tight curves



Q1P.TT01



MASKING TAPES

3M™ Automotive Refinish Masking Tape


- Robust crepe paper backing that resists solvents and moisture
- Proprietary rubber-based adhesive formula allows the tape to stick and stay on a variety of surfaces
- Great usability - fits contours and curves



| Part No. | Size |
|-----------------|------------|
| MMM.6652 | 18mm x 55m |
| MMM.6654 | 36mm x 55m |
| MMM.6656 | 48mm x 55m |

Scotch® Performance Green Masking Tape


- Premium paper backing resists breaking, lifting, and edge curl
- High conformability with clean removal and sharp paint lines
- Superior resistance to UV, moisture, and solvents



| Part No. | Size | Part No. | Size |
|------------------|------------|------------------|------------|
| MMM.26332 | 12mm x 55m | MMM.26341 | 72mm x 55m |
| MMM.26334 | 18mm x 55m | MMM.26343 | 3mm x 55m |
| MMM.26336 | 24mm x 55m | MMM.26344 | 6mm x 55m |
| MMM.26338 | 36mm x 55m | | |

Scotch® High Performance Masking Tape

- Solvent and water resistant
- Can be used in environments up to 110°C (230°F)
- Excellent performance in humid environments
- Excellent holding power, even on plastic and rubber surfaces



| Part No. | Size |
|------------------|------------|
| MMM.07895 | 18mm x 55m |
| MMM.07897 | 24mm x 55m |
| MMM.07898 | 36mm x 55m |
| MMM.07899 | 48mm x 55m |

3M™ Precision Masking Tape

- Prevents seepage and edge bleed with waterborne and solvent paints
- Thinnest 3M tape for automotive
- Great for two-tone jobs
- Semitransparent for better visibility



| Part No. | Size |
|-----------------|------------|
| MMM.6525 | 6mm x 55m |
| MMM.6526 | 19mm x 55m |
| MMM.6527 | 25mm x 55m |
| MMM.6528 | 38mm x 55m |
| MMM.6529 | 50mm x 55m |

3M™ Automotive Attachment Tape

- 0.76 mm thickness enables a flush and professional appearance
- Acrylic adhesive provides high peel and sheer adhesion
- Adheres well to traditional paint systems



| Part No. | Size |
|-----------------|------|
| MMM.6376 | 1/4" |
| MMM.6377 | 1/2" |
| MMM.6378 | 7/8" |

3M™ Automotive Masking Tape

- Cost-effective general purpose masking tape
- Reliable crepe paper backing with good conformability and easy application
- Proprietary solvent-free adhesive formula that sticks with confidence



| Part No. | Size |
|-----------------|------------|
| MMM.6545 | 18mm x 55m |
| MMM.6547 | 36mm x 55m |
| MMM.6548 | 48mm x 55m |

3M™ Perforated Trim Masking Tape

- Rigid band along one edge that slips gently behind moldings
- Allows paint to flow beneath the moldings while masking their exteriors
- Perforations allow for hand tearing without tools
- Speeds paint time

| Part No. | Size |
|-----------------|------------------------------|
| MMM.6345 | 5mm Hard Band, 50.8mm x 10m |
| MMM.6347 | 7mm Hard Band, 50.8mm x 10m |
| MMM.6348 | 15mm Hard Band, 50.8mm x 10m |
| MMM.6349 | 10mm Hard Band, 50.8mm x 10m |



MASKING TAPES

3M™ Soft Edge Foam Masking Tape PLUS

- Eliminates hard paint lines in the jamb areas
- Specialty tape helps reduce rework due to unwanted tape lines
- One-step application is simpler than masking jambs with conventional masking tape and masking paper

**MMM.50421****3M****3M™ Soft Edge Masking Foam Tape**


- Excellent adhesion
- Conformable to shape
- Compatible with all current refinish paints
- Produces a soft edge finish
- Does not leave adhesive residue on removal



| Part No. | Size |
|------------------|----------------|
| MMM.09678 | 10 x 5m x 13mm |
| MMM.09973 | 7 x 5m x 19mm |

3M**Scotch® Fine Line Tape**

- High-performance fine line tape that's ideal for painting long straight lines with crisp edges
- Resistant to most solvents and moisture
- Low profile and high adhesion provide excellent color line separation

**3M**

| Part No. | Size |
|-----------------|--------------|
| MMM.6301 | 1/4" x 60yd |
| MMM.6302 | 3/8" x 60yd |
| MMM.6303 | 1/2" x 60yd |
| MMM.6305 | 3/4" x 60yd |
| MMM.6306 | 1/16" x 60yd |
| MMM.6307 | 3/16" x 60yd |
| MMM.6308 | 3/32" x 60yd |

Scotch® Plastic Tape

- High-performance fine line tape that's ideal for painting long straight lines with crisp edges
- Resistant to most solvents and moisture
- Low profile and high adhesion provide excellent color line separation

3M

| Part No. | Size |
|-----------------|--------------|
| MMM.6404 | 1/8" x 36 yd |
| MMM.6405 | 1/4" x 36 yd |
| MMM.6408 | 1/2" x 36 yd |
| MMM.6409 | 3/4" x 36 yd |

**3M™ Automotive Attachment Tape**

- Closed-cell 1.52 mm acrylic foam core offers versatility in attaching automotive trim and parts
- Acrylic adhesive ensures high peel and sheer adhesion
- Adheres well to traditional paint systems

3M

| Part No. | Size |
|-----------------|--------------|
| MMM.6380 | 1/2" x 20 yd |
| MMM.6381 | 7/8" x 20 yd |
| MMM.6382 | 1/2" x 20 yd |

**3M™ Automotive Acrylic Plus Attachment Tape**

- Two adhesives, one on each side of the acrylic foam core, for effective bonding
- Liner-side adhesive for adherence to automotive paint systems
- Non-liner-side adhesive for adhesion to metal and plastic parts



| Part No. | Size | Color |
|-----------------|--------------|-------|
| MMM.6383 | 7/8" x 20 yd | Black |
| MMM.6384 | 1/2" x 5 yd | Black |
| MMM.6385 | 1/2" x 5 yd | Gray |
| MMM.6386 | 1/4" x 20 yd | Gray |

3M**Double-Sided Tape**

- Excellent adhesion and sealing capabilities
- Conforms to uneven surfaces
- Dampens vibrations and reduces noise
- Easy-to-use clam shell packaging



| Part No. | Size |
|-----------------|--------------|
| HIT.3682 | 1/2" x 20 yd |
| HIT.3683 | 7/8" x 20 yd |
| HIT.3684 | 1/2" x 5 yd |
| HIT.3686 | 1/4" x 20 yd |



FINE LINES & FOAM TAPES

ProBrand Fineline Tape - Orange (Medium)

- Polymer film carrier
- 120% elongation
- Temperature resistance 1 h/130 deg C (266 deg F)
- Limited UV-resistance
- Limited waterborne resistance



| Part No. | Size |
|------------------|---------------|
| FBS.48405 | 1/16" x 60 yd |
| FBS.48410 | 1/8" x 60 yd |
| FBS.48420 | 1/4" x 60 yd |
| FBS.48430 | 1/2" x 60 yd |
| FBS.48440 | 3/4" x 60 yd |

ProBrand Fineline Tape - Red (Extra Soft)

- 220% elongation
- Temperature resistance 1 hr/130 deg C (266 deg F)
- Limited UV-resistance
- Excellent waterborne resistance



| Part No. | Size |
|------------------|---------------|
| FBS.48475 | 1/16" x 60 yd |
| FBS.48480 | 1/8" x 60 yd |
| FBS.48485 | 1/4" x 60 yd |
| FBS.48490 | 1/2" x 60 yd |

Advanced Foam Masking Tape

- One continuous length
- Adjustable between coats
- Temperature resistant up to 90°C/194°F
- Can be used on moving parts
- 20mm x 50m



JTA.10112050



No Edge Blending Tape Plus

- Paint absorption foam
- Feathered edge over long lengths
- Temperature resistant up to 160°C/320°F
- 20mm x 25m



JTA.10122025



Smooth Edge Foam Masking Tape

- Conforms to curves and bends
- Creates a soft finish
- Paint absorbent
- Temperature resistant up to 90°C/194°F
- 20mm x 50m



JTA.10131350



Prime & Paint Foam Masking Tape

- Unique patented 2 in 1 masking product
- Hidden adhesive
- Detachable Primeshield piece
- Paint absorbent
- 35mm x 30m



JTA.10163530



Flexi No Edge Blending Tape

- Conforms around difficult areas without kinking
- Temperature resistant up to 90°C/194°F
- 15mm x 25m



JTA.10181525



No Edge Blending Tape Plus

- Perforated sections allow for easy tearing
- Easily fits around corners
- Temperature resistant up to 160°C/320°F
- 50mm x 10m



JTA.10555010



Perforated Trim Masking Tape

- Leaves no hard edge
- Perforated sections for easy tearing
- Easily fits around corners
- Temperature resistant up to 160°C/320°F
- 50mm x 10m



JTA.10585010



Wheel Repair Mask

- Elastic center piece
- Highly paint absorbent
- Temperature resistant
- Individually wrapped
- 69" x 69" x 22"



JTA.10951417



MISCELLANEOUS TAPES

Orange Fine Line Masking Tape

- Ideal for masking straight lines while remaining flexible
- Temperature resistant up to 150°C/302°F for at least 45 minutes
- Easy to remove and apply with release liner



| Part No. | Size |
|----------------------|---------------|
| JTA.111101555 | 1/16" x 60 yd |
| JTA.11110355 | 1/8" x 60 yd |
| JTA.11110655 | 1/4" x 60 yd |
| JTA.11111255 | 1/2" x 60 yd |

JTAPE

Purple Translucent Fine Line Masking Tape

- Highly flexible and conformable
- Temperature resistant up to 150°C/302°F for at least 45 minutes
- Safe for water, solvents and enamel-based paints



| Part No. | Size |
|----------------------|---------------|
| JTA.111301555 | 1/16" x 60 yd |
| JTA.11130355 | 1/8" x 60 yd |
| JTA.11130655 | 1/4" x 60 yd |
| JTA.11131255 | 1/2" x 60 yd |


JTAPE

Seam Sealing Tape

- Transparent and flexible
- Can paint over immediately
- Excellent resistance to moisture, chemical, UV and heat
- More efficient than liquid sealers

| Part No. | Size |
|---------------------|------------|
| JTA.22050910 | 3/8" x 33' |
| JTA.22051210 | 1/2" x 33' |
| JTA.22052210 | 7/8" x 33' |

JTAPE



Clear Logo Tape

- Self-cutting pressure sensitive adhesive
- Double sided permanent carrier-free transfer adhesive
- No need for scissor cutting
- 2" x 12" / 10 per pack



JTA.22105030

JTAPE

Parking Sensor Masking Discs

- Easy lifting tab
- One size fits most
- Clean, residue-free removal
- Perfect for sanding, painting and polishing
- 7" / 60 per pack




JTA.40026017

JTAPE

NEW

Q1® Ultimate Masking Tape

Elevating Collision Repair Excellence



Q1®

HEAT GUNS

Dual Temperature Heat Gun Kit

- Versatile with dual heat settings of 572° and 932°
- Double insulated housing for safety & reduced noise/vibration
- Includes durable, blow-molded case and 4 nozzles



HIT.205



Heat Gun

- Upgraded, long-life universal motor delivers 2X PLUS run life
- High 27 CFM at 3,400 FPM, gets tough jobs done faster
- Ergonomic soft grip handle
- Sturdy die-cast aluminum housing w/reinforced adjustable stand



MAS.HG-501D

MASTER
HEAT TOOLS FOR INDUSTRY

Varitemp® Heat Gun

- Upgraded long-life universal motor delivers 2X PLUS run life
- High 27 CFM airflow gets tough jobs done faster
- New quick-change plug-in heating element



MAS.VT-751D

MASTER
HEAT TOOLS FOR INDUSTRY

Variable Temperature Heat Gun Kit

- Variable temperature heat gun: 100F to 930F
- Two fan speeds - Low & High (5 & 9 CFM)
- Lightweight - 1 lb
- Built-in hand guard
- 2 wire double insulated cord set



MAS.EC-200

MASTER
HEAT TOOLS FOR INDUSTRY

Heat Gun

- Dual temperature setting
- 3 position rocker switch: off, high and low
- Durable ABS body
- Double insulated
- 6-1/2 ft cord



TTN.22400

TITAN
PROFESSIONAL TOOLS
PORTABLE
PULL TOWER

DEN.DFPPT

Add heavy-duty damage correction capabilities throughout the body shop.

- **Powerful Pulling Force** Up to 770 lb of force on every height setting, including the top setting of 52".
- **Adjustable Height** Slide the crank winch up or down for the perfect pulling angle, including rocker panel pulls.
- **Strong Base Suction** The fully replaceable seal and pad system holds tighter and is simple to replace.

770 lbs.
Pulling Force



BODY REPAIR

Aluminum Hammer Set

- Lightweight
- Avoid metal cross contamination on aluminum bodied vehicles
- Made of a genuine hickory



DEN.DF-AH714

Auto Body Hammer Set

- 7-piece hammer set
- Includes Three Fiberglass Handled Hammers, Four Dollies, in Molded Case



TTN.15084

7 pc Hammer and Dolly Set - Wood Handles

- The perfect starter kit for the budget minded "Do-It-Yourself"
- Includes a horizontal peen & finish hammer, standard bumping hammer, pick & finish hammer and four dollies



AES.2720



9 Piece Aluminum Body Repair Kit

- Highly polished hammer heads and dollies
- Hickory hammer handles
- Supplied in blow molded case

| Part No. | Description |
|------------------|---------------------|
| SGT.89450 | Pieces Painted Red |
| SGT.89470 | Pieces Painted Blue |

KIT INCLUDES:

- Universal Dolly
- Toe Dolly
- Heel Dolly
- Pick & Finishing Hammer
- Chisel & Finishing Hammer
- Heavy Bumping & Finishing Hammer
- Door Skin Hammer
- General Purpose Spoon
- Light Slapping Spoon



SeamBuster Heavy-Duty Chisel

- Easily separate spot welded or bonded panels
- Ideal for quarter panels, rockers, and pinchwelds
- Sharpened on two edges



STE.20015



SeamBuster Right Angle Heavy-Duty Chisel

- 90° end
- Reach hard-to-access areas
- Chisel edges on both sides



STE.20016



Pull Rod Set

- Includes a variety of pull rods, hooks, and accessories for versatile use
- Durable construction ensures longevity and reliability
- Tough alloy steel heat-treated for maximum strength
- Non-marring design protects vehicle surfaces during use



STE.20000

Easy Pry Tools

- Non-marring wedge has a 1 inch blade
- Doesn't scratch the surface
- Curved clip end allows for easy access removal of plastic bezels, moldings, trim and panels



STE.21730



Handy Pull Kit

- Eye bolts allow you to manually pull hinges, plates, and more
- Equipped with all the essential tools you need to handle different dent sizes and shapes



KIT INCLUDES:

- Right Angle Pulling Plate
- 10mm Eye Bolt
- 8mm Eye Bolt
- 6mm Eye Bolt
- Hood Hinge Plate



STE.20222

BODY REPAIR

Rubberized Dolly Set (7pc)

- Less bounce back than steel dollies
- Steel core in each dolly has a dense rubber covering that absorbs the harsh impacts
- Works perfectly for aluminum and steel work

**DEN.DF-AB711****POM Nylon Dolly Set (12pc)**

- Made of polyoxymethylene (POM)
- Rigid dollies that are non-marking when impact against metal
- High abrasion resistance and non-corrosive interaction with aluminum

**DEN.DF-AB712****Door Panel Clip Removal Tool**

- Fast removal of door panel clips
- Non-scratch vinyl shaft coating
- 9-1/4" total length

**AES.7222****Fastener & Molding Removal Set**

- Easy removal of fastener, molding, wheel hubs, etc
- For internal and external vehicle molding and trim fasteners
- Plastic construction of tools prevents scratching and damage to vehicle paint, leather, chrome, etc.



| Part No. | Description |
|-----------------|--------------|
| AST.4524 | 11 Piece Set |
| AST.4505 | 5 Piece Set |

Door Aligner Hinge Springer

- Repair sprung doors on domestic and foreign made vehicles
- Knurled surface prevents slippage
- Use on front and rear door hinges and trunk lids

**SGT.87500****Eezee Window Regulator & Door Handle Clip Remover**

- Instant removal of door handle and window regulator clips
- End damage to upholstery and escutcheon plate

**SGT.87600****Trim Pad Removal Tool**

- Remove plastic trim pad fasteners
- Does not damage trim pad or fasteners

**SGT.87650****Door Spring Tool**

- Makes a tough job easy
- Can be used with a 1/2" open end or ratcheting box wrench

SGT.87675**Jiggler Reveal Molding Remover**

- Remove clips holding windshield and rear window
- Double sided tool can be applied easily
- Rubber insert on tool protects glass from being scratched
- Made from heat treated spring steel



| Part No. | Description |
|----------|-------------|
|----------|-------------|

SGT.87700 GM**SGT.87800** Ford**Upholstery Clip Removal Tool**

- Does not mar panel surface
- Eliminates broken fasteners
- Comfortable, contoured handle
- Rust resistant, zinc plated shaft
- 9" Overall length

**SGT.87810 GM**

BODY REPAIR

Stubby Air Slide Hammer

- Up to 1200 hammer blows per minute with the pull of a trigger
- Common 5/8"-18 threads for use on the majority of slide hammer attachments to pull everything from pilot bearings to hubs and collision repair

**AST.658****Astro****The Slugger Heavy Duty Slide Hammer**

- 10 lb. slide weight
- Special hand-fit weight
- Dual hammer action for reverse or direct reconstruction blows
- Rubberized hand hold for good grip and safety
- Supplied with lock nut to keep attachments from rotating
- All parts mount on a permanent board

**SGT.81000****TOOL AID**
TOOLS FOR THE PROFESSIONAL**Junior Slugger Dent Puller & Slide Hammer Puller**

- 3 lb. slide hammer set
- Soft vinyl "Hang-It" handle grip
- "L" Hook, broached nose cone, two jam nuts and two hardened pulling screws
- Nose cone and shaft threads are 1/2"-20

**SGT.81500****TOOL AID**
TOOLS FOR THE PROFESSIONAL**Dent Puller & Slide Hammer Dent Puller**

- 3 lb. slide weight is mounted on 1/2" plated steel shaft
- Soft blue vinyl hand grip
- Broached hex in nose cone locks pulling screw in place
- "L" puller hook
- Nose cone and shaft are 1/2"-20

**SGT.81400****TOOL AID**
TOOLS FOR THE PROFESSIONAL**Midi-Weight 5 lb. Slide Hammer & Dent Puller**


- 5 lb. slide weight on plated, solid, 5/8" shaft
- Broached nose cone locks puller screw firmly in place
- Nose cone and shaft threads are 5/8"-18

**SGT.81200****TOOL AID**
TOOLS FOR THE PROFESSIONAL**6" Rubber Suction Cup**

- Pull out sheet metal panel dents on doors, fenders and hoods
- Steel handle and reinforced steel support plate allow for maximum pull
- Release suction easily by lifting "lipped" edge

**SGT.81810****TOOL AID**
TOOLS FOR THE PROFESSIONAL**Knocker Sr. Slide Hammer Dent Puller Set**

- 12 lb dent puller
- Solid 5/8" high carbon steel slide shaft
- Variety of attachments for any body pulling application
- 3/4" pipe end nose adapter
- Hex broached nose piece

**KEY.77081****KEYSCO**
TOOLS
Since 1921**Windshield Cut-Out Wire**

- Braided design provides the fastest cutting action possible
- Slices through urethane and silicone windshield adhesives
- Each braided helix of this wire acts like a cutting saw tooth
- 72 feet per hank

**SGT.87425****TOOL AID**
TOOLS FOR THE PROFESSIONAL**Windshield Removal Kit**


- Contains the basic tools and wire needed for removing even the most modern windshields
- Make a difficult job easy - even on acutely angled windshields.
- Supplied in a durable, vinyl pouch

**SGT.87460****TOOL AID**
TOOLS FOR THE PROFESSIONAL

BODY REPAIR

24" Urethane Cut-Out Knife

- Cuts the urethane bond holding windshield
- Lightweight, rigid aluminum shank with vinyl grip
- Standard utility knife blade
- Extra long 24" length
- Includes two blades (Part No. 87884)



SGT.87890



Windshield Removing Tool

- Remove windshields, backlights and bonded backlights
- Cuts the sealant around windows with specially designed tempered steel blade.
- Includes two blades (Part No. 87902)



SGT.87900



Inspection Sticker Scraper

- Uses single edge razor blade
- Can be used in three different lock positions to aid in cleaning windshields at corners and on curved surfaces
- Blade section folds into handle and locks for safe storage
- Includes one blade (Part No. 87960)



SGT.87940



WINDSHIELD REPAIR

ONYX Air Windshield Remover with 3pc. Blade Set

- 20,000 oscillations per minute
- Sealant cutter that cuts around bonded and encapsulated glass
- Efficiently cleans and smoothes moldings after glass removal




AST.WINDKO



Urethane Auto Glass Adhesive/Sealant

- Primerless urethane
- Average drive away time is 2 hours
- Can be used as high strength adhesive when applying moldings and ground effects



HIT.9280



SURFACE PREP TOOLS

6" Palm Sander

- Sealed bearings and advanced metalurgy for extended life
- Super lightweight (1.5lbs) and compact for minimal fatigue
- Low noise and vibration design with soft compression pad



HIT.T105

1/4" Medium Die Grinder

- 1/2 hp motor with 22000 rpm
- Textured handle with safety lever
- Ball bearing construction



HIT.T120

Mini Angle Die Grinder

- 1/3 hp motor with 20000 rpm
- Compact size and lightweight
- Positive grip with self-locking throttle



HIT.T121

Dual Piston Straight Line Sander

- Performs on plastic fillers at any stage of hardening
- Feathers with ease and smoothness
- Two handle design for comfortable operation
- 1" Stroke



AST.888C



ONYX 6" Finishing Palm Sander

- High powered
- Compact and super lightweight
- Orbital action assures final swirl-free finish
- Built-in speed regulator
- Comes with 4608 – 6" PSA Backing Pad



| Part No. | Description | Diameter |
|-----------------|---------------------|----------|
| AST.322P | 3/16" Stroke Finish | 6" |
| AST.325P | 3/32" Stroke Finish | 6" |

SURFACE PREP TOOLS

Dual Action Sanding & Polishing Kit

- Blow molded case for easy storage and transport
- Female Thread with Male pad
- Straight thread



Astro

AST.3050

ONYX In-Line 3" Cut-Off Tool

- Unique In-Line Design Provides Greater Control
- Positive control and lock-out throttle protection
- 3 Position air regulator
- Adjustable Metal steel spark guard
- Variable speed control



AST.209

Astro

ONYX Straight Punch Flange Tool

- Punch designed for easy replacement
- Performs hole punching and panel crimping
- Rotating head for convenient use
- Forms an offset crimped edge on sheet metals for no-bump lap welds
- Lightweight, durable construction



Astro

| Part No. | Description |
|------------------|-------------|
| AST.605ST | 5.5mm Punch |
| AST.608ST | 8mm Punch |

Smart Eraser – Pad For Pinstripe Removal Tool

- Reduce time spent on the removal of Pinstripes, Adhesive and Double Faced Tape
- Fast and easy
- Molded rubber with 5/16" – 24 thread arbor for use with the 533ET or 1208A
- Pad size: 4"
- For use with Astro model # 533ET or 1208A
- Use with maximum rated 4000 rpm tool
- Not for use with standard non-geared die grinders
- Accessory available 400E-AR Arbor for Smart Eraser® Pad"



| Part No. | Description |
|--------------------|-------------|
| AST.400E | Pad |
| AST.400E6 | 6 Pack |
| AST.400E-AR | Adapter |

Astro

ONYX Die Grinder Kits

- Composite handle reduces vibration
- Lever throttle for feathering control
- Compact and lightweight design
- Ideal for carving, engraving, and detailed work



Astro

| Part No. | Description |
|------------------|--|
| AST.219 | 3pc Kit w/ 90° Grinder and Carbide Burr Set |
| AST.222 | 2pc Kit w/ 90° Grinder and 1/4" Medium Grinder |
| AST.2181B | 2pc Kit with Carbide Rotary Burr Set Tool |

Pinstripe Removal Kits

- Specialty tool for removal of pinstripes, adhesives, double faced tape and molding with ASTRO's Smart Earaser® Pads
- Includes built-in regulator
- 4000 max. RPM



Astro

| Part No. | Description |
|----------------|---|
| AST.32 | Pinstripe Tool (#533ET) and 12 Smart Eraser® Pads (#400E) |
| AST.232 | Pinstripe Tool (#203) and 12 Smart Eraser® Pads (#400E) |

Mini Cordless Polisher

- Compact lightweight pistol style 3" polisher
- Includes 2 Lithium-Ion batteries
- 2-position side handle and ergonomic comfort grip
- Backing pad, foam polishing pad, foam compounding pad, and wool pad included



AST.3027

Astro

SURFACE PREP TOOLS

Non-Vacuum Dynorbital-Spirit Random Orbital Sander

- Includes low profile, premium urethane weight-mated sanding pad
- Comfort Platform provides additional hand and wrist support
- Throttle lever recesses into housing grip when depressed
- Speed Control allows thumb-control regulating of tool speed
- Lighter air-motor assembly



| Part No. | Description |
|------------------|---|
| DNB.59010 | 3/8" (10 mm), Rear Exhaust |
| DNB.59025 | 3/16" (5 mm), Rear Exhaust |
| DNB.59040 | 3/32" (2 mm), Rear Exhaust |
| DNB.59178 | 3/8" (10 mm), Rear Exhaust w/Hook Pad |
| DNB.59179 | 3/16" (5 mm), Rear Exhaust, w/ 54327 Hook Pad |

Dynorbital Mini Extreme Random Orbital Sander

- Integrated speed control
- Ultra-lightweight, just over 1 pound
- 3" pad size
- Compact, ambidextrous design
- Vacuum models are equipped with a 3/4" threaded, swiveling vacuum cuff for connection to Dynabrade clean air solutions



| Part No. | Description |
|-----------------|--|
| DNB.X31 | Non-Vacuum, 3/16" (5 mm), Rear Exhaust, Hook Pad |
| DNB.X31V | Vacuum-Ready, 3/16" (5 mm), Rear Exhaust, Hook Pad |
| DNB.X32 | Non-Vacuum, 3/32" (2.4 mm), Rear Exhaust, Hook Pad |
| DNB.X32V | Vacuum-Ready, 3/32" (2.4 mm), Rear Exhaust, Hook Pad |

NitroZip Pinstripe Removal Kit

- Excellent power for effectively removing seam sealer, paint, two-sided adhesive molding tape and decal material
- Tool using wire wheel duplicates sand-blasting effect without surface fatigue
- Eraser wheel has serrations for improved cooling effect air flow
- Resists heat buildup and reduces jumping and vibration

**DNB.NZ1K****KIT INCLUDES:**

Pinstripe Removal Tool
DNB.NZ1



Wheel Hub Assembly
DNB.92252 (1/2")
DNB.92239 (3/4")



Coarse Wire Wheel
DNB.92248 (1/2")
DNB.92245 (3/4")



RED-TRED Zip Eraser Wheel
DNB.92255

ACCESSORIES:

Replacement 4"
RED-TRED Eraser Disc
DNB.92297

NitroFile Abrasive Belt Tool

- Sanding head pivots 360°, for working in previously inaccessible areas
- Quick and easy belt and contact arm changes
- Front exhaust directs dust away from operator and extends belt life
- Ergonomic, offset handle with safety-lock throttle lever
- Runs belts 1/4"-3/4" wide by 18" long



| Part No. | Description | Belt Size | HP |
|-----------------|----------------------|-------------------------|-------|
| DNB.NF1 | NitroFile Tool | 1/4"-3/4" (w) x 18" (l) | .5 hp |
| DNB.MNF1 | Mini-Nitro File Tool | 1/2" (w) x 12" (l) | .4 hp |

SURFACE PREP TOOLS

Right Angle Disc Sander

- Compact and lightweight
- Thermoplastic rubber tool grip
- Includes locking-type disc pad, 3" (75 mm) R-Type sanding pad
- Smooth, efficient air motor



DNB.DS53

Reciprocating Saw

- Cut materials such as plastics, fiberglass, composites, aluminum and sheet metal
- Adjustable rear exhaust directs air away from work piece
- Ergonomic rubber grip



DNB.RS1

Right Angle Extension Cut-Off Tool

- 4" (76 mm) diameter Type 41 reinforced Cut-Off Wheels, with 3/8" (9.5 mm) center hole
- Composite grip absorbs vibration and reduces cold air transmission to operator
- Lock-lever controlled, multi-position guard



DNB.ECU4



Die Grinders

- Compact and lightweight
- Thermoplastic rubber tool grip
- Smooth, efficient air motor
- Safety-lock lever
- 3-piece collet, interchangeable inserts, low collet runout .003"



| Part No. | Description |
|------------------|---------------------------|
| DNB.DGS51 | Straight-Line Die Grinder |
| DNB.DGR51 | Right Angle Die Grinder |



3M™ Mini Belt Sander and File Belt Sander

- Remove spot welds cleanly and quickly replacing the need for expensive drills and bits
- Adjustable arm for user comfort and multiple applications
- Available in 13 inch and 18 inch sizes

| Part No. | Description |
|------------------|---------------------------|
| MMM.33573 | 3M™ Mini File Belt Sander |
| MMM.33575 | 3M™ File Belt Sander |



3M™ Cut-Off Wheel Tools

- Compact design with built-in safety features for easy handling
- Cleaner cut that runs cooler
- Light-weight composite body for greater user comfort
- Available in 3 inch and 4 inch sizes



| Part No. | Description |
|------------------|-----------------------------|
| MMM.33579 | 3M™ Cut-Off Wheel Tool (3") |
| MMM.33581 | 3M™ Cut-Off Wheel Tool (4") |

Air Belt Sander

- Simple belt tension lever
- Non-slip handle grip
- Variable speed control
- Increased pulley space for new thicker belts



| Part No. | Description | Grit | Size |
|-----------------|-------------|------------|--------------|
| AST.3037 | 3pc Belts | 40, 60, 80 | 1/2" x 18" |
| AST.3035 | 2 Belts | 80, 100 | 3/4" x 20.5" |
| AST.3036 | 3pc Belts | 40, 60, 80 | 3/8" x 13" |

Air Belt Sander

- Adjustable pivot arm
- Adjustable belt tracking with a turn of a knob
- Grind and remove welds, deburr rough edges, smooth surfaces
- Includes (2) aluminum oxide belts
- Belt size: 1/2" x 18"

BLA.148000




CERAMIC FILM

Cuts Faster. Lasts Longer. Cleaner Work.


SEE PAGE 96 FOR
PART NUMBER LISTING.



Strong Premium
Ceramic Grain



New Multi-Hole Pattern Allows
for Easier, Better dust extraction



Best Cutting & Life


- Faster cuts and consistent finish
- Stays sharp and lasts longer
- Delivers outstanding performance with maximum dust extraction
- Available in 3", 5", 6", and 2-3/4" x 13.12yd sheet rolls

To learn more, visit sunmichtusa.com

Sunmicht

3M™ Cubitron™ II Net Abrasives

- Cuts up to 2 times faster
- Lasts up to 2 times longer
- Captures more than 95% dust

3M**6" NET DISC - 50/ROLL**

| Part No. | Grit |
|-----------|------|
| MMM.31650 | 80+ |
| MMM.31651 | 120+ |
| MMM.31652 | 150+ |
| MMM.31653 | 180+ |
| MMM.31654 | 220+ |
| MMM.31655 | 240+ |
| MMM.31656 | 320+ |

NET SHEET ROLL 2.75" X 10 M

| Part No. | Grit |
|-----------|------|
| MMM.34561 | 80+ |
| MMM.34562 | 120+ |
| MMM.34563 | 150+ |
| MMM.34564 | 180+ |
| MMM.34565 | 220+ |
| MMM.34566 | 240+ |

3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Rolls

- Faster cut
- Longer life
- Consistent finish

3M**2-3/4" X 8.75 YD**

| Part No. | Grit |
|-----------|-------|
| MMM.34440 | 40+ |
| MMM.34451 | 500+ |
| MMM.34452 | 600+ |
| MMM.34453 | 800+ |
| MMM.34454 | 1000+ |

2-3/4" X 13 YD

| Part No. | Grit |
|-----------|------|
| MMM.34442 | 80+ |
| MMM.34444 | 120+ |
| MMM.34445 | 150+ |
| MMM.34446 | 180+ |
| MMM.34447 | 220+ |
| MMM.34448 | 240+ |
| MMM.34449 | 320+ |
| MMM.34450 | 400+ |

3M™ Cubitron™ II Abrasive Fibre Discs

- Precision Shaped Grain (PSG) technology
- Cuts 30% faster

3M**5" FIBRE DISCS**


| Part No. | Grit |
|-----------|------|
| MMM.33413 | 36+ |
| MMM.33415 | 60+ |
| MMM.33416 | 80+ |

7" FIBRE DISCS

| Part No. | Grit |
|-----------|------|
| MMM.33425 | 36+ |
| MMM.33427 | 60+ |
| MMM.33428 | 80+ |

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs

- Extremely sharp precision-shaped grain
- Provides longer life than conventional ceramic abrasives

**3" DISC - 50/BOX**

| Part No. | Grit |
|-----------|-------|
| MMM.31361 | 80+ |
| MMM.31362 | 120+ |
| MMM.31363 | 150+ |
| MMM.31364 | 180+ |
| MMM.31465 | 500+ |
| MMM.31466 | 600+ |
| MMM.31467 | 800+ |
| MMM.31468 | 1000+ |

6" DISC - 25/BOX

| Part No. | Grit |
|-----------|-------|
| MMM.31370 | 40+ |
| MMM.31371 | 80+ |
| MMM.31372 | 120+ |
| MMM.31373 | 150+ |
| MMM.31374 | 180+ |
| MMM.31485 | 500+ |
| MMM.31486 | 600+ |
| MMM.31487 | 800+ |
| MMM.31491 | 1000+ |

8" DISC - 25/BOX

| Part No. | Grit |
|-----------|------|
| MMM.31375 | 40+ |
| MMM.31376 | 80+ |
| MMM.31377 | 180+ |

3M**3M™ Cubitron™ II Hookit™ File Sheets**


- Faster cut
- Longer life
- Consistent finish

3M**2-3/4" X 16-1/2"**

| Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|
| MMM.34490 | 40+ | MMM.34495 | 150+ |
| MMM.34492 | 80+ | MMM.34496 | 180+ |
| MMM.34494 | 120+ | MMM.34497 | 220+ |

3M™ Cubitron™ II Roloc™ Fibre Discs

- High cut rate
- Improve productivity and efficiency
- Long-lasting performance

3M**2" ROLOC™ DISCS**

| Part No. | Grit |
|-----------|------|
| MMM.33377 | 36+ |
| MMM.33379 | 60+ |
| MMM.33380 | 80+ |

3" ROLOC™ DISCS

| Part No. | Grit |
|-----------|------|
| MMM.33389 | 36+ |
| MMM.33391 | 60+ |
| MMM.33392 | 80+ |

SANDING, GRINDING, SCUFF PADS, CUTOFF WHEELS

3M™ Cubitron™ II File Belts



- Exceptionally long-lasting
- Slices through hard metal for fast cut



3/8" X 13" FILE BELT

| Part No. | Grit |
|------------------|------|
| MMM.33437 | 36+ |
| MMM.33439 | 60+ |
| MMM.33440 | 80+ |

1/2" X 18" FILE BELT

| Part No. | Grit |
|------------------|------|
| MMM.33443 | 36+ |
| MMM.33445 | 60+ |
| MMM.33446 | 80+ |

3/4" X 20.5" FILE BELT

| Part No. | Grit |
|------------------|------|
| MMM.33449 | 36+ |
| MMM.33451 | 60+ |
| MMM.33452 | 80+ |

3M™ Cubitron™ 3 Cut-Off Wheels

- Slice through sheet metal, aluminum, and high-strength steel quickly



| Part No. | Size |
|------------------|-------------------|
| MMM.33457 | 3" x 1/16" x 3/8" |
| MMM.33458 | 3" x 1/25" x 3/8" |
| MMM.33459 | 4" x 1/25" x 3/8" |



3M™ Trizact™ Hookit™ Foam Abrasive Disc

- Precision Shaped Grain (PSG) technology
- Cuts 30% faster



3" FOAM DISCS

| Part No. | Grit |
|------------------|-------|
| MMM.30362 | P5000 |
| MMM.2087 | P3000 |

6" FOAM DISCS

| Part No. | Grit |
|------------------|-------|
| MMM.30662 | P5000 |
| MMM.2085 | P3000 |

3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc

- Smooth, fine finishes
- Film backing
- Always use damp



| Part No. | Size | Grit |
|-----------------|------|-------|
| MMM.2088 | 6" | P1500 |
| MMM.2094 | 3" | P1500 |



3M™ Trizact™ Hookit™ Foam Abrasive Sheet

- Reduces time needed for compounding
- Foam backing ensures proper control

2-3/4" X 5-1/2"

| Part No. | Grit |
|------------------|-------|
| MMM.30289 | P5000 |
| MMM.30290 | P3000 |



New 3M™ Blue 521U Heavyweight Abrasives



SEE PAGE 89 FOR PART NUMBERS >



3M™ Hookit™ Blue Abrasive Discs and Sheet Rolls



- A new addition to the Blue Abrasives portfolio
- These heavyweight (E-weight) Blue Abrasives are perfect for heavy duty applications



5" DISCS - 5-HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36500 | 40E |
| MMM.36501 | 80E |



6" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36522 | 36E |
| MMM.36523 | 40E |
| MMM.36524 | 80E |



6" DISCS - 7-HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36510 | 36E |
| MMM.36520 | 40E |
| MMM.36521 | 80E |



8" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36530 | 36E |
| MMM.36531 | 40E |
| MMM.36532 | 80E |



2-3/4" X 8" SHEET ROLLS

| Part No. | Grit |
|-----------|------|
| MMM.37450 | 36E |
| MMM.37451 | 40E |
| MMM.37452 | 80E |

3M™ Stikit™ Blue Abrasive Discs and Sheets

- A new addition to the Blue Abrasives portfolio
- These heavyweight (E-weight) Blue Abrasives are perfect for heavy duty applications



6" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36560 | 36E |
| MMM.36561 | 40E |




8" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36580 | 36E |
| MMM.36581 | 40E |



8" DISCS - 8-HOLE

| Part No. | Grit |
|-----------|------|
| MMM.36582 | 40E |



2-3/4" X 16-1/2" SHEETS

| Part No. | Grit |
|-----------|------|
| MMM.37220 | 36E |
| MMM.37221 | 40E |



3M™ Blue Abrasives



3"

Part No.

| |
|-----------|
| --- |
| MMM.36142 |
| MMM.36144 |
| MMM.36145 |
| MMM.36146 |
| MMM.36147 |
| --- |
| MMM.36150 |
| MMM.36151 |
| MMM.36152 |
| MMM.36153 |
| MMM.36154 |



6"

Part No.

| |
|-----------|
| MMM.36170 |
| MMM.36172 |
| MMM.36174 |
| MMM.36175 |
| MMM.36176 |
| MMM.36177 |
| MMM.36178 |
| MMM.36180 |
| MMM.36181 |
| MMM.36182 |
| MMM.36183 |
| MMM.36184 |



6"

Part No.


| |
|-----------|
| --- |
| MMM.36241 |
| MMM.36242 |
| MMM.36243 |
| MMM.36244 |
| MMM.36245 |
| MMM.36246 |
| MMM.36247 |
| MMM.36248 |
| MMM.36249 |
| MMM.36250 |
| MMM.36251 |



6"

Part No.


| |
|-----------|
| MMM.36200 |
| MMM.36202 |
| MMM.36204 |
| MMM.36205 |
| MMM.36206 |
| MMM.36207 |
| MMM.36208 |
| MMM.36210 |
| MMM.36211 |
| MMM.36212 |
| MMM.36213 |
| MMM.36214 |



SHEET ROLL
2-3/4"

Part No.

| |
|-----------|
| MMM.36215 |
| MMM.36217 |
| MMM.36219 |
| MMM.36220 |
| MMM.36221 |
| MMM.36222 |
| MMM.36223 |
| MMM.36225 |
| MMM.36226 |
| MMM.36227 |
| MMM.36228 |
| --- |



SHEET ROLL
2-3/4" X 13 YD

Part No.

| |
|-----------|
| --- |
| MMM.36187 |
| MMM.36189 |
| MMM.36190 |
| MMM.36191 |
| MMM.36192 |
| MMM.36193 |
| MMM.36195 |
| MMM.36196 |
| MMM.36197 |
| MMM.36198 |
| --- |

Grit

| |
|-----|
| 40 |
| 80 |
| 120 |
| 150 |
| 180 |
| 220 |
| 240 |
| 320 |
| 400 |
| 500 |
| 600 |
| 800 |



The New Gold Standard in Abrasives

New 3M™
Gold 288U Abrasives



3"

3" DISCS - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.09210 | 80D | MMM.09214 | 220 | MMM.09218 | 500 |
| MMM.09211 | 120D | MMM.09215 | 240 | MMM.09219 | 600 |
| MMM.09212 | 150 | MMM.09216 | 320 | MMM.09220 | 800 |
| MMM.09213 | 180 | MMM.09217 | 400 | | |



6"

6" DISCS - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.09250 | 40D | MMM.09254 | 180 | MMM.09258 | 400 |
| MMM.09251 | 80D | MMM.09255 | 220 | MMM.09259 | 500 |
| MMM.09252 | 120 | MMM.09256 | 240 | MMM.09260 | 600 |
| MMM.09253 | 150 | MMM.09257 | 320 | MMM.09261 | 800 |



6"

6" DISCS - MULTI-HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.09280 | 40D | MMM.09284 | 180 | MMM.09288 | 400 |
| MMM.09281 | 80D | MMM.09285 | 220 | MMM.09289 | 500 |
| MMM.09282 | 120 | MMM.09286 | 240 | MMM.09290 | 600 |
| MMM.09283 | 150 | MMM.09287 | 320 | MMM.09291 | 800 |



8"

8" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.09270 | 40D |
| MMM.09271 | 80D |



3M™ Hookit™ Gold
Abrasive Sheet Rolls



2 3/4"

2-3/4" SHEET ROLLS - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.02767 | 40D | MMM.02770 | 150 | MMM.02773 | 240 |
| MMM.02768 | 80D | MMM.02771 | 180 | MMM.02774 | 320 |
| MMM.02769 | 120 | MMM.02772 | 220 | | |

3M™ Gold Abrasive
Hand Rolls

9" x 11"

9" X 11" HAND SHEETS - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.12552 | 40D | MMM.12545 | 180 | MMM.12539 | 400 |
| MMM.12549 | 80D | MMM.12544 | 220 | MMM.12538 | 500 |
| MMM.12547 | 120 | MMM.12543 | 240 | MMM.12537 | 600 |
| MMM.12546 | 150 | MMM.12541 | 320 | MMM.12536 | 800 |

3M™ Stikit™ Gold
Abrasive Disc Rolls
and Sheets

6"

6" DISC ROLL - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.09310 | 40D | MMM.09314 | 180 | MMM.09318 | 400 |
| MMM.09311 | 80D | MMM.09315 | 220 | MMM.09319 | 500 |
| MMM.09312 | 120 | MMM.09316 | 240 | MMM.09320 | 600 |
| MMM.09313 | 150 | MMM.09317 | 320 | MMM.09321 | 800 |



6"

6" DISC ROLL - 6-HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.61645 | 80D | MMM.61642 | 180 | MMM.61640 | 320 |
| MMM.61644 | 120 | MMM.61641 | 220 | MMM.61639 | 500 |
| MMM.61643 | 150 | | | | |



8"

8" DISCS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.09356 | 40D |
| MMM.09357 | 80D |



2 3/4"

2-3/4" SHEETS - NO HOLE

| Part No. | Grit |
|-----------|------|
| MMM.02799 | 40D |
| MMM.02798 | 80D |

3M™ Stikit™ Gold
Abrasive Sheet Rolls

2 3/4"

2-3/4" SHEET ROLL - NO HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.02780 | 40D | MMM.02784 | 180 | MMM.02787 | 320 |
| MMM.02781 | 80D | MMM.02785 | 220 | MMM.02787 | 400 |
| MMM.02782 | 120 | MMM.02786 | 240 | MMM.02789 | 500 |
| MMM.02783 | 150 | | | | |



4 1/2"

4-1/2" SHEET ROLL - 6-HOLE

| Part No. | Grit | Part No. | Grit | Part No. | Grit |
|-----------|------|-----------|------|-----------|------|
| MMM.02775 | 80D | MMM.02778 | 180 | MMM.02791 | 320 |
| MMM.02776 | 120 | MMM.02790 | 220 | MMM.02779 | 500 |
| MMM.02777 | 150 | | | | |

SANDING, GRINDING, SCUFF PADS, CUTOFF WHEELS

3M™ Wetordry™ Paper Sheet

- Use on wet or dry on paint
- Waterproof backing
- Strong C-weight paper backing
- Silicon carbide mineral



9" X 11" PAPER SHEETS, 50/SLV

| Part No. | Grit | Part No. | Grit |
|-----------------|------|-----------------|------|
| MMM.2018 | 80C | MMM.2006 | 240A |
| MMM.2017 | 100C | MMM.2004 | 320A |
| MMM.2016 | 120C | MMM.2002 | 400A |
| MMM.2015 | 150C | MMM.2001 | 500A |
| MMM.2014 | 180C | MMM.2000 | 600A |
| MMM.2007 | 220A | | |

5-1/2" X 9", ULTRA FINE

| Part No. | Grit | Part No. | Grit |
|-----------------|-------|-----------------|-------|
| MMM.2021 | 1000P | MMM.2023 | 1500P |
| MMM.2022 | 1200P | | |

9" X 11", MEDIUM

| Part No. | Grit | Part No. | Grit |
|-----------------|------|-----------------|-------|
| MMM.2043 | P220 | MMM.2035 | P800 |
| MMM.2042 | P240 | MMM.2034 | P1000 |
| MMM.2040 | P320 | MMM.2032 | P1500 |
| MMM.2038 | P400 | MMM.2033 | P1200 |
| MMM.2037 | P500 | MMM.2044 | P2000 |
| MMM.2036 | P600 | MMM.2045 | P2500 |

Scotch-Brite™ Hand Pad

- Very fine grade aluminum oxide abrasive
- Suitable for use on wood, metal, plastics, ceramics, porcelain, rubber, or composites



6" X 9" HAND PADS

| Part No. | Description | Color |
|------------------|-------------|--------|
| MMM.7447 | Very Fine | Red |
| MMM.7448 | Ultra Fine | Gray |
| MMM.37447 | Very Fine | Maroon |
| MMM.37448 | Ultra Fine | Gray |

3M™ Softback Sanding Sponge

- Flexible foam backing
- Aluminum oxide
- Waterproof bonding system
- Wet or dry sanding applications



| Part No. | Grade | Part No. | Grit |
|-----------------|------------|-----------------|--------|
| MMM.2600 | Microfine | MMM.2604 | Fine |
| MMM.2601 | Ultra Fine | MMM.2606 | Medium |
| MMM.2602 | Super Fine | | |

Scotch-Brite™ Roloc™ Surface Conditioning Disc

- Springy nonwoven fibers resist loading
- Conforms to irregular or contoured surfaces
- Minimizes undercutting and gouging




| Part No. | Size | Grade |
|-----------------|------|--------|
| MMM.7485 | 3" | Coarse |
| MMM.7486 | 3" | Fine |



3M™ Green Corps™ Roloc™ Disc

- Small diameter sizes
- Tough, coarse aluminum oxide abrasive stays sharper longer



2" DISCS


| Part No. | Grit |
|------------------|------|
| MMM.36525 | 40G |
| MMM.36526 | 60G |
| MMM.36527 | 80G |

3" DISCS

| Part No. | Grit |
|------------------|------|
| MMM.36534 | 40G |
| MMM.36535 | 60G |
| MMM.36536 | 80G |

3M™ Scotch-Brite™ Durable Flex Hand Pad

- Reusable pad resists tearing, splintering and loading
- Can be folded, stacked, or rolled



4-1/2" X 9" HAND PADS

| Part No. | Grade | Color |
|------------------|------------|-------|
| MMM.64659 | Very Fine | Red |
| MMM.64660 | Ultra Fine | Gray |

3M™ Hook Scotch-Brite™ Clean and Strip Disc it™ Finishing Film Disc

- Removes paint, rust and coatings quickly
- Thin width gets into tight corners
- Provides greater surface area than wire brushes

**MMM.7460****3M****Scotch-Brite™ Roloc™ + Clean and Strip Disc**

- Quickly removes paint and rust
- Load resistant material resists clogging
- Smear resistant properties avoid extra cleaning of the work surface

**MMM.7466****3M****Scotch-Brite™ Roloc™ Surface Conditioning Disc**

- Springy nonwoven fibers resist loading
- Conforms to irregular or contoured surfaces
- Minimizes undercutting and gouging

**3M****2" DISC**

| Part No. | Grit |
|-----------------|--------|
| MMM.7480 | Coarse |
| MMM.7481 | Medium |

4" DISC

| Part No. | Grit |
|-----------------|--------|
| MMM.7482 | Coarse |
| MMM.7483 | Medium |

Thin Scuff Pads/Rolls

- Silicon Carbide
- Waterproof backing
- Use wet or dry on paint

**VERY FINE**

| Part No. | Description | Size |
|-------------------|-----------------|--------------|
| HIT.SPRED | Scuff Pad | 6" x 9" |
| HIT.SPTHNR | Scuff Pad | 4.5" x 9" |
| HIT.SPRRED | Scuff Pad Rolls | 4.5" x 32.8" |

Scotch-Brite™ Scuffing Disc

- Offers a quick and easy solution for machine scuffing automotive finishes before painting
- Open web is load resistant, preventing abrasive from getting clogged with debris and prolonging service life

**6" X 10" SCUFFING DISC**

| Part No. | Grade |
|-----------------|------------|
| MMM.7467 | Very Fine |
| MMM.7468 | Ultra Fine |

3M**Scotch-Brite™ Roloc™ + Clean and Strip Disc**

- Quickly removes paint and rust
- Load resistant material resists clogging
- Smear resistant properties

**4" X 1/2" STRIP DISCS**

| Part No. | Grade | Color |
|------------------|--------------|--------|
| MMM.21552 | Extra Coarse | Purple |
| MMM.21555 | Extra Coarse | Green |

3M**Waterproof Sanding Sheets**

- Silicon Carbide
- Waterproof backing
- Use wet or dry on paint

**5.5" X 9"**

| Part No. | Grit |
|----------------------|-------|
| HIT.HSWD1000P | 1000P |
| HIT.HSWD1200P | 1200P |
| HIT.HSWD1500P | 1500P |
| HIT.HSWD2000P | 2000P |
| HIT.HSWD2500P | 2500P |
| HIT.HSWD3000P | 3000P |

9" X 11"

| Part No. | Grit |
|---------------------|------|
| HIT.FSWD220P | 220P |
| HIT.FSWD320P | 320P |
| HIT.FSWD400P | 400P |
| HIT.FSWD600P | 600P |
| HIT.FSWD800P | 800P |

Trim-Kut™ R-Style Discs

- Blend of advanced abrasive and bonded agents
- No backing pad required

| Part No. | Size | Grit |
|------------------|------|------|
| HIT.324TK | 3" | 24 |
| HIT.336TK | 3" | 36 |



SANDING, GRINDING, SCUFF PADS, CUTOFF WHEELS

Green Sanding Discs

- High-quality aluminum oxide grain, flexible latex paper, and strong phenol resin
- Excellent for metal, aluminum, and carbon steel surfaces
- Works well on primer, paint, sealers, topcoats, fiberglass, and plastics



6" PSA SANDING DISCS

| Part No. | Grit | Part No. | Grit |
|--------------------|------|--------------------|------|
| HIT.DAP6040 | 40G | HIT.DAP6220 | 220G |
| HIT.DAP6080 | 80G | HIT.DAP6320 | 320G |
| HIT.DAP6120 | 120G | HIT.DAP6400 | 400G |
| HIT.DAP6150 | 150G | HIT.DAP6600 | 600G |
| HIT.DAP6180 | 180G | HIT.DAP6800 | 800G |

6" HOOK & LOOP SANDING DISCS

| Part No. | Grit | Part No. | Grit |
|--------------------|------|--------------------|------|
| HIT.DAG6040 | 40G | HIT.DAG6220 | 220G |
| HIT.DAG6080 | 80G | HIT.DAG6320 | 320G |
| HIT.DAG6120 | 120G | HIT.DAG6400 | 400G |
| HIT.DAG6150 | 150G | HIT.DAG6600 | 600G |
| HIT.DAG6180 | 180G | HIT.DAG6800 | 800G |


8" PSA SANDING DISCS

| Part No. | Grit |
|--------------------|------|
| HIT.DAP8040 | 40G |
| HIT.DAP8080 | 80G |



Green Abrasive Sanding Sheet

- Fast Sanding
- Easy to change and reuse
- Dust free



2.75" X 17.5" - CLIP ON

| Part No. | Grit |
|-------------------|------|
| HIT.AFC40 | 40G |
| HIT.AFC80 | 80G |
| HIT.AFC120 | 120G |

2.75" X 16.5" - PSA

| Part No. | Grit |
|-------------------|------|
| HIT.AFP40 | 40G |
| HIT.AFP80 | 80G |
| HIT.AFP120 | 120G |

2.75" X 25 YD - SHEET ROLL

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|------|
| HIT.AFR80 | 40G | HIT.AFR220 | 220G |
| HIT.AFR120 | 120G | HIT.AFR320 | 320G |
| HIT.AFR150 | 150G | HIT.AFR400 | 400G |
| HIT.AFR180 | 180G | | |

Cut-Off Wheels

- Very tight balance tolerance
- Premium Aluminum Oxide Grain
- Unique bonding system
- Internal test lab



| Part No. | Size | UOM |
|-------------------|-------------------|------------|
| HIT.500-5 | 3" x 1/32" x 3/8" | Clam Shell |
| HIT.510-5 | 3" x 1/16" x 3/8" | Clam Shell |
| HIT.520-5 | 3" x 3/16" x 3/8" | Clam Shell |
| HIT.500-50 | 3" x 1/32" x 3/8" | Box |
| HIT.510-50 | 3" x 1/16" x 3/8" | Box |
| HIT.520-50 | 3" x 3/16" x 3/8" | Box |



Grinding Discs

- Premium zirconia discs
- Tough, sharp mineral composition
- Cuts/grinds fast and cool
- 0.875 in thickness



| Part No. | Size | Grit |
|-----------------|-----------|------|
| HIT.524 | 5" x 7/8" | 24 |
| HIT.5536 | 5" x 7/8" | 36 |



R-Style Discs

- R style aluminum oxide discs
- One-piece design prevents risk of detach
- Grain is fused directly to tough polymer back
- Coated with specially processed grit



2" DISCS

| Part No. | Grit |
|-------------------|------|
| HIT.224-50 | 24 |
| HIT.236-50 | 36 |
| HIT.250-50 | 50 |
| HIT.280-50 | 80 |

3" DISCS

| Part No. | Grit |
|-------------------|------|
| HIT.324-25 | 24 |
| HIT.336-25 | 26 |
| HIT.350-25 | 50 |
| HIT.380-25 | 80 |

Mandrel and Back-up Pad

- Quick changed discs save time
- Simply twist to unlock



3" DISCS

| Part No. | Size |
|-----------------|------|
| HIT.2MAN | 2" |
| HIT.3MAN | 3" |



Purple Premium Abrasives

- Proprietary mix of coarse grains for heavy duty applications
- Improved scratch quality and adhesion



3" HOOK & LOOP DISCS

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|------|
| USA.990000 | 40G | USA.990007 | 320G |
| USA.990001 | 80G | USA.990009 | 600G |
| USA.990005 | 180G | | |

6" PSA DISCS

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|-------|
| USA.991302 | 36G | USA.991314 | 320G |
| USA.991303 | 40G | USA.991316 | 400G |
| USA.991306 | 80G | USA.991318 | 600G |
| USA.991308 | 120G | USA.991319 | 800G |
| USA.991310 | 180G | USA.991320 | 1000G |
| USA.991311 | 220G | USA.991322 | 1500G |

6" HOOK & LOOP DISCS

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|-------|
| USA.991402 | 36G | USA.991414 | 320G |
| USA.991403 | 40G | USA.991416 | 400G |
| USA.991406 | 80G | USA.991418 | 600G |
| USA.991408 | 120G | USA.991419 | 800G |
| USA.991410 | 180G | USA.991420 | 1000G |
| USA.991411 | 220G | USA.991422 | 1500G |

2-3/4" X 25 YD HOOK & LOOP VACUUM PERF.

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|------|
| USA.999105 | 40G | USA.999111 | 220G |
| USA.999106 | 80G | USA.999114 | 320G |
| USA.999110 | 180G | USA.999116 | 400G |

Gold Pro Abrasives

- Paperbacked abrasives
- Ultra-durable
- Delivers an ultra uniform finish
- Special anti-clog design



3" HOOK & LOOP DISCS

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|-------|
| USA.660001 | 80G | USA.660011 | 1000G |
| USA.660005 | 180G | USA.660012 | 1500G |
| USA.660007 | 320G | USA.660013 | 3000G |
| USA.660009 | 600G | USA.660015 | 4000G |

6" PSA DISCS

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.82303 | 40G | USA.82312 | 240G |
| USA.82306 | 80G | USA.82314 | 320G |
| USA.82307 | 100G | USA.82316 | 400G |
| USA.82308 | 120G | USA.82317 | 500G |
| USA.82309 | 150G | USA.82318 | 600G |
| USA.82310 | 180G | USA.82319 | 800G |
| USA.82311 | 220G | | |

6" PSA ROLLS

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.80606 | 80G | USA.80611 | 220G |
| USA.80607 | 100G | USA.80612 | 240G |
| USA.80608 | 120G | USA.80614 | 320G |
| USA.80609 | 150G | USA.80616 | 400G |
| USA.80610 | 180G | USA.80617 | 500G |

6" VELCRO DISCS

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| USA.82403 | 40G | USA.82417 | 500G |
| USA.82406 | 80G | USA.82418 | 600G |
| USA.82407 | 100G | USA.82419 | 800G |
| USA.82408 | 120G | USA.82420 | 1000G |
| USA.82409 | 150G | USA.82421 | 1500G |
| USA.82410 | 180G | USA.82422 | 2000G |
| USA.82411 | 220G | USA.82423 | 2500G |
| USA.82412 | 240G | USA.82424 | 3000G |
| USA.82414 | 320G | USA.82425 | 4000G |
| USA.82416 | 400G | | |

8" PSA

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.82505 | 40G | USA.82506 | 80G |

SANDING, GRINDING, SCUFF PADS, CUTOFF WHEELS

Gold Pro Abrasives (continued)



2-3/4" X 16-1/2" AIR FILE PSA

| Part No. | Grit | Part No. | Grit |
|-------------------|------|-------------------|------|
| USA.084203 | 40G | USA.084209 | 150G |
| USA.084206 | 80G | USA.084210 | 180G |
| USA.084207 | 100G | | |

2-3/4" X 25 YD PSA ROLL

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.87105 | 40G | USA.87110 | 180G |
| USA.87106 | 80G | USA.87111 | 220G |
| USA.87107 | 100G | USA.87114 | 320G |
| USA.87109 | 150G | USA.87116 | 400G |

2-3/4" X 16-1/2" HOOK & LOOP ROLL

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.84403 | 40G | USA.84410 | 180G |
| USA.84406 | 80G | | |

9" X 11" WET DRY SHEETS

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| USA.78114 | 320G | USA.78118 | 600G |
| USA.78116 | 400G | USA.78119 | 800G |

5-1/2" X 9" WET DRY SHEETS

| Part No. | Grit | Part No. | Grit |
|------------------|-------|------------------|-------|
| USA.77220 | 1000G | USA.77223 | 2000G |
| USA.77221 | 1200G | USA.77224 | 2500G |
| USA.77222 | 1500G | USA.77225 | 3000G |

Ceramic Film

- Faster cuts and consistent finish
- Stays sharp and lasts longer
- Outstanding performance with maximum dust extraction



3" GRIP FILM DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.76306 | 80G | SUA.76314 | 320G |
| SUA.76309 | 150G | SUA.76316 | 400G |
| SUA.76310 | 180G | SUA.76318 | 500G |
| SUA.76311 | 220G | SUA.76319 | 600G |

6" GRIP FILM DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.76506 | 80G | SUA.76512 | 240G |
| SUA.76507 | 100G | SUA.76514 | 320G |
| SUA.76508 | 120G | SUA.76516 | 400G |
| SUA.76509 | 150G | SUA.76517 | 500G |
| SUA.76510 | 180G | SUA.76518 | 600G |
| SUA.76511 | 220G | SUA.76519 | 800G |

2-3/4" X 13 YD GRIP ROLL*

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.76606 | 80G | SUA.76611 | 220G |
| SUA.76607 | 100G | SUA.76612 | 240G |
| SUA.76608 | 120G | SUA.76614 | 320G |
| SUA.76609 | 150G | SUA.76616 | 400G |
| SUA.76610 | 180G | | |

*Perforated every 2-3/4"

Film Discs

- Strong and even surface film backing that allows better surface finish and longer life
- Great for corner and edge sanding without problems with tearing



3" NO HOLE GRIP DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.54206 | 80G | SUA.54216 | 400G |
| SUA.54207 | 100G | SUA.54217 | 500G |
| SUA.54208 | 120G | SUA.54218 | 600G |
| SUA.54209 | 150G | SUA.54219 | 800G |
| SUA.54210 | 180G | SUA.54220 | 1000G |
| SUA.54211 | 220G | SUA.54221 | 1200G |
| SUA.54212 | 240G | SUA.54222 | 1500G |
| SUA.54213 | 280G | SUA.54223 | 2000G |
| SUA.54214 | 320G | SUA.54224 | 2500G |

6" NO HOLE GRIP DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.01402 | 36G | SUA.01414 | 320G |
| SUA.01403 | 40G | SUA.01416 | 400G |
| SUA.01405 | 60G | SUA.01417 | 500G |
| SUA.01406 | 80G | SUA.01418 | 600G |
| SUA.01407 | 100G | SUA.01419 | 800G |
| SUA.01408 | 120G | SUA.01420 | 1000G |
| SUA.01409 | 150G | SUA.01421 | 1200G |
| SUA.01410 | 180G | SUA.01422 | 1500G |
| SUA.01411 | 220G | SUA.01423 | 2000G |
| SUA.01412 | 240G | SUA.01424 | 2500G |

Film Discs (continued)



3" NO HOLE PSA DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.01302 | 36G | SUA.01314 | 280G |
| SUA.01303 | 40G | SUA.01315 | 320G |
| SUA.01306 | 80G | SUA.01316 | 400G |
| SUA.01307 | 100G | SUA.01317 | 500G |
| SUA.01308 | 120G | SUA.01318 | 600G |
| SUA.01309 | 150G | SUA.01319 | 800G |
| SUA.01310 | 180G | SUA.01320 | 1000G |
| SUA.01311 | 220G | SUA.01321 | 1200G |
| SUA.01312 | 240G | SUA.01322 | 1500G |

6" NO HOLE PSA LINK ROLL DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.00506 | 80G | SUA.00511 | 220G |
| SUA.00507 | 100G | SUA.00512 | 240G |
| SUA.00508 | 120G | SUA.00514 | 320G |
| SUA.00509 | 150G | SUA.00516 | 400G |
| SUA.00510 | 180G | SUA.00517 | 500G |

2-3/4" X 16-1/2" PSA FILE SHEET

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.04202 | 36G | SUA.04209 | 150G |
| SUA.04203 | 40G | SUA.04210 | 180G |
| SUA.04206 | 80G | SUA.04211 | 220G |
| SUA.04208 | 120G | | |

2-3/4" X 45 YD PSA SHEET ROLL

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.22102 | 36G | SUA.22110 | 180G |
| SUA.22103 | 40G | SUA.22111 | 220G |
| SUA.22106 | 80G | SUA.22112 | 240G |
| SUA.22107 | 100G | SUA.22114 | 320G |
| SUA.22108 | 120G | SUA.22116 | 400G |
| SUA.22109 | 150G | SUA.22117 | 500G |

2-3/4" X 16-1/2" VELCRO SHEETS

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.04402 | 36G | SUA.04409 | 150G |
| SUA.04403 | 40G | SUA.04410 | 180G |
| SUA.04406 | 80G | SUA.04411 | 220G |
| SUA.04408 | 120G | | |

Gold Abrasives

- Premium aluminum oxide grain
- High quality latex paper
- Strong phenol resin
- Best combination of performance, reliability, and value



Sunmight

6" NO HOLE LINK ROLL DISC

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.00606 | 80G | SUA.00611 | 220G |
| SUA.00608 | 120G | SUA.00612 | 240G |
| SUA.00609 | 150G | SUA.00614 | 320G |
| SUA.00610 | 180G | SUA.00616 | 400G |

6" NO HOLE DISC GRIP

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.02403 | 40G | SUA.02413 | 280G |
| SUA.02405 | 60G | SUA.02414 | 320G |
| SUA.02406 | 80G | SUA.02416 | 400G |
| SUA.02407 | 100G | SUA.02417 | 500G |
| SUA.02408 | 120G | SUA.02418 | 600G |
| SUA.02409 | 150G | SUA.02419 | 800G |
| SUA.02410 | 180G | SUA.02420 | 1000G |
| SUA.02411 | 220G | SUA.02421 | 1200G |
| SUA.02412 | 240G | | |

6" NO HOLE DISC PSA

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.02303 | 40G | SUA.02314 | 320G |
| SUA.02306 | 80G | SUA.02316 | 400G |
| SUA.02307 | 100G | SUA.02317 | 500G |
| SUA.02308 | 120G | SUA.02318 | 600G |
| SUA.02309 | 150G | SUA.02319 | 800G |
| SUA.02310 | 180G | SUA.02320 | 1000G |
| SUA.02311 | 220G | SUA.02321 | 1200G |
| SUA.02312 | 240G | | |

2-3/4" X 16-1/2" PSA FILE SHEET

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.05203 | 40G | SUA.05208 | 120G |
| SUA.05205 | 60G | SUA.05209 | 150G |
| SUA.05206 | 80G | SUA.05210 | 180G |
| SUA.05207 | 100G | | |

SANDING, GRINDING, SCUFF PADS, CUTOFF WHEELS

Gold Abrasives (continued)



Sunmight

2-3/4" X 25 YD PSA SHEET ROLL

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.22203 | 40G | SUA.22210 | 180G |
| SUA.22206 | 80G | SUA.22211 | 220G |
| SUA.22207 | 100G | SUA.22212 | 240G |
| SUA.22208 | 120G | SUA.22214 | 320G |
| SUA.22209 | 150G | SUA.22216 | 400G |

2-3/4" X 45 YD PSA SHEET ROLL

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|------|
| SUA.06103 | 40G | SUA.06111 | 220G |
| SUA.06106 | 80G | SUA.06112 | 240G |
| SUA.06107 | 100G | SUA.06114 | 320G |
| SUA.06108 | 120G | SUA.06116 | 400G |
| SUA.06109 | 150G | SUA.06117 | 500G |
| SUA.06110 | 180G | | |

Film Discs

- Provide a better finish without deep scratch
- Provide even surface pressure
- Good for wet sanding
- Good for contour or curved sanding



Sunmight

3" NO HOLE DISC GRIP

| Part No. | Grit |
|------------------|-------|
| SUA.96120 | 1000G |
| SUA.96123 | 2000G |
| SUA.96125 | 3000G |

6" NO HOLE DISC GRIP

| Part No. | Grit |
|------------------|-------|
| SUA.96220 | 1000G |
| SUA.96223 | 2000G |
| SUA.96225 | 3000G |
| SUA.96227 | 5000G |

Film Discs

- Thinner and very flexible structure
- Works great on corners and contoured surfaces



Sunmight

| Part No. | Description | Size |
|------------------|-----------------------------------|-------------|
| SUA.80100 | Very Fine Scuff Pad (Maroon) | 6" x 9" |
| SUA.80200 | Ultra Fine Scuff Pad (Gray) | 6" x 9" |
| SUA.80300 | Very Fine Scuff Roll (Maroon) | 4" x 10 yd |
| SUA.80400 | Ultra Fine Scuff Roll (Gray) | 4" x 10 yd |
| SUA.80500 | Very Fine Flex Scuff Pad (Maroon) | 4-1/2" x 9" |
| SUA.80600 | Ultra Fine Flex Scuff Pad (Gray) | 4-1/2" x 9" |

Ceramic quick change disc

- Great for heavy-duty sanding
- Faster cut-rate and superior durability
- Do more work in less time



Sunmight

2" R TYPE DISC

| Part No. | Grit |
|------------------|------|
| SUA.90701 | 24G |
| SUA.90702 | 36G |
| SUA.90704 | 50G |
| SUA.90706 | 80G |

3" R TYPE DISC

| Part No. | Grit |
|------------------|------|
| SUA.90601 | 24G |
| SUA.90602 | 36G |
| SUA.90604 | 50G |
| SUA.90606 | 80G |

Waterproof Sheets

- High quality water resistant paper backing for flexibility and outstanding finish
- Special resin technology reduces possible curling problems during wet sanding operations



Sunmight

9" X 11" PLAIN SHEET

| Part No. | Grit | Part No. | Grit |
|------------------|------|------------------|-------|
| SUA.08110 | 180G | SUA.08119 | 800G |
| SUA.08111 | 220G | SUA.08120 | 1000G |
| SUA.08114 | 320G | SUA.08121 | 1200G |
| SUA.08115 | 360G | SUA.08122 | 1500G |
| SUA.08116 | 400G | SUA.08123 | 2000G |
| SUA.08117 | 500G | SUA.08124 | 2500G |
| SUA.08118 | 600G | SUA.08125 | 3000G |

5-1/2" X 9" PLAIN SHEET

| Part No. | Grit | Part No. | Grit |
|------------------|-------|------------------|-------|
| SUA.07220 | 1000G | SUA.07223 | 2000G |
| SUA.07221 | 1200G | SUA.07224 | 2500G |
| SUA.07222 | 1500G | SUA.07225 | 3000G |

Iridium Sanding Discs

- Initial cut is more aggressive and lasts longer
- Fits 6" grip backing plates with any vacuum hole configuration
- Precision coating to prevent loading and pilling
- Flexible grip backing with excellent grain adhesion

**MIRKA****6" DA DISC GRIP**

| Part No. | Grit | Part No. | Grit |
|---------------------|------|----------------------|-------|
| MRK.246MH040 | 40G | MRK.246MH320 | 320G |
| MRK.246MH080 | 80G | MRK.246MH400 | 400G |
| MRK.246MH120 | 120G | MRK.246MH500 | 500G |
| MRK.246MH150 | 150G | MRK.246MH600 | 600G |
| MRK.246MH180 | 180G | MRK.246MH800 | 800G |
| MRK.246MH220 | 220G | MRK.246MH1000 | 1000G |
| MRK.246MH240 | 240G | | |

Gold Solid PSA Sanding Discs

- Extra strong aluminum oxide
- Optimized grain distribution allows the product to perform faster with less clogging
- Gold 80 to 180 grit has a Calcium based stearate for tough grinding
- Improved backing paper, has a more even coating of grains and resin

**MIRKA****6" DA PSA LINK ROLL DISC**

| Part No. | Grit | Part No. | Grit |
|---------------------|------|---------------------|------|
| MRK.23342080 | 80D | MRK.23342240 | 240C |
| MRK.23342100 | 100D | MRK.23342280 | 280C |
| MRK.23342120 | 120C | MRK.23342320 | 320C |
| MRK.23342150 | 150C | MRK.23342400 | 400C |
| MRK.23342180 | 180C | MRK.23342500 | 500C |
| MRK.23342220 | 220C | | |

Autonet Sanding Discs

- High cut rate reduces labor time
- Less defects, less rework greater shop efficiency
- Helps remove sanding dust and minimize contaminants

**MIRKA****6" DA DISC GRIP**

| Part No. | Grit | Part No. | Grit |
|-----------------------|------|-----------------------|------|
| MRK.AE24105080 | 80G | MRK.AE24105032 | 320G |
| MRK.AE24105012 | 120G | MRK.AE24105041 | 400G |
| MRK.AE24105015 | 150G | MRK.AE24105051 | 500G |
| MRK.AE24105018 | 180G | MRK.AE24105061 | 600G |
| MRK.AE24105025 | 240G | MRK.AE24105081 | 800G |

Mirlon Scuff Pads

- Flexible and adaptable to shapes and contours
- Usable on both sides
- Resistant to tearing
- Consistent scratch pattern for superior uniform finish
- Can be used with water

**MIRKA**

| Part No. | Description | Size |
|---------------------|--------------------|-------------|
| MRK.18111447 | Very Fine (Maroon) | 6" x 9" |
| MRK.18111448 | Ultra Fine (Gray) | 6" x 9" |
| MRK.18118446 | Extra Fine (Black) | 4-1/2" x 9" |
| MRK.18118447 | Very Fine (Maroon) | 4-1/2" x 9" |
| MRK.18118448 | Ultra Fine (Gray) | 4-1/2" x 9" |
| MRK.18118449 | Micro Fine (Gold) | 4-1/2" x 9" |

Autonet Sanding Rolls

- Perforated every 2.75"
- Dust extraction through Net is 20-40% greater efficiency than paper discs with holes or perforations

**MIRKA****2-3/4" X 33-1/2" GRIP ROLL, PERFORATED**

| Part No. | Grit | Part No. | Grit |
|---------------------|------|---------------------|------|
| MRK.AE570080 | 80G | MRK.AE570320 | 320G |
| MRK.AE570120 | 120G | MRK.AE570400 | 400G |
| MRK.AE570180 | 180G | MRK.AE570600 | 600G |
| MRK.AE570240 | 240G | | |

Mirlon Total Scuff Rolls

- Adaptable to shapes and contours
- Consistent scratch pattern for superior uniform finish
- Usable on both sides
- Resistant to tearing
- Can be used with water

**MIRKA**

| Part No. | Description | Size |
|---------------------|--------------------|--------------|
| MRK.18573373 | Very Fine (Red) | 4-1/2" x 33" |
| MRK.18573447 | Very Fine (Maroon) | 4" x 33" |
| MRK.18573448 | Ultra Fine (Gray) | 4" x 33" |
| MRK.18573943 | Ultra Fine (Gray) | 4-1/2" x 33" |

REVOLUTIONIZE TOPCOAT FINISHING




By KOVAX

Flexible Bonding
Fast Sanding Coverage

True Dry Sanding
No Mess & Drying Time

Ultra-Uniform Finish
Reduce Pigtails & Deep Scratches

Tolecut TOUCH-UP SYSTEM



Eliminate dust nibs, paint runs, and sags with Tolecut. Flexible Bonding technology & Ultra-Uniform abrasives are paired with a strong film backing to quickly eliminate topcoat imperfections without causing deep scratches or flat spots. Total Dry application allows for easy progress monitoring.

**ELIMINATE IMPERFECTIONS
NOT YOUR PAINT JOB**

K-800 to K-3000

**STICKON
PSA BACKING**

Tolecut Sheets - 70 x 114mm

| Grade | Color | Qty/Bx | 8-Cut | 4-Cut | Full Sheet |
|--------|--------|--------|----------|----------|------------|
| K-800 | Yellow | 25 | 191-1527 | 191-1547 | 191-1517 |
| K-1200 | Orange | 25 | 191-1526 | 191-1546 | 191-1516 |
| K-1500 | Pink | 25 | 191-1523 | - | 191-1513 |
| K-2000 | Green | 25 | 191-1522 | - | 191-1512 |
| K-2500 | Blue | 25 | 191-1528 | - | 191-1519 |
| K-3000 | Black | 25 | 191-1521 | - | 191-1511 |

| Qty/Pk | 1 3/8" Discs |
|--------|--------------|
| - | - |
| 96 | 192-15138 |
| 96 | 192-15128 |
| 96 | 192-15148 |
| 96 | 192-15118 |



**Tolecut Starter
Kits**

Complete Kit **SP9737**
8-Cut Kit **SP9738**
Full Sheet Kit **SP9739**

Super Buflex FLEXIBLE POLISHING SYSTEM

A revolutionary Total Dry system that cuts buffing times by 50% or more. Achieve a more uniform and shallow scratch pattern that can replace compound buffing and result in faster polishing. Re-usable interface pads help reduce material costs while also improving finish quality and minimizing the chance of pigtails or deep scratches.




**SUPER-TACK
HOOK & LOOP**

K-2000 to K-3000

**A UNIFORM FINISH
THAT'S EASIER TO BUFF**

WHY DOES K-SYSTEM BUFF SO EASILY?



Super Buflex Discs & Sheets

| Grade | Color | Qty/Bx | Sheets | 6" Disc - 15H | 6" Disc - 7H | 6" Disc - NH | Qty/Bx | 3" Disc |
|--------|-------|--------|----------|---------------|--------------|--------------|--------|----------|
| K-2000 | Green | 25 | 191-1532 | 193-1565 | 193-1535 | 193-1505 | 50 | 730-1513 |
| K-2500 | Blue | 25 | 191-1534 | 193-1562 | - | 193-1506 | 50 | 730-1515 |
| K-3000 | Black | 25 | 191-1531 | 193-1564 | 193-1534 | 193-1504 | 50 | 730-1514 |

FLEXIBILITY THAT WORKS

SUPER-TACK
HOOK & LOOP

Super Assilex

FLEXIBLE SANDING SYSTEM

Super Assilex features Fast and Uniform coverage with extremely shallow scratches, resulting from the combination of an Ultra Flexible bonding and Super Sharp abrasives. Ideal for light sanding on all types of surfaces that demand shallow scratches and a uniform finish that can still be done in the shortest time.



ADVANCED ANTI-CLOGGING

K-240 to K-1500

**SPEED OF A FASTER GRIT,
FINISH OF A FINER GRIT**

Super Assilex Sheets & Discs

| Grade | Color | Qty/Bx | Sheets | 6" Disc - 15H | 6" Disc - 7H | 6" Disc - 0H | Qty/Box | 3" Disc |
|--------|--------|--------|----------|---------------|--------------|--------------|---------|----------|
| K-240 | Brown | 25 | 191-2517 | 193-2537 | 193-2557 | - | - | - |
| K-360 | Ocean | 25 | 191-1515 | 193-1575 | 193-1545 | - | 50 | 730-2514 |
| K-600 | Sky | 25 | 191-1508 | 193-1578 | 193-1538 | 193-1518 | 50 | 730-2510 |
| K-800 | Lemon | 25 | 191-1509 | 193-1579 | 193-1539 | 193-1510 | 50 | 730-2508 |
| K-1000 | Lime | 25 | 191-2507 | 193-2527 | 193-2547 | 193-1509 | 50 | 730-2517 |
| K-1200 | Orange | 25 | 191-1510 | 193-1580 | 193-1540 | 193-1508 | 50 | 730-2507 |
| K-1500 | Peach | 25 | 191-2505 | 193-2525 | 193-2545 | 193-1507 | 50 | 730-2505 |

Garuda

NEW PRODUCT

ULTIMATE PERFORMANCE SANDING

GARUDA is the next generation in production sanding technology, built for demanding applications like filler sanding, metal sanding, and paint preparation. Precision-engineered abrasives combined with a unique bonding system deliver aggressive cutting power that stays sharp significantly longer—while minimizing irregular scratches. Remove material quickly without sacrificing finish quality.

Grade 80 to 400

**POWERFUL SANDING
THAT DOESN'T STOP**



SUPER-TACK
HOOK & LOOP

**MULTI-LAYER GRIT
TECHNOLOGY**

Garuda Sanding Discs

| Grade | Qty/Bx | 6" Disc - MH |
|-------|--------|--------------|
| 80 | 50 | 571-0080 |
| 120 | 50 | 571-0120 |
| 180 | 50 | 571-0180 |
| 240 | 50 | 571-0240 |
| 320 | 50 | 571-0320 |
| 400 | 50 | 571-0400 |



SUSTAINED CUTTING POWER

EAGLE
ABRASIVES
By **KOVAX**

SANDING ACCESSORIES

Hot-Blocks Grab & Go Counter Display

- Assortment of Motor Guards' four most popular sanding blocks
- Packed in a high visibility pop-up display carton
- Includes (3) SB-1 Soft Blocks, (2) HT-1 Block Busters, (2) RK-1 Rocker Blocks and (2) RL-1 Roller Blocks



MTG.HB-1



6 pc Sanding Block Assortment

- Includes SB-1, HT-1, MB-1, WB-1, RK-1 and RL-1
- A quality block for every application from fast cutting to color sanding
- Made in the USA



MTG.AP-2



8 pc Sanding Block Assortment

- Includes SB-1, HT-1, MB-1, WB-1, RK-1, RL-1, BG6-1 and BG12-1
- Reduce paint prep times, material consumption and increase paint department productivity
- Made in the USA



MTG.AP-3



6 pc Big Block Assortment

- Includes BG6-1, BG12-1, BGH6-1, BGS6-1, BGK6-1 and BGK12-1
- Multi layer Big Block design
- Made in the USA



MTG.AP-4



6 pc Big-Block Rigid Assortment

- Includes BGR6-1, BGRK6-1, BGR12-1, BGRK12-1, BGR16-1 and BGRK16-1
- Rigid blocks to power up hand sanding
- Made in the USA




MTG.AP-5



3 pc Flexi-Block Assortment

- See-through pegboard display
- Dense yet flexible construction
- Allows bending to suit body profiles
- Made in USA



MTG.AP-6



3 pc Mini-Block Assortment

- See-through pegboard display
- Rectangular Mini-Block for flat sanding and tight corners
- Mini-Block with radiused sides for sanding inside contours
- Multi-Curved Mini-Block for complex body lines and details



MTG.AP-7



Hook & Loop Mini-Blocks Paint Repair Kit

- See-Through Pegboard Display
- Rectangular Mini-Block for flat sanding and sharp corners
- Double D Mini-Block with radiused sides for inside contours
- Curved Mini-Block for complex body lines and details



MTG.AP-8



Scuff Pad Soft Sanding Block

- Large ultra-flat soft scuff pad
- Eliminated imperfections
- 4"x6" size
- Made in USA



MTG.BBS-1



Memory Block Sanding Block

- Exclusive memory foam sanding block
- Extreme curving power
- 2-5/8" x 6-1/2" size
- Made in USA



MTG.MB-1



Big Block

- Big-Block design powers up hand sanding
- Multi-layer design
- Made in USA



| | Part No. | Description |
|---|--------------------|--------------------------|
|  | MTG.BG12-1 | 12" Max Sanding Block |
|  | MTG.BG6-1 | 6-1/2" Max Sanding Block |
|  | MTG.BGH6-1 | 6-1/2" Hole Side |
|  | MTG.BGK12-1 | 12" w/Hook Backing |
|  | MTG.BGK6-1 | 6-1/2" w/Hook Backing |
|  | MTG.BGR-1 | 1-1/2" x 11" Rigid |
|  | MTG.BGR12-1 | 11" Rigid |
|  | MTG.BGR16-1 | 16" Rigid |
|  | MTG.BGR6-1 | 5-1/2" Rigid |
|  | MTG.BGS6-1 | 6-1/2" Soft Side |

Flexi-Block Sanding Block

- Dense yet flexible construction
- Allows bending to suit body profiles
- Made in USA



| Part No. | Shape | Size |
|-----------------|-------------|----------------------|
| MTG.FB-1 | Rectangular | 1-7/16" x 3/4" x 11" |
| MTG.FB-2 | Double-D | 1-3/8" x 3/4" x 11" |
| MTG.FB-3 | Curved | 1-3/8" x 7/8" x 11" |

Flexi-Block Sanding Block

- Multi-layer design
- Unique radiused edge
- 2-5/8" x 5-3/8" size
- Made in the USA

**MTG.RL-1****Holey Terror Sanding Block**

- Sands areas where ordinary hard blocks are not adequate
- "Hole" side cuts 30% faster
- Use back side for less aggressive applications
- 2-5/8" x 5-1/4" size
- Made in USA



| Part No. | Description |
|-----------------|--------------------------------|
| MTG.HT-1 | Holey Terror Sand Pad |
| MTG.HT-2 | Holey Terror Sand Pad (2 pack) |

Holey Terror Sanding Block

- Miniature sanding blocks for fine detail sanding applications
- Constructed of a specially formulated compound
- 3-1/2" in length
- Made in USA



| Part No. | Description |
|------------------|------------------------------|
| MTG.MB-10 | Mini-Block Rectangular Shape |
| MTG.MB-11 | Mini-Block Double-D Shape |
| MTG.MB-12 | Mini-Block Curved Shape |

Rocker Block Sanding Block

- Multi-layer design eliminates the transfer of finger marks
- Exclusive radius edge
- 2-3/4" x 6" size
- Made in USA



| Part No. | Description |
|------------------|------------------------------|
| MTG.RK-1 | Sanding Block |
| MTG.RKH-1 | Sanding Block with Hook Face |

Run Razor Paint Run Eliminator

- Quickly shaves runs and sags for the perfect paint job
- A one-of-a-kind tool
- A must-have item for body work
- Made in USA

**MTG.RR-1**

SANDING ACCESSORIES

Soft Block Sanding Block

- Dual-sided, double density block
- Ultimate in block sanding or curved or irregular shaped surfaces
- Require no adhesives; sandpaper sticks like glue
- 2-5/8" x 5-1/4" size
- Made in USA



Dual-sided



Double density block



| Part No. | Description |
|-----------------|------------------------------------|
| MTG.SB-1 | Soft Block Sanding Block (12 pack) |
| MTG.SB-3 | Soft Block Sanding Block (3 pack) |

Spin Doctor Buffing Pad Cleaner

- Rotating paddle blasts away heavily loaded or dried and caked on compound without damaging pad
- Saves hours of time by cleaning the pad while on the buffer



MTG.SD-1



Wonder Block Supreme Sanding Block

- Unique profile for powerful grip
- Ultra flat face for flawless sanding
- 2-1/2" x 6-1/2" size



MTG.WB-1



6 pc Sanding Block Kit

- Includes AF4400, AF4401, AF4402, AF4404 and 2x AF4405
- Uses 2-5/8" PSA type paper
- Some use 9" x 11" sheet paper



TAI.AF44A

7 pc Sanding Block Kit

- Includes AF4400, AF4401, AF4402, AF4403, AF4404, AF4405 and AF4408
- 2/3 block is designed to flex with the contour of any car
- Unique pad placement allowing for optimal accuracy



TAI.AF44L

7 pc Hook and Loop Sanding Kit

- Includes AF220, AF4417, AF4418, AF4419, AF4421, AF4422 and AF4408
- 100% EVA Rubber
- 20 PFC thickness for more rigid blocking
- Designed to flex with the contour of any surface
- Uses 2-3/4" wide hook & loop paper



TAI.AF44HL

Sanding Blocks

- Conforms to surface contours
- EVA foam resists wear and tear
- Ideal for wet or dry sanding



| Part No. | Description |
|-------------------|--------------------|
| TAI.AF4400 | 11" Standard Block |



| | |
|-------------------|-----------|
| TAI.AF4401 | 1/3 Block |
|-------------------|-----------|



| | |
|-------------------|-----------|
| TAI.AF4402 | 2/3 Block |
|-------------------|-----------|



| | |
|-------------------|-----------------|
| TAI.AF4403 | Full Size Block |
|-------------------|-----------------|



| | |
|-------------------|-------------|
| TAI.AF4404 | Round Block |
|-------------------|-------------|



| | |
|-------------------|--------------|
| TAI.AF4405 | Scruff Block |
|-------------------|--------------|



| | |
|-------------------|-----------------|
| TAI.AF4406 | Tear Drop Block |
|-------------------|-----------------|



| | |
|-------------------|------------|
| TAI.AF4409 | Long Block |
|-------------------|------------|



| | |
|-------------------|--------------|
| TAI.AF4410 | Marine Block |
|-------------------|--------------|



| | |
|-------------------|-----------|
| TAI.AF4411 | Dura-Disc |
|-------------------|-----------|










| | |
|-------------------|------------------|
| TAI.AF4412 | 1/3 Radius Block |
|-------------------|------------------|



| | |
|-------------------|------------------|
| TAI.AF4413 | 2/3 Radius Block |
|-------------------|------------------|

SANDING ACCESSORIES

Sanding Blocks (continued)

| Part No. | Description | Part No. | Description |
|---|-----------------------------------|--|----------------------------------|
|  TAI.AF4414 | Full Size Radius Block |  TAI.AF4433 | Ultra Flex 11" PSA Block |
|  TAI.AF4415 | Composite Block |  TAI.AF4434 | Ultra-Flex 11" Hook & Loop Block |
|  TAI.AF4416 | Hook & Loop Attachment |  TAI.AF4435 | Dura-Flex 16" PSA |
|  TAI.AF4417 | 1/3 Hook & Loop Block |  TAI.AF4436 | Ultra-Flex 16" Hook & Loop Block |
|  TAI.AF4418 | 2/3 Hook & Loop Block |  TAI.AF4417 | 1/3 Hook & Loop Block |
|  TAI.AF4419 | Full Size Hook & Loop Block |  TAI.AF4437 | 24" Hook & Loop Block |
|  TAI.AF4420 | Standard Hook & Loop Block |  TAI.AF4600 | 5.25" Vacuum Block |
|  TAI.AF4421 | Round Hook & Loop Block |  TAI.AF4601 | 7" Vacuum Block |
|  TAI.AF4422 | Hook & Loop Scruff Block |  TAI.AF4602 | 10.75" Vacuum Block |
|  TAI.AF4431 | Ultra-Flex Scruff Pads |  TAI.AF4603 | 16" Vacuum Block |
|  TAI.AF4432 | Ultra-Flex Scruff Pad Hook & Loop | | |



7 PC HOOK AND LOOP SANDING KIT

THE PERFECT BLOCKING TOOL



TAI.AF44HL



SURFACE CLEANERS

Adhesion Promoter/+Plus

- No mixing required – Ready to spray
- Promotes adhesion on most plastic surfaces, including TPO, polypropylene, and SMC
- Dries clear in 5 minutes
- Tintable



ADHESION PROMOTER

| Part No. | Description | Size |
|---------------------|----------------|---------|
| KLE.ETP0123B | 15oz Spray Can | Aerosol |
| KLE.QTP0123 | Conventional | Quart |
| KLE.GTP0123 | Conventional | Gallon |
| KLE.QTP0125 | VOC Compliant | Quart |
| KLE.GTP0125 | VOC Compliant | Gallon |



ADHESION PROMOTER + PLUS

| Part No. | Size |
|--------------------|---------|
| KLE.GBDP133 | Gallon |
| KLE.QBDP133 | Quart |
| KLE.EBDP133 | Aerosol |



SEM Soap

- Mild abrasive helps with adhesion
- Foaming action removes contaminants
- 16 oz tube

SEM.39362

Vinyl Prep

- Temporarily softens substrate
- Promotes adhesion of topcoat
- Removes soil, wax and grease

| Part No. | Size |
|------------------|-------|
| SEM.38343 | 16 oz |
| SEM.38344 | Quart |



Aircraft® Non-Methylene Chloride Paint Remover

- Removes 2K automotive coatings including tough epoxies and urethanes
- Strips to bare metal in 45 minutes
- Use on metal, fiberglass, flexible and rigid plastics
- VOC compliant



| Part No. | Size |
|--------------------|---------------|
| KLE.EAR2000 | 15 oz Aerosol |
| KLE.QAR2000 | Quart |
| KLE.GAR2000 | Gallon |



Aircraft® Paint Remover

- Strips to bare metal in 30 minutes or less
- Visible lifting action
- Excellent vertical cling
- Removes 2K coatings, including tough epoxies and urethanes
- Use on metal, fiberglass, flexible and rigid plastics



| Part No. | Size |
|--------------------|---------------|
| KLE.EAR4000 | 15 oz Aerosol |
| KLE.QAR4000 | Quart |
| KLE.GAR4000 | Gallon |



Prep-All® Wax and Grease Remover

- Fast-acting
- Use on metal, plastic and fiberglass
- Removes sanding residue



| Part No. | Description | Size |
|-------------------|----------------------------------|--------|
| KLE.ESW362 | Prep-All® Aerosol | 13.5oz |
| KLE.GSW362 | Prep-All® Wax and Grease Remover | Gallon |

Prep-All® Ultra Universal Surface Cleaner

- Removes wax, grease, fingerprints and other contaminants
- Multi-Surface
- Can be used in a pump sprayer
- Dries fast, no residue
- VOC compliant

**KLE.GPAC500**

Plastic & Leather Prep

- Removes mold release, fingerprints, grease and oil
- Will not soften or distort plastic parts
- Easy to use

| Part No. | Size |
|------------------|--------|
| SEM.38351 | Gallon |
| SEM.38353 | 16 oz |
| SEM.38354 | Quart |



Plastic & Leather Prep

- Effectively removes adhesive residue, wax, grease, road tar, oil, silicone, paint overspray and bug remnants
- Easy to use
- Leaves no residue

| Part No. | Size |
|------------------|--------------|
| SEM.38373 | 20 oz |
| SEM.38374 | Square Quart |
| SEM.38371 | Gallon |



Sand Free Adhesion Promoter

- Wet-on-wet application melts color into substrate
- Perfect for interior plastic parts
- Easy to use

SEM.38363



Scuff & Clean

- Perfect for bumper covers
- Removes wax, grease, and road grime
- Uniform scratch improves top coat adhesion
- Easier rinsing
- No shaking or stirring necessary

| Part No. | Size |
|------------------|-------------|
| SEM.38391 | Gallon Pump |
| SEM.38398 | 16 oz Tube |



XXX Specialty Adhesive Remover

- Quick acting formula
- 50 state compliant
- Dissolves adhesive residue, tar, sap, and more
- Ideal for use on interior or exterior surfaces

| Part No. | Size |
|------------------|-------|
| SEM.77783 | 16 oz |
| SEM.77784 | Quart |



XXX Adhesion Promoter

- OEM recommended
- Superior bonding properties
- Top coat with most refinish products
- Excellent on olefin based plastics
- Easy to apply

| Part No. | Size |
|------------------|------------|
| SEM.77721 | Gallon |
| SEM.77723 | 16 oz |
| SEM.77724 | Cone Quart |



Plastic Adhesion Promoter

- OEM recommended
- Superior bonding properties
- Topcoat with most refinish products
- Excellent on olefin based plastics
- Easy to apply

| Part No. | Size |
|------------------|------------|
| SEM.39861 | Gallon |
| SEM.39863 | 20 oz |
| SEM.39864 | Cone Quart |



Scuff & Clean

- 2-in-1 cleaner
- Solvent strong in waterborne formula
- Exceptional grease-cutting power

| Part No. | Size |
|------------------|-------------|
| SEM.77771 | Gallon Pump |
| SEM.77774 | 16 oz Tube |



BODY FILLERS & GLAZES

Premium Body Filler

- Pinhole resistant
- Non-sagging, even on vertical surfaces
- Easy to sand, even days or weeks after curing
- Quick drying — solvent impervious and ready to sand, prime and paint in 15 minutes
- Non-porous formula will not shrink or pull back



1 Gallon

**HIT.2820-1**

Lightweight Body Filler

- Lightweight formula is tack free and stain free
- Reduces sandpaper clogging
- Superior adhesion on all types of metal including galvanized, bare steel and aluminum
- Cream hardener included



1 Gallon

**HIT.77062-1**

Ultra Glaze Finishing Putty

- Superior Adhesion to Galvanized Steel and Aluminum
- Tack Free
- Corrosion Resistant
- No Shrinkage



30 oz

HIT.4820

Chemical Resistant Mixing Board

- Use to mix a variety of two-component repair materials and adhesives
- Reduces contamination
- Prevents costly re-work
- Non-absorbing
- Bonded on 3 sides
- 100 sheets per mixing board
- Includes free spreader



| Part No. | Size |
|------------------|------------|
| HIT.MB100 | 8.5" x 11" |
| HIT.MB200 | 11" x 17" |



Grip Lite Body Filler

- Clog-Free Formula designed to maximize sandpaper lifespan, helping you save on materials and effort
- Effortless Sanding minimizes heat and friction, allowing smooth sanding and better finishing
- Excellent bond strength on galvanized steel and aluminum surfaces

**HIT.77310**

Premium Polyester Finishing Putty Body Filler

- 2K, pourable formula
- Excellent filling properties with smooth, pinhole free application and effortless sanding
- Use over OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded e-coats and most plastics
- Can be applied to flexible and/or metal parts



30 oz

**HIT.4160**

Spreaders

- Flexible with tapered edges allowing for precise control
- Packaged in a bulk box of 100 spreaders or a unique dispenser box of 50 spreaders
- Made in the USA



BULK BOX (100)

| Part No. | Size | Color |
|------------------|------|--------|
| HIT.1204G | 4" | Green |
| HIT.1204Y | 4" | Yellow |
| HIT.1205G | 5" | Green |
| HIT.1205Y | 5" | Yellow |
| HIT.1206Y | 6" | Yellow |



DISPENSER BOX (50)

| Part No. | Size | Color |
|------------------|------|--------|
| HIT.DS34Y | 4" | Yellow |
| HIT.DS35Y | 4" | Yellow |
| HIT.DS46Y | 6" | Yellow |

BODY FILLERS & GLAZES

3M™ Platinum™ Plus Filler

- Recommended for use with galvanized steel and aluminum
- Vacuum processed and pinhole free



1 Gallon



MAR.01131

3M™ Platinum™ Plus Filler

- Lightweight body filler
- Super creamy formula reduces pinholes and micro pinholes
- Stain-free and tack-free



1 Gallon



MMM.31131

3M™ Quick Grip Body Filler

- Fast Adhesion
- Easy to spread, sand and feather edge
- Tack free finish



1 Gallon



MMM.33181

Short Strand Fiberglass Reinforced Body Filler

- Reinforced with short-strand fiberglass for strong repairs
- Repairs rust-outs and shattered fiberglass



1 Gallon



MAR.01160

3M™ Platinum™ Plus Glaze

- Self-leveling formula
- Excellent for skim coating and offers good vertical hang
- Self-leveling formula
- Stain-free and tack-free
- Pinhole free



30 oz



MMM.31180

3M™ Acryl Putty

- Fills minor surface imperfections
- Good spreadability
- Leaves smooth edges with quality feathering



14.5 oz

| Part No. | Color |
|----------|-------|
| MMM.5095 | White |
| MMM.5096 | Green |
| MMM.5098 | Red |



Yellow Spreader

- Durable plastic
- Allows for precise application of body fillers, putties and glazes
- Special flexible spreading edge smooths to perfection



| Part No. | Size |
|----------|------------|
| DYN.344 | 3" x 4" |
| DYN.354 | 3" x 5" |
| DYN.363 | 4", 5", 6" |



Yellow Spreader

- Flexible edge
- Reusable cured filler
- Non-absorbent material keeps filler and spreader clean and ready for use
- Designed specifically for body repair professionals



3" x 4"



MAR.20395

Disposable Paper Mixing Board

- Clean, non-porous surface won't contaminate body filler
- Non-soak paper means no transfer to floors or benches
- Sized for multiple mixes on one sheet
- 100 sheets per board



10" x 13"



MAR.20382

Rage® Ultra

- Best sanding body filler
- Non-sag formula
- EcoResin
- Eliminates the need for finishing putty



| Part No. | Size |
|----------|----------|
| FIB.125 | Gallon |
| FIB.127 | 3 Gallon |



Rage® Optex

- Ultra-premium body filler
- Superior adhesion to a broad range of substrates
- Color-changing technology



| Part No. | Size |
|----------|----------|
| FIB.135 | Gallon |
| FIB.137 | 3 Gallon |



Rage® Xtreme™

- Pinhole-free premium body filler
- Self-leveling for easy spreading
- Reduces sanding time
- Easily sands with 80 grit sandpaper



1 Gallon



FIB.120

BODY FILLERS & GLAZES

Z-Grip® Body Filler

- Lightweight body filler
- Contains ZNX-7® for adhesion
- Contains Hattonite™, which reduces heat and friction



1 Gallon

EVERCOAT**FIB.282****Rage® Body Filler**

- Lightweight body filler
- Tack free and stain resistant
- Superior spreading and sanding properties

**Part No. Size****FIB.106** Gallon**FIB.105** Quart**EVERCOAT****Rage® Gold Body Filler**

- Sanding body filler
- Creamy formula is easy to mix and spread
- Stain resistant
- Blue cream hardener included



1 Gallon

EVERCOAT**FIB.112****Lite Weight® Body Filler**

- High-quality, clog-free
- Smooth spreading
- Easy sanding
- Blue cream hardener included

**Part No. Size****FIB.156** Gallon**FIB.157** Quart**EVERCOAT****EverGold™ Filler**

- Repairs damaged body panels
- Spread and level to a smooth finish
- Reduces sanding time to remove heavy texture
- Easily sands with 80 grit sandpaper



1 Gallon

EVERCOAT**FIB.110****Chrome-A-Lite Body Filler**

- Gold colored
- Smooth texture
- Excellent adhesion and superb featheredge
- Non-clog formula
- Blue cream hardener included



1 Gallon

EVERCOAT**FIB.838****Commercial Ultra™ Body Filler**

- Specially formulated for extended work times—up to 10 minutes
- Perfect for large panel industrial users



1 Gallon

EVERCOAT**FIB.181****High Production Lite Weight®**

- Smooth, creamy formula
- Easy spreading and easy sanding
- Vacuum-processing reduces pinholes
- Blue cream hardener included



1 Gallon

EVERCOAT**FIB.151****Everglass Body Filler**

- Short strand, fiberglass reinforced body filler
- High strength, high build and waterproof
- Blue cream hardener included

**Part No. Size****FIB.622** Gallon**FIB.632** Quart**EVERCOAT****Kitty Hair**

- Long strand
- Rebuild shattered fiberglass
- Reinforce torn or rusted areas of sheet metal
- Waterproof
- Rustproof

**Part No. Size****FIB.868** Gallon**FIB.869** Quart**EVERCOAT****Tiger Hair**

- Long fiber, fiberglass reinforced filler
- Extra high strength
- Waterproof
- Blue cream hardener included

**Part No. Size****FIB.1189** Quart**FIB.1190** Gallon**EVERCOAT****Auto Resin**

- Heavy, thixotropic formula that will not run or sag
- Can be filed, sanded or drilled
- Impact resistant
- Waterproof
- Liquid hardener included



1 Gallon

Part No. Size**FIB.498** Gallon**FIB.499** Quart**EVERCOAT**

BODY FILLERS & GLAZES

SMC Resin

- Polyester-based resin used for repair of SMC and fiberglass panels and parts
- Waterproof and impact resistant



1 Quart

EVERCOAT**FIB.864****Plastic Honey**

- Improves spreading properties of fillers
- Reduces pinholes
- Helps improve stain resistance
- Stain free
- Polyester filler thinner



1 Pint

EVERCOAT**FIB.1249****Metal-2-Metal**

- Aluminum filled body repair for metal surfaces
- 100% stain free
- Resists "compression"
- Waterproof and rustproof



1 Quart

EVERCOAT**FIB.889****Fiber Tech**

- Premium resin
- Waterproof
- Long and short strand
- Blue cream hardener included

**Part No. Size****FIB.633** 24 oz**FIB.635** 1/5 Gallon**EVERCOAT****Z-GRIP® Glaze OPTEX® Putty**

- Color changing technology
- Superior adhesion to galvanized steel and aluminum
- Tack free
- No shrinkage



30 oz

EVERCOAT**FIB.567****Z-Grip® Glaze**

- Superior adhesion to galvanized steel and aluminum
- Tack free
- Corrosion Resistant
- No shrinkage



30 oz

EVERCOAT**FIB.482****Metal Glaze® OPTEX®**

- Changes from pink to green, when repair is ready to sand
- Spreads easy and eliminates micro-pinholes
- ECORESIN™ technology



30 oz

EVERCOAT**FIB.454****Metal Glaze Ultra**

- Spreads smoothly and self-levels
- Excellent adhesion to aluminum, stainless steel, galvanized steel, SMC, fiberglass and silicon bronze welds



30 oz

EVERCOAT**FIB.425****Easy Sand**

- Flowable polyester finishing and blending putty
- Optimum sanding performance
- Excellent adhesion to multiple types



30 oz

EVERCOAT**FIB.421****Metal Glaze**

- Extra-thin formula spreads smoothly
- Easily fills surface imperfections
- Sands easily, pinhole-free and helps to prevent staining



30 oz

EVERCOAT**FIB.416****Glaze Coat**

- Pourable finishing putty
- Vacuum processed for reduced pinholes
- White cream hardener included



30 oz

EVERCOAT**FIB.417****Poly-Flex**

- Flexible polyester glazing putty
- Flowable viscosity is ideal for filling minor imperfections
- Blue cream hardener included



30 oz

EVERCOAT**FIB.411**

BODY FILLERS & GLAZES

Evergold Putty

- Spreads and levels to a smooth finish
- Fast and easy sanding
- Excellent adhesion and featheredging



30 oz

EVERCOAT

FIB.406

Polyester Glazing Putty

- Can be applied directly to bare metal, body filler
- Easily fills grind marks, pinholes
- No shrinkage
- Fast dry



Part No. Size

EVERCOAT

FIB.400 Quart

FIB.407 1/2 Gallon

Everglaze

- Red lacquer putty
- Fast drying
- Spreads smoothly
- Sands easily
- Minimal shrinkage



1 lb. tube

EVERCOAT

FIB.403

440 Express

- Eliminates hard-to-see micro-pinholes
- Eliminates up to 90% of all rework caused by micro-pinholes



16 oz

EVERCOAT

FIB.440

Disposable Mixing Boards

- 100 sheets per board
- Easy to tear off
- Chemical resistant
- Non-absorbing sheets



Part No. Size

EVERCOAT

FIB.173 8.5" x 10"

FIB.174 11" x 17"

Dolphin One Fill

- Sands to a super fine powder that won't clog your sandpaper
- Featheredges with no lifting or balling



Part No. Size



UPO.0659 Gallon

UPO.0660 Quart

Dolphin Speed Filler

- Over 2X faster curing (8-10 minutes at 70°F)
- Exceptional sanding properties
- Tack free and pinhole resistant



Part No. Size



UPO.0653 Gallon

UPO.0654 440 ml

Liteweight Gold™

- Pinhole resistant
- Non-sagging
- Solvent resistant in 15 minutes
- Non-porous formula will not shrink or pull back



3 liters



UPO.0745

Flyweight Filler

- Smooth creamy consistency
- Tack free
- Pinhole resistant
- Easy to sand



3 liters



UPO.0711

Fibral Lite

- Non-sagging
- Forms a hard, durable surface that is still smooth and very easy to sand
- Water resistant



Part No. Size



UPO.0766 1 Liter

UPO.0700 3 Liter

Fibral

- Smooth spreading and easy to apply
- Can be shaped and sanded once cured
- Completely waterproof
- Can be sanded and directly top coated in 20 minutes



Part No. Size



UPO.0717 1.3 Liter

UPO.0753 0.6 Liter

UPO.0754 1 Liter

Dolphin™ Glaze

- Pinhole resistant
- Excellent adhesion
- Semi-flexible
- Extra smooth, easy to spread
- Solvent resistant and paintable in 15-20 minutes



440 ml bag



UPO.0714

BODY FILLERS & GLAZES

Gold Glaze™

- Pinhole resistant
- Self-leveling, pinhole resistant
- Smooth and easy to spread
- Semi-flexible formula



440 ml bag

**UPO.0688****Liquid Gold™**

- Perfect for rock chips and door dings or as a skim coat
- Smooth spreading, easy sanding
- Quick drying



615 ml bag

**UPO.0670****Dolphin™ 1K Combination Putty**

- Extra smooth acrylic putty
- Use straight from the tube – No hardener or mixing required
- 200g tube

**UPO.0657****Flexible High Density Filler**

- Solvent proof in 15-20 minutes
- Can be used with mesh for hole through and tab repairs
- Fast drying and very easy to sand



600 ml tin

**UPO.7061****Onion Board**

- Reduces pinholing: specially formulated paper does not soak up resins and solvents
- Reduces clean up time and solvent cleaner use

**UPO.0737****AG47 Grip Filler**

- Save time and eliminate pinholes
- Reduce cycle time and sandpaper use



1 Gallon

**USC.17000****WG55 Lightweight Filler**

- Mixes and spreads extremely quickly
- Contains Z-TEK™ Adhesion Booster



1 Gallon

**USC.19000****Special Lite**

- Easy-to-spread and sand
- Smooth with an ultra-fine featheredge
- Made for vertical surfaces
- Tack and clog-free



1 Gallon

**USC.15310****Feather-Rite**

- Easy-to-apply and sand
- Virtually pinhole-free surface
- Tack and clog-free



1 Gallon

**USC.21330****Plastic Thinner**

- Thins and revitalizes body fillers
- Improves workability



1 Pint

**USC.40010****Duraglas**

- Short-strand fiberglass filler
- Rustproof
- Waterproof
- For large repairs, use a fiberglass cloth



| Part No. | Size |
|------------------|--------|
| USC.24030 | Gallon |
| USC.24035 | Quart |

**Long 'n Strong**

- Extra-long strands of fiberglass for maximum bonding delivery
- Waterproof
- Repair cracks and holes in fiberglass



| Part No. | Size |
|------------------|--------|
| USC.23010 | Gallon |
| USC.23020 | Quart |



BODY FILLERS & GLAZES

All-Metal

- Easy-to-spread and use
- Can be drilled or tapped.
- Waterproof



1 Quart

USC.14060



Icing

- Ultra smooth and creamy
- Self levels and dries to an easy-to-sand finish
- Stain and tack-free
- Pourable and brushable



24 oz tube

USC.26006



Icing® Lite Gold Finishing Glaze

- Provides maximum adhesion and seamless feather edge
- Quick curing formula
- Pinhole free surface



12 oz tube

USC.26012



Pro Glaze

- Easiest sanding putty
- Ultra smooth finish
- Pinhole free
- Maximum adhesion
- Stain free and tack free



| Part No. | Size |
|-----------|-------------|
| USC.26118 | 24 oz Pouch |
| USC.26120 | 30 oz Pump |



Red Glazing Putty

- Best under lacquer, acrylic and synthetic finishes
- Good adhesion
- Easy sanding
- Minimal shrinking



16 oz tube

USC.32035



Pronto Kombi Spot Putty

- Small enough to fit in a pocket
- European style 1K air dry kombi putty
- High solids for excellent fill
- Minimal shrinking




5 oz tube

USC.32046



Plastic Mixing Board

- Special non-stick, non-absorbent plastic board
- Ideal for mixing body filler and putty
- Made with non-reactive material that is also easy to clean



12" x 12"

USC.37005



Fiberglass Resin

- Thicker viscosity for less running and sagging
- Improved wetting and fast curing
- Tack-free
- Waterproof
- Impact resistant



1 Gallon

USC.58020



All Resin

- Proprietary resin blend
- Non-sag formula
- Tack and clog-free
- Rust and waterproof



1 Gallon

| Part No. | Size |
|-----------|--------|
| USC.58215 | Quart |
| USC.58220 | Gallon |



ADHESIVES, SEALANTS & CAULKS

Flexible Urethane Foam

- Exceptional sound dampening qualities
- Excellent anti-futter control
- Does not distort panels
- Adheres to most substrates



7 oz

DMX.1310 DURAMIX™

Rigid Urethane Foam

- Duplicates OEM sound dampening qualities
- Does not retain moisture
- Adheres to most substrates
- Shrink resistant



7 oz

DMX.1320 DURAMIX™

Door Skin & SMC Adhesive

- High strength bond
- Provides corrosion protection
- Bonds and seals simultaneously
- Compatible with MIG welding/STRSW (squeeze-type resistance spot welding)



7 oz

DMX.1330 DURAMIX™

DURAMIX™



TRUSTED BY TECHS WHO'VE
SEEN SOME SH*T

WWW.SEYMOURPAINT.COM

ADHESIVES, CAULKS & SEAM SEALERS

High Strength Panel Bond Adhesive

- High strength bond
- Provides corrosion protection
- Contains spacer beads
- Bonds and seals simultaneously



7 oz

DMX.1340 DURAMIX™**High-Build Self Leveling Seam Sealer**

- Paintable immediately
- Fast dry times for maximum productivity
- Easily duplicates OEM seam sealer appearance



7 oz

DMX.1420 DURAMIX™**NVH Dampening Material**

- Direct to metal
- Sag resistant
- Non-shrinking
- Reduces noise and vibration
- Superior flexibility
- Up to 60 minutes of working time



7 oz

DMX.1450 DURAMIX™**Fast Set 300**

- Bonds a variety of substrates
- Sandable
- Paintable
- Can be used on most semi-flexible substrates
- Fast set times for maximum productivity



7 oz

DMX.1480 DURAMIX™**Medium Bodied Seam Sealer**

- Direct to metal
- Paintable immediately
- Can be used as a sprayable seam sealer
- Fast dry times



7 oz

| Part No. | Color |
|-----------------|-------|
| DMX.1350 | Gray |
| DMX.1360 | Beige |

DURAMIX™**Flexible Plastic Repair Material**

- Sands and featheredges easily
- Permanently flexible
- Can be used with most automotive plastics



7 oz

DMX.1430 DURAMIX™**Fast Set 40**

- Bonds a variety of substrates
- Sandable
- Paintable
- Can be used on flexible and semi-flexible substrates
- Fast set times for maximum productivity



7 oz

DMX.1460 DURAMIX™**2-in-1 1K Seam Sealer**

- Direct to metal
- Paintable immediately
- Can be used as a sprayable seam sealer
- Fast dry times for maximum productivity



10.1 oz

| Part No. | Color |
|-----------------|-------|
| DMX.1490 | White |
| DMX.1510 | Gray |
| DMX.1520 | Beige |
| DMX.1530 | Black |

DURAMIX™**Heavy Bodied Seam Sealer**

- Direct to metal
- Paintable immediately
- Can be used as a sprayable seam sealer
- Fast dry times



7 oz

| Part No. | Color |
|-----------------|-------|
| DMX.1370 | Beige |
| DMX.1380 | White |
| DMX.1390 | Gray |
| DMX.1410 | Black |

DURAMIX™**Rigid Plastic Repair Material**

- Sands and featheredges easily
- Non shrinking
- Does not pinhole



7 oz

DURAMIX™
DMX.1440**Fast Set 90**

- Bonds a variety of substrates
- Sandable
- Paintable
- Can be used on flexible and semi-flexible substrates
- Fast set times for maximum productivity



7 oz

DMX.1470 DURAMIX™**Static Mixers**

- Consistent blend of materials
- Strong adhesion and reliable performance
- Wide range of repair applications

DURAMIX™

| Part No. | Qty |
|-----------------|-----------|
| DMX.1540 | 10 Pack |
| DMX.1550 | 50 Pack |
| DMX.1560 | 1000 Pack |



2K Manual Applicator Gun

- For use with 1:1 ratio 300 mL and 200 mL cartridge
- Built-in stabilizing plate for added cartridge support and a heat-treated, durable piston rod



DMX.1570 DURAMIX™

2K Pneumatic Applicator Gun

- 490 lbs. of thrust at 100 psi
- Switches from a 1:1 to 2:1 ratio in seconds
- Snap-on/snap-off push disks



DMX.1580 DURAMIX™

1K Pneumatic Seam Sealer Applicator Gun

- Prevents product hardening when not in use
- Adjustable air and product flow settings



DMX.1590 DURAMIX™

2K Quick Spray System Kit

- Replicate OEM seam sealer textures, rocker guards, and sound dampening finishes



DMX.1600 DURAMIX™

Sprayable Static Mixer

- Seamless and accurate blend of materials for professional-grade applications
- Easy to attach and use



DMX.1610 DURAMIX™

3M™ Semi-Rigid Plastic Repair

- Unique formula bonds a variety of semi-rigid plastics
- Fast-curing urethane chemistry enhances productivity
- Adhesive reinforces two-sided repairs



DUR.4240 3M

3M™ EZ Sand Multi Purpose Repair Material

- Repairs most flexible plastic parts
- Can be used as a seam sealer over 2K primer
- Excellent featheredging properties
- Easy to sand



MMA.5887 3M

3M™ Semi-Rigid Parts Repair

- A high performance two component semi-rigid urethane adhesive
- Used for backside reinforcement repair on a variety of plastic components



MMA.8235 3M

3M™ Polyolefin Adhesion Promoter

- Provides enhanced adhesion of 3M Adhesives to TPO-type substrates
- Aerosol dispenser ensures easy application



MMM.5907 3M

3M™ Semi-Rigid Parts Repair

- 3 minute work time
- Two-part urethane adhesive used to repair Xenoy, RRIM, GTX, PPO, ABS, and a variety of other semi-rigid plastic parts and bumper covers



MMA.8237 3M

3M™ TPO Plastic Parts Repair

- Two-part urethane used to repair thermoplastic polyolefins (TPO)
- Great for nicks, gouges, or small defects on TPO
- Flexible over a wide range of temperatures



MMA.8239 3M

3M™ Rigid Parts Repair

- A high performance two component epoxy adhesive
- Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts
- Excellent choice for cosmetic repairs



MMA.5885 3M

ADHESIVES, CAULKS & SEAM SEALERS

3M™ SMC Fiberglass Repair Adhesive

- A two component flexible urethane adhesive
- Used to adhere backup strips and patches to SMC & FRP

**MMA.8243****3M™ Panel Bonding Adhesive**

- A high performance two component epoxy adhesive
- Can be spot welded through or used in conjunction with rivet bonds



| Part No. | Size |
|-----------------|--------|
| MMM.8115 | 200 ml |
| MMM.8116 | 200 ml |

**3M™ Impact Resistant Structural Adhesive (IRSA)**

- Higher impact strength compared to traditional bonding adhesives
- Corrosion protection with a lifetime warranty
- 24 hrs curing process

**MMM.07333****3M™ Universal Adhesive**

- Two-part urethane technology
- Excellent gap filling
- Fast work time
- High viscosity for a strong and accurate application



| Part No. | Size |
|-----------------|--------|
| MMM.8117 | 200 ml |
| MMA.8223 | 200 ml |

**3M™ SMC/Fiberglass Repair Adhesive**

- Two-part urethane or two-part epoxy adhesives effectively bond rigid plastic
- Commonly used to bond backup strips to SMC and FRP (traditional fiberglass)

**MMA.8219****3M™ Super Fast Repair Adhesive**

- Rebuild, reshape and bond all kinds of plastic without running or sagging
- Excellent wide gap filling capabilities



| Part No. | Color |
|-----------------|-------------|
| DUR.4247 | Transparent |
| DUR.4747 | Amber |

**3M™ NVH Dampening Material**

- Soft, sturdy, non-shrink formula
- Provides 60-minute worktimes
- Excellent for thin gaps where foam cannot be used or easily replaced

**DUR.4274****3M™ SMC/Fiberglass Repair Adhesive**

- Two-part urethane or two-part epoxy adhesives
- Used for backside reinforcement repair



| Part No. | Color |
|-----------------|-------|
| MMA.8272 | Green |
| MMA.8273 | Green |

**3M™ Flexible Foam**

- Foam-in-place material for fast, effective replacement of OEM flexible foams
- High 10:1 expansion rate fills large cavities with a small amount of material

**MMA.8463****3M™ Performance Manual Applicator**

- Designed for standard, 200 ml two-part cartridges for maximum compatibility with 3M products
- Engineered to dispense each component equally

**MMM.8571****3M™ Fast 'N Firm™ Seam Sealer**

- Non-sagging for clean, efficient tooling in vertical and horizontal seams
- Fast setting sealer that's tack-free in as little as 25 minutes

**MMM.8505****3M™ Urethane Seam Sealer**

- Excellent performance in high-heat and humid environments
- Non-shrinking
- Non-cracking
- Low-to-no odor
- Flexible



| Part No. | Color |
|-----------------|-------|
| MMM.8360 | White |
| MMM.8361 | Gray |
| MMM.8364 | Beige |




OEM Match Made Easy

3M Science.
Applied to Life.™

Help save time and effort with the 3M OEM Match Family of seam sealer solutions.

| Part No. | Description | Size |
|------------------|--|--------|
| MMM.33995 | OEM Match Adjustable Ripple Tip | Pack |
| MMM.33991 | OEM Match Sprayable 1K Tip | Pack |
| MMM.33998 | OEM Match Wide Stream 2K Tip | Pack |
| MMM.33996 | OEM Match Sprayable 2K Tip | Pack |
| MMM.33997 | OEM Match Wing Nozzle 2K Tip | Pack |
| MMM.33993 | OEM Match Wide Stream 1K Tip | Pack |
| MMM.33992 | OEM Match Wing Nozzle 1K Tip | Pack |
| MMM.33994 | OEM Match Ripple Tip 1K Tip | Pack |
| MMM.33999 | OEM Match Air Supply Kit | Kit |
| MMM.8399 | Flexible Package Applicator - Pneumatic | Each |
| MMM.38849 | Pneumatic Applicator | 200 ml |
| MMM.9000 | Single Cartridge Applicator Gun with Regulator | Each |
| MMM.8206 | OEM Seam Sealer Tip Adapter | Bag |



3M™ OEM Match Epoxy Seam Sealer

3M™ OEM Match Epoxy Seam Sealers are a tough yet flexible material for sealing seams and joints on properly prepared bare metal, as well as primed or painted substrates.

- Used in combination with 3M™ OEM Match Tips to help replicate some robotically applied OEM seam sealers
- Caulkable, toolable, brushable, and sprayable
- Non-sagging formula designed for easy to manipulate tooling and texture on vertical and horizontal surfaces
- Adheres to properly prepared bare metal and primed surfaces
- Set and ready to paint after 15 minutes



2K Sealers

| Part No. | Description | Size |
|-----------------|-----------------------------------|--------|
| MMM.8522 | OEM Match Epoxy Seam Sealer Beige | 200 ml |
| MMM.8528 | OEM Match Epoxy Seam Sealer Black | 201 ml |
| MMM.8524 | OEM Match Epoxy Seam Sealer White | 202 ml |
| MMM.8526 | OEM Match Epoxy Seam Sealer Gray | 203 ml |

ADHESIVES, CAULKS & SEAM SEALERS

3M™ MSP Seam Sealer

- Seam sealer works for both interior and exterior auto body joints
- One-part formula is ready to use without any mixing



Part No. **Color**

MMM.8369 White

MMM.8370 Gray

**3M™ MSP Sprayable Seam Sealer**

- Single component moisture-curing MSP seam sealer
- Sealer is formulated for automotive body joints
- Versatile application methods allow caulking or spraying



MMM.8374

**3M™ Urethane Seam Sealer**

- High Solids, Single-Component, Moisture-Curing
- Non-Shrinking, Non-Cracking, Paintable
- Low/No odor



Part No. **Color**

MMM.8362 Gray

MMM.8365 Beige

MMM.8367 Black

MMM.8368 White

**3M™ Bare-Metal Seam Sealer**

- Two-part epoxy
- Sealer forms a tough, flexible seal for bare metal joints
- No shrinking, cracking, or outgassing
- Non-sagging



MMM.8310

**3M™ Self-Leveling Seam Sealer**

- Engineered for horizontal areas requiring a flowable type sealer
- Sealed surfaces can be painted over after just 15 minutes
- Colorless formula



MMM.8307

**3M™ Heavy-Bodied Seam Sealer**

- High performance, two-part epoxy
- Dual syringe cartridge with mixing nozzle
- Heavy-bodied formula allows easy tooling



MMM.8308

**3M™ Controlled-Flow Seam Sealer**

- Forms flexible bonds that can withstand torsional stress, vibration, and weather
- Adheres well to primed and painted surfaces



MMM.8329

**All-Purpose Seam & Joint Sealer**

- High rubber content
- Very flexible in extremely low and high temperatures
- Fast drying and non-sagging
- Paintable in 30 minutes
- 10.5 fl. oz. tube



Part No. **Color**

HIT.9274 White

HIT.9275 Black

HIT.9276 Gray

HIT.9277 Beige

HIT.9278 Clear

**Urethane Windshield Sealer**

- One component, permanently flexible, polyurethane adhesive sealer
- Excellent adhesion to painted and non-painted metals, aluminum, SMC, fiberglass, and most plastics
- Paintable and sandable



HIT.9279

**Urethane Auto Glass Adhesive/Sealant**

- Primerless urethane
- Average drive away time is 2 hours
- Can be used as high strength adhesive when applying moldings and ground effects



HIT.9280

**Urethane Windshield Adhesive**

- One part moisture curing
- Strong bond to all windshield and backlight replacements
- Excellent adhesion to glass and pinchweld surfaces



TRM.4502 **TRANSTAR**

MAXIM™ Fast Urethane Adhesive

- Easy to use
- Excellent gun ability and sandability
- Fast setting
- Excellent for two-sided repairs
- Cure time can be accelerated with heat



FIB.887 EVERCOAT

Brushable Seam Sealer

- Seals spot-welded, riveted or bolted seams and joints
- Permanently adheres to bare or painted surfaces
- Replaces OEM appearance and color
- Flexible and durable



1 Quart

FIB.365 EVERCOAT

Heavy-Bodied Seam Sealer

- Two-component epoxy seam sealer
- Non-sag
- Excellent tooling characteristics and it is compatible with most topcoats



FIB.6022 EVERCOAT

Control-Flow Seam Sealer

- Epoxy seam sealer with limited flow characteristics, ideal for use in sloped areas
- Allows for build without brush marks
- Compatible with most topcoats



FIB.6023 EVERCOAT

Maxim™ OEM Bead Type Seam Sealer

- Two-component epoxy seam sealer
- Non-sag seam
- Excellent tooling characteristics
- Compatible with most topcoats



FIB.822 EVERCOAT

Ultra Flex™ Seam Sealer

- Rapid curing, flexible seam sealer
- Designed for all types of painted surfaces, bare metal and primed surfaces



| Part No. | Color | |
|-----------------|-------|-----------------|
| TRM.4157 | Beige | TRANSTAR |
| TRM.4167 | Black | |

Ultra Flex Brushable Seam Sealer

- Resistant to weather exposure and temperature variations
- Paintable and sandable



| Part No. | Size | |
|-----------------|-------|-----------------|
| TRM.4162 | 11 oz | TRANSTAR |
| TRM.4164 | Quart | |

Ultra Flex® Seam Sealer & Adhesive

- Solvent- and isocyanate-free multi-purpose sealant
- May be applied by caulking gun or spray equipment



TRM.4172 **TRANSTAR**

Control Flow Seam Sealer

- Two-part, non-sagging epoxy
- 10-minute work time
- Paintable in 45 minutes



TRM.4198 **TRANSTAR**

Plastic Repair

- DUAL-MIX™ Forever Warranty
- No adhesion promoter necessary
- Superior adhesion
- Excellent sanding and feather edge
- Does not shrink or pinhole
- Zero VOC



| Part No. | Description |
|------------------|------------------------|
| SEM.39767 | Problem Plastic Repair |
| SEM.39847 | Multi Plastic Repair |



Insta-Bond™

- General purpose, acrylic adhesive
- OEM Recommended
- Holds torn plastic together during repair
- Provides high strength bonds
- Also for use on vinyl, metal and glass
- Accelerator creates instant bond



| Part No. | Size |
|------------------|----------|
| SEM.39310 | 3 oz Kit |
| SEM.39311 | 1 oz |
| SEM.39322 | 2 oz |



ADHESIVES, CAULKS & SEAM SEALERS

Door Skin & SMC Adhesive

- DUAL-MIX™ Forever Warranty
- Non-sag formulation
- Excellent corrosion protection
- Bonds multiple substrates
- Long shelf life
- 7 oz Cartridge

SEM.39337**Weld-Bond Adhesive**

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Superior impact and peel strength
- Excellent environmental resistance
- Spacer beads for consistent bond line thickness
- Long working time
- 7 oz Cartridge

SEM.39537**Multi-Purpose Panel Adhesive**

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Long working time
- Exceptional impact and peel strength
- Excellent corrosion resistance
- 7 oz Cartridge

SEM.39747**Structural Impact Resistant Adhesive**

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Superior impact and peel strength
- Excellent corrosion resistance
- 60 minute working time
- 7 oz Cartridge

SEM.39757**Quick Set 20**

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Superior impact and peel strength
- Excellent corrosion resistance
- 60 minute working time
- Opaque

| Part No. | Size |
|------------------|------------------|
| SEM.40202 | 1.7 oz cartridge |
| SEM.40207 | 7 oz cartridge |

**Quick Set 50**

- DUAL-MIX™ Forever Warranty
- OEM recommended
- High strength and sandable
- Bonds multiple substrates
- Non-sag formula
- Fast setting

| Part No. | Size | Color |
|------------------|------------------|-------|
| SEM.40502 | 1.7 oz cartridge | Black |
| SEM.40507 | 7 oz cartridge | Clear |
| SEM.40517 | 7 oz cartridge | Black |

**Quick Set 50**

- DUAL-MIX™ Forever Warranty
- High strength and sandable
- Bonds multiple substrates
- Extended three minute working time
- Non-sag formula

SEM.41807**General Purpose Adhesive**

- Two-component epoxy-based adhesive
- Superior adhesion
- Ideal working time
- Bonds multiple substrates
- Isocyanate Free

SEM.68432**Clear Fast Set Adhesive**

- Two-component clear epoxy
- Superior adhesion
- High strength
- Fast cure
- Bonds multiple substrates

SEM.68442**Patch Panel Adhesive**

- DUAL-MIX™ Forever Warranty
- Superior impact and peel strength
- Non-sag formula
- Quick cure time
- Excellent corrosion resistance
- 7 oz Cartridge

SEM.39897

Self Leveling Seam Sealer

- DUAL-MIX™ Forever Warranty
- Direct to metal on non-flexing roof skins
- Paintable in 15 minutes
- Excellent self leveling properties
- Flows into crevices



SEM.39387



Medium Bodied Seam Sealer

- DUAL-MIX™ Forever Warranty
- Direct to metal
- Paintable immediately
- Will not shrink, harden or crack
- 7 oz Cartridge



Part No. Color

SEM.39377 Gray

SEM.39477 Beige



High-Build Self Leveling Seam Sealer

- DUAL-MIX™ Forever Warranty
- Direct to metal on non-flexing roof skins
- Will not shrink, harden or crack
- Permanently flexible
- Paintable in 30 minutes



SEM.39777



Heavy Bodied Seam Sealer

- Dual-Mix™ Forever Warranty
- OEM recommended
- Direct to metal
- Paintable immediately with most solvent-based coatings
- Correct color minimizes post-inspection liability



Part No. Color Part No. Color

SEM.40177 Gray

SEM.40377 Black

SEM.40277 Beige

SEM.40477 White

1K Seam Sealers

- Direct to metal
- Paintable immediately
- Remains flexible without shrinking or cracking



Part No. Color Part No. Color

SEM.29362 White

SEM.29382 Beige

SEM.29372 Gray

SEM.29392 Black

2-IN-1 Seam Sealers

- OEM recommended
- Direct-to-metal
- Paintable immediately with most solvent-based coatings
- Remains flexible without shrinking or cracking
- Colors match many OEM sealers



Part No. Color Part No. Color

SEM.29462 White

SEM.29482 Beige

SEM.29472 Gray

SEM.29492 Black

1K Pneumatic Applicator

- Reduces hand fatigue
- Adjustable flow rate
- Dispenses product consistently
- Ideal for frequent use or large jobs



SEM.29342



1K Seam Sealer Nozzles

- Allows use of a fresh nozzle every time
- Saves time digging dried material out of used tip
- Convenient poly bag keeps nozzles clean



SEM.29352



Sprayable Seam Sealer Gun Cleaner

- Helps remove sealers from equipment
- Perfect when changing sealer colors
- High strength virgin solvent blend
- Does not contain chlorinated solvents
- Attached straw for tight areas



SEM.29433



Rigid Urethane Foam

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Meets UL 94HB flammability tests
- 20x volume expansion
- Restores crash parts to OEM condition



SEM.39997



ADHESIVES, CAULKS & SEAM SEALERS

Flexible Urethane Foam

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Excellent sound dampening qualities
- Stops panel flutter
- 10x volume expansion

SEM.39357

Universal Manual Applicator

- Ensures proper mix ratio
- Ideal gear ratio for smooth dispersion
- Release button for precision

SEM.71119

Sound & Seal Sprayable Coating

- DUAL-MIX™ Forever Warranty
- OEM recommended
- Will not shrink, harden or crack
- Retains flexibility
- Excellent adhesion to properly prepped surfaces

SEM.40977

Integral Nut Square Static Mixers

- Ensures proper mix for all two-component 7 and 10 oz. cartridges
- Easy trim tip for different bead size
- Accepts **Versa Tip** to create tape beads

Part No.**Qty****SEM.70011**

6 pack

SEM.70012

50 pack



Reinforcing Tape

- Light adhesive for easy application
- Ideal width for tears
- Use with all fillers
- 36' roll

SEM.70006

Versa-Tip

- Duplicates OEM sealers
- Graduated and notched for easy trimming
- 6 pack

SEM.70070

Plastic Repair Contouring Tape

- Backing material perfect for tab repair
- Ideal width for holes and larger repairs
- Use with all fillers
- 15' roll

SEM.70007

Rigid Flex Filler

- Two component modified rigid epoxy
- Adhesive and filler on the front and backside of repairs
- Bonds, fills, and sands with no pinholes
- 16 oz

DOM.XRF

Seam and Joint Sealer

- High rubber content
- Highly elastic with very little shrinkage
- Low and high temperature flexibility
- Fast drying and non sagging
- Paintable in 30 minutes



| Part No. | Qty |
|----------------|-------|
| DOM.CSB | Black |
| DOM.CSC | Clear |
| DOM.CSG | Gray |

| Part No. | Qty |
|----------------|-------|
| DOM.CSN | Beige |
| DOM.CSW | White |



Semi-Rigid Repair

- An "All Purpose" plastic repair material
- Works on all plastics
- Easy sanding and feather edging
- Bonds, fills and sands with outstanding performance

Part No.**Size****DOM.XPSAP**

16 oz

DOM.XPSAPC

32 oz



ADHESIVES, CAULKS & SEAM SEALERS

Brush On Seam Sealer

- Grey in colour and holds a perfect brush mark
- Heavy bodied sealer remains flexible
- Paintable in 20 minutes
- Will not "sag" or "sink"
- Minimal Shrinkage



DOM.PBCQ



Caulking Gun with Enclosed Body

- 13oz capacity
- 360° rotatable body
- Includes 2 nozzles



AES.76008



Sprayable 1K Seam Sealers

- Dispenses caulking, adhesive and sealant from a standard cartridge or bag
- Weight: 2.15lbs



AST.4531



Dual Cartridge Caulking Gun

- Compatible with 200mL (6.75fl oz) and 207mL (7fl oz) 2:1 & 1:1 two part cartridges
- High 26:1 thrust ratio for smooth product dispensing
- Rod driven design provides even product mixing
- Each trigger pull advances cartridge 3.5mm



AES.76009

AEROSOLS

Dry Guide Coat

- Does not clog or blacken abrasives
- Suitable for dry or wet sanding
- Dries instantly
- No waste, less mess, and no cleanup



HIT.3901



Solvent Based Degreaser

- Dries quickly
- Perfect for small repairs
- Does not attach to existing paint lines
- Can be use on bare metal and painted surfaces



HIT.3902



Adhesion Promoter

- Excellent adhesion
- Flat spray pattern
- Can be top coated with most water or solvent based paint systems
- Provides a protective barrier against lifting or solvent attack



HIT.3903



Spot Blender

- Suitable for all repairs and coating types
- Invisible blend finish
- Reduces polishing time
- Convenient aerosol application means no waste, no clean-up and no gun required



HIT.3904



1K High Gloss - Clear

- Fast drying
- UV resistant
- Easy to blend
- High gloss finish
- Works with most water or solvent based paint systems



HIT.3905



Etch Primer

- Large fan pattern provides excellent coverage
- Etch and prime bare metal in one step
- Anti-corrosive barrier
- No sanding required before topcoat



| Part No. | Color |
|----------|-------|
| HIT.3907 | Gray |
| HIT.3908 | Black |



High Build

- Can be used direct-to-metal and on plastic
- Provides spray-gun like finish
- High atomization fan pattern tip to increase coverage
- Easy to sand
- Chromate free

| Part No. | Color |
|----------|--------------|
| HIT.3909 | Primer Gray |
| HIT.3910 | Primer Black |
| HIT.3911 | Primer White |



AEROSOLS

Chip Guard - Black

- Sound dampening, high build formula
- Bonds directly to bare metal and prepped aluminum
- Compatible with most waterborne and solvent based paint systems

**HIT.3914**

E-Coats

- Durable, UV resistant e-coat
- Excellent corrosion protection
- Superb adhesion to bare metal, primers, and paints
- Compatible with most topcoats



| Part No. | Color | Part No. | Color |
|-----------------|-------------|-----------------|-------------|
| HIT.3915 | Black | HIT.3919 | Olive Green |
| HIT.3916 | Gray | HIT.3920 | White |
| HIT.3917 | Light Green | | |

Satin Trim Black

- Satin finish
- Replicates factory trim black
- High atomization fan pattern tip to increase coverage
- Covers in one coat

**HIT.3921**

Performance Enamel

- Gloss finish enamel paint
- Inhibits rust
- Resists chipping, peeling, fading, heat and gasoline
- Adheres to metal, fiberglass and more



| Part No. | Color | Part No. | Color |
|-----------------|-------------|-----------------|------------------|
| HIT.9900 | Gloss White | HIT.9902 | Semi-Gloss Black |
| HIT.9901 | Gloss Black | HIT.9903 | Flat Black |

1K Self Etch Weld-Thru Primer

- Excellent corrosion protection
- Good adhesion
- Welding test certificate: repels welding beads
- Can also be used on old paint coatings as a sealer

**SPM.3680001**

1K Self Etch Primer Filler

- Excellent corrosion protection
- Fast drying
- Welding certificate
- Can be overcoated with all solvent based and waterborne base coats and 2K topcoat systems

**SPM.3680003**

1K Plastic Adhesion Promoter

- One light uniform coat is all you need
- Excellent adhesion properties
- Dries quickly
- Can be topcoated after just 10 minutes
- Colorless, with silver pigments

**SPM.3680009**

2K Rapid Primer Filler

- Free from isocyanates and resistant to solvents
- Quick drying (1 hour at 68°F)
- Good sandability
- High filling capacity (up to 4 mil)

**SPM.3680031**

2K Epoxy Primer

- Excellent adhesion and corrosion protection properties, even critical surfaces such as aluminium
- Very smooth flow
- Outstanding insulating & sealing properties
- For cleaned and sanded surfaces



| Part No. | Color | Part No. | Color |
|--------------------|-------|--------------------|-------|
| SPM.3680025 | White | SPM.3680033 | Gray |
| SPM.3680032 | Beige | SPM.3680034 | Black |



1K Clear Acrylic

- Easy to use
- Dries quickly
- High gloss level
- No color deviation
- Good weathering resistance
- Very good flow



SPM.3680058



UV Clear

- Easy to process
- Fast drying
- No color deviation
- Good weather resistance
- Very good flow properties



SPM.3680059



2K Clear Glamour

- Maximum resistance to abrasion and scratching
- Very smooth flow
- Lasting high gloss
- Very good polishing ability
- No color deviation



SPM.3680061



2K Clear Matte / 2K Clear Satin

- Very fast drying
- Excellent flow
- Highest chemical and weathering resistance
- Gloss units @ 85°: Matte 12±3 / Satin 40±3



Part No. Color

SPM.3680065 Matte

SPM.3680067 Satin



2K High Speed Clear

- Dries very quickly
- Very smooth flow
- Lasting high gloss
- Maximum resistance to abrasion and scratching
- No color deviation



SPM.3680069



1K Guide Coat Black

- Fine homogenous spray mist
- Even, thin wetting of surface
- Powder-like with good sanding properties
- No clogging of the sandpaper



SPM.3680100



1K Trim Paint

- Excellent coverage due to high solid matter content
- Dries quickly
- Easy to use
- High yield



Part No. Color

SPM.3680101 Black Gloss

SPM.3680102 Black Satin

SPM.3680103 Black Matte



2K Hot Rod Black

- Easy to use
- High quality two component coating
- Very good flow
- Highest chemical and weather resistance



SPM.3680212



1K Surface Rapid Check

- Odourless
- Evaporates completely after use without leaving any residues (approx. 60 minutes)



SPM.3680225



1K E-Coat Primer

- Superior corrosion protection
- Excellent color and gloss match to OEM factory coatings
- Direct to steel and aluminum
- Good hiding



Part No. Color

SPM.3680230 White

SPM.3680231 Light Green

SPM.3680232 Olive Green

Part No. Color

SPM.3680233 Gray

SPM.3680234 Black

SPM.3680235 Tan



2K Wash Primer

- Very good adhesion
- Excellent anti-corrosion protection, in particular on aluminum
- Must be recoated with 2K Urethane Acrylic Filler
- Fast drying



SPM.3684029



AEROSOLS

1K 3 in 1 Primer Shade

- Direct to metal, aluminium, steel and various plastics
- High filling power
- Fast drying
- Good stability on vertical surfaces
- Excellent sanding properties



| Part No. | Color |
|--------------------|-------|
| SPM.3680403 | White |
| SPM.3680404 | Gray |
| SPM.3680405 | Black |



2K 2in1 Headlight Clear

- Special product for the preparation of headlights coated with clear lacquer
- Provides durable UV and weathering resistance

**SPM.3684068**

Clear #1 High Gloss Clear Coat

- High gloss finish and excellent depth
- Fast drying
- UV resistant
- Compatible with most water or solvent based paint systems

**UPO.0796**

Weld #2 Weld Thru Primer

- High concentration of zinc or copper in the dry film
- Superior conductivity
- Clog free nozzle



| Part No. | Color |
|-----------------|--------|
| UPO.0789 | Zinc |
| UPO.0768 | Copper |



SPOT #3 Universal Spot Primer

- Two products in one! – Use directly on metal or plastic parts, no adhesion promoter required
- Highly flexible, fast drying and easy to sand

**UPO.0870**

Grip #4 Universal Adhesion Promoter

- Excellent adhesion characteristics
- Sprays flat
- Can be topcoated with most water or solvent based paint systems

**UPO.0799**

High #5 High Build Primer

- Produces a similar film thickness to spray gun applied primers
- Flat fan for ultimate film build and versatility
- Saves time and materials – no need to mix paint or clean spray equipment and minimizes masking
- Chromate free and easy to sand



| Part No. | Color | Part No. | Color |
|------------------|-----------|------------------|-------|
| UPO.0763V | White | UPO.0791V | Gray |
| UPO.0765V | Dary Gray | UPO.0871 | Black |
| UPO.0783V | Beige | | |



Wipe #6 Solvent Based Degreaser

- Fast evaporating and ideal for localized repairs
- Formulated to avoid attack on existing paint lines
- Can be use on bare metal and existing paint surfaces

**UPO.0872**

Guide #7 Dry Guide Coat

- Identifies pinholes in body filler
- Does not clog or block abrasives
- Suitable for dry or wet sanding
- Dries instantly

**UPO.0873**

Acid #8 Etch Primer

- Etch and prime bare metal in one step
- Flat fan high atomization nozzle
- Anti-corrosive barrier that prevents steel from rusting



| Part No. | Color |
|------------------|--------|
| UPO.0741V | Zinc |
| UPO.0837 | Copper |



Blend #9 Fade Out Reducer

- Invisible blended finish
- For use with all coatings
- Suitable for SMART repairs



UPO.0874



Guard #10 Gravi-Gard Stone Chip Protector

- Sound dampening
- Bonds directly to bare metal
- High build formulation



Part No. Color

UPO.0875 Black

UPO.0884 Gray



Trim #11 High Build Top Coat

- Bonds directly to bare steel, aluminum trim flexible plastics, and existing paint surfaces
- Replicates factory look in one coat, drying to a truer black than competitive trim black aerosols
- High gloss, satin, matte or metallic finish



Part No. Color

UPO.0876 Gloss Black

UPO.0877 Matte Black

UPO.0878 Satin Black

UPO.0879 Gloss White

UPO.0880 Steel Wheels

UPO.0881 Silver Wheels



E-Coat #12 E-Coat Repair

- Excellent adhesion over bare metal and paints and primers
- Super durable, UV resistant
- Superior corrosion protection, passes a rigorous 100 hour salt spray resistance test
- Compatible with most top coats



Part No. Color

UPO.0890 Black

UPO.0891 Gray

UPO.0892 Light Green

Part No. Color

UPO.0893 Beige

UPO.0894 Olive Green

UPO.0895 White



Mul-TIE Adhesion Promoter

- Enhances the adhesion, appearance and durability of all types of automotive finishes
- Can be used under primers on flexible and rigid plastics



Part No. Size

TRM.1031 Gallon

TRM.1033 16 oz Aerosol

TRM.1034 Quart



Tex Coat Chip Guard

- Rapid drying, flexible protective coating
- Texture can be varied to match OEM textures
- 16 oz aerosol



Part No. Color

TRM.4303 White

TRM.4313 Black



Tex Coat Clear

- Rapid drying, flexible protective coating
- Use over fully cured clearcoats for added chip resistance



TRM.4323

2 in 1 Primer

- For use on metal or plastic
- Good corrosion resistance
- Fast drying and flexible



Part No. Color

TRM.4603 Gray

TRM.4613 Black

TRM.4623 Red

TRM.4633 White

2 in 1 Trim Paint

- Tough, flexible polymer coating
- Excellent adhesion to urethane, rubber, metal
- Fast drying and flexible
- Good corrosion resistance
- No priming required



Part No. Color Size

TRM.4643 Black Matte 20 oz Aerosol

TRM.4644 Black Matte Quart

TRM.4653 Satin Black 20 oz Aerosol

TRM.4654 Black Satin Quart

TRM.4663 Black Gloss 20 oz Aerosol

AEROSOLS

Jammin' Clear

- For small spot and panel repairs
- Ready-to-use
- Provides speed and efficiency
- Fast drying, exhibits good clarity and provides excellent gloss.


TRM.4502 **TRANSTAR**

Low Spot Finder Guide Coat

- Easy to use
- Quick drying, ready to sand in min
- No more guesswork, painters can easily see low spots
- Assists in providing an improved finish


TRM.9183 **TRANSTAR**

Guide Coat Black

- Quick drying
- Improves production
- Won't clog sandpaper
- Helps create a perfect repair


SEM **SEM.38203**

Premium Powder Guide Coat

- Dries instantly
- Sandable immediately
- Will not clog sandpaper
- No masking required
- No mess or waste
- Overspray wipes off


SEM **SEM.38253**

Sand Free Adhesion Promoter

- Wet-on-wet application melts color into substrate
- Perfect for interior plastic parts
- Easy to use


SEM **SEM.38363**

Trim Black Gloss Black

- Excellent adhesion and durability
- No primer required
- Matches OEM appearance
- Retains flexibility
- Great coverage


SEM **SEM.39063**

Self Etching Primer

- Excellent adhesion to steel, aluminum and stainless steel
- Quick drying



| Part No. | Color |
|------------------|-------|
| SEM.39673 | Black |
| SEM.39683 | Gray |
| SEM.39693 | Green |

SEM

Trim Black

- Excellent adhesion and durability
- No primer required
- Matches OEM appearance
- Retains flexibility

SEM

| Part No. | Size |
|---------------------|---------------|
| SEM.39141 | Gallon |
| SEM.39141-LV | Gallon |
| SEM.39143 | 20 oz Aerosol |
| SEM.39144 | Quart |
| SEM.39144-LV | 20 oz Aerosol |



Flexible Primer Surfacer

- Ready to spray
- Quick drying
- Easy to sand
- Flexible formulation
- Topcoat with most refinish materials
- 100x more flexible


SEM.39133
SEM

Original Bumper Coater™

- No adhesion promoter or primer required
- Excellent adhesion and durability
- Matches OEM appearance and retains flexibility

SEM

| Part No. | Color | Size |
|---------------------|----------------|---------------|
| SEM.39101 | Flexible Black | Gallon |
| SEM.39101-LV | Black Matte | Quart |
| SEM.39103 | Flexible Black | 16 oz Aerosol |
| SEM.39104 | Flexible Black | Quart |
| SEM.39104-LV | Black Gloss | 20 oz Aerosol |



Bumper Coater™ Aerosols

- No adhesion promoter or primer required
- Excellent adhesion and durability
- Matches OEM appearance
- Retains flexibility
- Great coverage
- Professional results
- 16 oz aerosols



| Part No. | Color |
|------------------|------------------------|
| SEM.39073 | Gloss Silver |
| SEM.39083 | Gloss Black |
| SEM.39153 | Charcoal |
| SEM.39163 | Med. Smoke |
| SEM.39173 | Dk. Smoke |
| SEM.39183 | Med. Gray |
| SEM.39193 | Dk. Gray |
| SEM.39253 | Med. Titanium Metallic |
| SEM.39263 | Dk. Titanium Metallic |
| SEM.39273 | Charcoal Metallic |
| SEM.39283 | Lt. Titanium Metallic |
| SEM.39293 | Honda Black |

Chip Guard

- Protects lower panels from impact, chipping, and abrasion
- Duplicates a wide variety of factory textures
- Full texture spectrum from fine to coarse

| Part No. | Color | Size |
|------------------|---------------|---------------|
| SEM.39793 | Heavy Texture | 20 oz Aerosol |
| SEM.39804 | Clear | Cone Quart |
| SEM.39813 | Satin Black | 20 oz Aerosol |
| SEM.39814 | Satin Black | Quart |



Texture Coating

- OEM recommended
- Duplicates original textures
- Ready to spray
- Quick drying
- Top coat with most refinish materials



SEM.39853

Plastic Adhesion Promoter

- OEM recommended
- Superior bonding properties
- Topcoat with most refinish products
- Excellent on olefin based plastics



SEM.39863

Zincweld™

- Zinc-based formula for best-in-class corrosion protection
- Enhanced adhesion to bare metal for added corrosion protection
- No flaking or peeling



SEM.40773

Copperweld™ Primer

- Zinc-based formula for superior corrosion protection
- Copper-enriched for improved conductivity while welding
- Minimizes the heat affected zone while welding



| Part No. | Size |
|------------------|---------------|
| SEM.40786 | 8 oz Can |
| SEM.40793 | 16 oz Aerosol |

1K HS Clear

- Improved fan pattern
- Three gloss levels
- Matches OEM finishes
- Quick drying for increased production
- Save time and material



| Part No. | Description |
|------------------|------------------|
| SEM.40903 | Gloss Clear |
| SEM.40913 | Semi-Gloss Clear |
| SEM.40923 | Matte Clear |

AEROSOLS

High-Build Primer Surfacer

- Provides superior adhesion
- Excellent filling properties
- Works on multiple substrates, including metal and plastic
- Easy to sand
- Topcoat with most refinish material



| Part No. | Color |
|------------------|-------|
| SEM.42003 | Black |
| SEM.42013 | Gray |
| SEM.42023 | Beige |
| SEM.42033 | Rose |
| SEM.42043 | White |

Trim Black Ultra

- Best-in-class appearance and sprayability
- True, jet-black color



| Part No. | Color |
|------------------|-------|
| SEM.49133 | Matte |
| SEM.49143 | Satin |
| SEM.49153 | Gloss |



Ez Coat™

- Duplicates factory appearance
- Direct to steel and aluminum
- Quick curing and hiding
- Available in 9 popular OEM colors



| Part No. | Color | Part No. | Color |
|------------------|-------------|------------------|-------------|
| SEM.62213 | Black | SEM.62263 | Olive Brown |
| SEM.62223 | Olive Green | SEM.62273 | White |
| SEM.62233 | Light Green | SEM.62283 | Field Drab |
| SEM.62243 | Gray | SEM.62293 | Dark Green |
| SEM.62253 | Tan | | |



3 in 1 Primer

- Ready to spray; paint gun style fan spray pattern
- Fast drying; Easy to sand
- Stays flexible
- Hides minor surface defects and sanding scratches



| Part No. | Color |
|-------------------|-------|
| DOM.SAPBUS | Black |
| DOM.SAPGUS | Gray |
| DOM.SAPWUS | White |



Copper Weld-Thru Primer

- Exceptional for welding
- Excellent adhesion to bare metal
- Fast drying with superior corrosion protection Aerosol



DOM.SCW



One Step Self-Etch Primer

- Fast drying
- Excellent adhesion and corrosion protection
- Direct to metal



| Part No. | Color |
|-------------------|-------|
| DOM.SEPUS | Gray |
| DOM.SEP1US | Black |



Super Acid Etch Primer

- Fast drying and fast coverage
- Prevents steel from rusting
- Can be top coated in as little as 10 minutes



DOM.SEPA



Flex Fill Multi-Purpose Filler

- Fast drying
- Great filling properties
- Compatible with most automotive top coats



DOM.SFX



1K High Build Primer/Filler

- Paintable in as little as 30 minutes
- Great filling characteristics
- Large paint gun style fan pattern
- Direct to metal



| Part No. | Color |
|--------------------|-------|
| DOM.SHBPUS | Gray |
| DOM.SHBPBUS | Black |
| DOM.SHBPWUS | White |



Instant Clear Coat

- Easy application
- Excellent build and compatible with water based coatings
- Ideal for spot repairs
- Large paint gun style fan pattern

DOM.SICUS



AEROSOLS

Gravel Guard

- Easy application with by aerosol or schutz style gun (BUPA)
- High build up and texture
- Highest rubber content in the industry
- Quick Drying
- Paintable



| Part No. | Color | Size |
|---------------------|--------|---------------|
| DOM.SVG1US | Black | 14 oz Aerosol |
| DOM.SVG124US | Black | 24 oz Aerosol |
| DOM.SVG2US | Silver | 14 oz Aerosol |



Polyprop Adhesion

- Excellent wet on wet sealer for all flexible and semi-rigid plastics
- Comfort button tip for a wide spray pattern



| Part No. | Color |
|-------------------|---------|
| DOM.SXPP24 | 16.9 oz |
| DOM.XPPP1 | Gallon |



Hi-Build Zinc Weld-Thru Primer

- Provides excellent corrosion protection
- Ready to spray; fast drying
- Eliminates corrosion between welded metal substrates

**DOM.SZC**

PBE Professional Filler Primer - Gray

- Fills deep scratches
- Sands easily
- Dry to touch in 5 minutes
- Heat resistant up to 250° F

**SEY.20-1674 SEYMOUR**

PBE Self-Etching Weld-Thru Primer - Gray

- Provides a smooth, ready-to-paint surface
- Superior resistance against corrosion and rust

**SEY.20-1675 SEYMOUR**

Spruce Enamel- Gloss Clear

- Indoor and outdoor use
- Dry to touch in 5 minutes
- Heat resistant up to 250° F

**SEY.98-11 SEYMOUR**

Spruce Primer

- Interior/exterior primer that works on metal, wood & fiberglass
- Provides maximum protection against rust
- Dries to touch in 10 minutes, 20 minutes to topcoat

**SEYMOUR**

Part No. Color

| | |
|------------------|----------------|
| SEY.98-15 | Light Gray |
| SEY.98-16 | Black |
| SEY.98-26 | Red Iron Oxide |

Spruce Lacquer- Gloss Clear

- Interior/exterior primer that works on metal, wood and fiberglass
- Provides maximum protection against rust
- Dries to touch in 10 minutes, 20 minutes to topcoat

**SEY.98-31 SEYMOUR**

Weld-Thru - Black

- Dries in less than 10 minutes
- Contains no metals and is non-conductive
- Stronger, cleaners welds

**LKE.10011****Like90**

Dry Film - Clear

- Super-penetrating
- Can be applied immediately after welding or later after paint

**LKE.10012****Like90**

Wet Black Penetrating Cavity Wax

- For enclosed areas
- Protects up to four times longer than standard cavity wax

**LKE.10025****Like90**

Quick Check

- Provides a faster, more convenient way to match color
- Can be sprayed anywhere

**LKE.10030****Like90**

SOLVENTS

Economy Lacquer Thinner

- Multi-purpose thinner for solvent cleaning
- 100% virgin solvent excellent for cleaning paint equipment

| Part No. | Size |
|--------------------|-----------|
| HIT.7900-1 | Gallon |
| HIT.7900-5 | 5 Gallon |
| HIT.7900-53 | 53 Gallon |



Fast Urethane Reducer

- Brilliant Gloss
- Fast for shop conditions 55° to 70°
- 100% virgin solvents
- Less clearcoat buffing

| Part No. | Size |
|-------------------|----------|
| HIT.7710-1 | Gallon |
| HIT.7710-4 | Quart |
| HIT.7710-5 | 5 Gallon |



Medium Urethane Reducer

- Brilliant Gloss
- Fast for shop conditions 55° to 70°
- 100% virgin solvents
- Less clearcoat buffing

| Part No. | Size |
|--------------------|-----------|
| HIT.7720-1 | Gallon |
| HIT.7720-5 | 5 Gallon |
| HIT.7720-53 | 53 Gallon |



Slow Urethane Reducer

- Brilliant Gloss
- Fast for shop conditions 55° to 70°
- 100% virgin solvents
- Less clearcoat buffing

| Part No. | Size |
|-------------------|----------|
| HIT.7730-1 | Gallon |
| HIT.7730-4 | Quart |
| HIT.7730-5 | 5 Gallon |



Extra Slow Urethane Reducer

- Brilliant Gloss
- Superior leveling and outstanding control of metallics
- Slow for shop conditions 80° to 90°

| Part No. | Size |
|--------------------|-----------|
| HIT.7745-1 | Gallon |
| HIT.7745-5 | 5 Gallon |
| HIT.7745-53 | 53 Gallon |



Final Wipe

- For final removal of oils, silicone, grease, wax and more prior to final painting
- Residue free

| Part No. | Size |
|--------------------|----------|
| HIT.77902-1 | Gallon |
| HIT.77902-4 | Quart |
| HIT.77902-5 | 5 Gallon |



Wipeoit Wax and Grease Remover

- Eliminate contaminants from project surfaces
- Excellent on metal, plastic and fiberglass
- Easy application and speedy results

| Part No. | Size | Part No. | Size |
|-------------------|--------|-------------------|----------|
| HIT.7800-1 | Gallon | HIT.7800-5 | 5 Gallon |
| HIT.7800-4 | Quart | HIT.7800-A | Aerosol |



Final Wipeout Low VOC

- Final step before painting/sanding
- Water-based, low VOC formula
- Anti-static

**HIT.7801V-1**

Water Based Degreaser

- Anti-static panel wipe
- Removes contaminants including wax, grease and silicones
- Water based formula for use on solvent sensitive plastics
- Excellent for organic contaminates

**UPO.2002**

Solvent Based Degreaser

- Anti-silicone panel wipe
- Fast evaporation ideal for localized repairs
- Removes contaminants including wax, grease and silicones

| Part No. | Description | Size |
|-----------------|-------------|--------|
| UPO.2002 | Slow | 5L Tin |
| UPO.2012 | Fast | 5L Tin |



SOLVENTS

Multifunction Reducers

- Faster final dry and better melt-in of overspray
- For use with U-POL primers, clearcoats and most solventborne basecoats



| Part No. | Color |
|-----------------|-------|
| UPO.2144 | Clear |
| UPO.2145 | Clear |
| UPO.2146 | Clear |

1K Solvent Wash

- Increases adhesion
- Maximum yield
- Uniform distribution
- Strong cleaning and degreasing effect
- Removes silicone, grease, oil, wax, dirt, tar and soot



SPM.3680090

1K Wax & Grease Remover

- Strong cleaning and degreasing properties
- Increases adhesion
- Maximum yield
- Uniform distribution
- High penetration level for plastic parts



SPM.3680094

Fast Urethane Reducer

- A premium "fast" reducer
- Manufactured using virgin-grade solvents
- Formulated for premium performance
- For cool shop conditions



| Part No. | Size |
|-------------------|----------|
| USC.4210-1 | Gallon |
| USC.4210-5 | 5 Gallon |

Normal Urethane Reducer

- A premium "medium" reducer
- Manufactured using virgin-grade solvents
- Formulated for premium performance
- Covers a wide range of shop conditions



| Part No. | Size |
|-------------------|----------|
| USC.4215-1 | Gallon |
| USC.4215-5 | 5 Gallon |

Slow Urethane Reducer

- A premium "slow" reducer
- Manufactured using virgin-grade solvents
- Formulated for premium performance
- For warmer shop conditions



| Part No. | Size |
|-------------------|----------|
| USC.4225-1 | Gallon |
| USC.4225-5 | 5 Gallon |

Pump Spray Bottle

- Action Spray Gun is silicone free
- Container is transparent
- Resist both water and/or solvent based degreasers
- Adjustable spraymist
- 1000 ml



EMM.9705Z



COATINGS & RUST PREVENTATIVES

Acrylic Lacquer Primer

- One-component primer/surfacer
- High build, easy sanding
- Fast drying (30 min to sand)
- Superior adhesion with minimal shrinkage



| Part No. | Color | Size |
|---------------------|-------|--------|
| HIT.77400C-1 | Gray | Gallon |
| HIT.77400C-4 | Gray | Quart |
| HIT.77401C-1 | Black | Gallon |
| HIT.77401C-4 | Black | Quart |
| HIT.77403C-4 | Red | Quart |
| HIT.77404C-4 | White | Quart |

Eco-Prime National Rule

- 4:1 Mix Ratio
- Minimal Shrinkage
- Excellent Sandability



| Part No. | Description | Size |
|-------------------|-----------------------------|--------|
| HIT.7030-1 | 4:1 Eco-Prime National Rule | Gallon |
| HIT.8031-4 | Eco Activator (Fast) | Quart |
| HIT.8032-1 | Eco Activator (Medium) | Quart |
| HIT.8033-4 | Eco Activator (Slow) | Quart |

COATINGS & RUST PREVENTATIVES

High Build Urethane Primer Surfacer

- 2K urethane primer/surfacer
- High build and quick fill
- Excellent color holdout with no shrinkage
- Use as a primer/surfacer or as a non-sanding sealer
- 4.8 lbs/gal VOC as a primer, 5.8 lbs/gal VOC as a sealer



| Part No. | Description | Size |
|-------------------|-------------|--------|
| HIT.7325-1 | Buff | Gallon |
| HIT.7324-4 | Activator | Quart |



2K High Build Urethane Primer

- High-quality, industrial-strength primer
- Exceptional filling and sanding properties for a smooth, professional finish
- Hard, durable finish resists chipping and peeling
- 4 parts Primer : 1 part Activator



| Part No. | Description | Size |
|-------------------|-------------|--------|
| HIT.8320-1 | Gray | Gallon |
| HIT.8324-4 | Activator | Quart |



High Build Urethane Primer Surfacer

- DTM 2K urethane primer/surfacer/sealer
- High solids, tintable formula sands easily
- Fast drying (45 min to sand)
- Apply to bare metal, unsanded e-coat and bumpers without a flex agent



| Part No. | Description | Size |
|--------------------|-------------|-----------|
| HIT.7330-1 | Buff | Gallon |
| HIT.7330-4 | Activator | Quart |
| HIT.7331-4 | Activator | Quart |
| HIT.7332-4 | Activator | Quart |
| HIT.7332-16 | Activator | Half Pint |



2K Quicksand Urethane Primer

- 2K urethane primer/surfacer
- High build formula
- Superior adhesion and color holdout
- Easy sanding
- Can be topcoated with any paint system



| Part No. | Description | Size |
|---------------------|-------------|-----------|
| HIT.77451-1 | Gray | Gallon |
| HIT.77451-4 | Gray | Quart |
| HIT.77453-1 | Buff | Gallon |
| HIT.77453-4 | Buff | Quart |
| HIT.77457-4 | Activator | Quart |
| HIT.77457.16 | Activator | Half Pint |



2.1 VOC 2K High Build Urethane Primer

- Can be sprayed as a 2K Sealer
- Excellent color hold-out, improves color match
- Outstanding fill and build
- Easy sanding
- No shrinkage
- Excellent adhesion



| Part No. | Description | Size |
|--------------------|-------------------|-----------|
| HIT.7420-1 | Gray | Gallon |
| HIT.7420-4 | Gray | Quart |
| HIT.7422-1 | Buff | Gallon |
| HIT.7422-4 | Buff | Quart |
| HIT.7423-1 | White | Gallon |
| HIT.7423-4 | White | Quart |
| HIT.7424-1 | Black | Gallon |
| HIT.7424-4 | Black | Quart |
| HIT.7421-4 | 2.1 VOC Activator | Quart |
| HIT.7421.16 | 2.1 VOC Activator | Half Pint |
| HIT.7425-4 | Activator | Quart |
| HIT.7425.16 | Activator | Half Pint |



2K Quicksand Urethane Primer

- Direct-to-metal 2K epoxy hybrid primer/filler/sealer
- Excellent corrosion resistance and adhesion
- High solids formula sands easily
- Exceptional filling capabilities
- Sandable in as little as 60 minutes



| Part No. | Description | Size |
|---------------------|-------------|-----------|
| HIT.77423-1 | White | Gallon |
| HIT.77423-4 | White | Quart |
| HIT.77424-1 | Black | Gallon |
| HIT.77424-4 | Black | Quart |
| HIT.77425-4 | Gray | Quart |
| HIT.77425.16 | Gray | Half Pint |
| HIT.77426-4 | Activator | Quart |
| HIT.77426.16 | Activator | Half Pint |



COATINGS & RUST PREVENTATIVES

Speed Primer

- Excellent color holdout
- Superior impact resistance
- Fast cure
- Can be sanded in 25 minutes
- Excellent flow out



| Part No. | Description | Size |
|--------------------|-------------|-----------|
| HIT.7550-1 | Gray | Gallon |
| HIT.7550-4 | Gray | Quart |
| HIT.7551-4 | Activator | Quart |
| HIT.7551-16 | Activator | Half Pint |



2.1 VOC High Build Epoxy Primer

- High build epoxy primer surface
- Excellent adhesion and corrosion resistance



| Part No. | Color | Size |
|-------------------|-------|--------|
| HIT.7500-1 | Gray | Gallon |
| HIT.7500-4 | Gray | Quart |
| HIT.7501-1 | Black | Gallon |
| HIT.7501-4 | Black | Quart |
| HIT.7502-1 | Red | Gallon |
| HIT.7502-4 | White | Quart |
| HIT.7503-1 | Red | Gallon |
| HIT.7503-4 | White | Quart |



1K Primer/Sealer

- Low build and fast drying
- Excellent adhesion
- May be topcoated with a basecoat, lacquer, urethane, or enamel



| Part No. | Color | Size |
|--------------------|-------|--------|
| HIT.77850-1 | Black | Gallon |
| HIT.77850-4 | Black | Quart |
| HIT.77851-1 | White | Gallon |
| HIT.77851-4 | White | Quart |
| HIT.77852-1 | Gray | Gallon |
| HIT.77852-4 | Gray | Quart |
| HIT.77853-1 | Red | Gallon |
| HIT.77853-4 | Red | Quart |



DTM Self-Etching Primer

- Superior corrosion protection
- Excellent adhesion to bare materials
- Ideal filler for repairing imperfections
- Chromate-free



| Part No. | Description | Size |
|--------------------|-------------|--------|
| HIT.77414-1 | Green | Gallon |
| HIT.77415-1 | Reducer | Gallon |



Eco-Clear National Rule

- 4:1 Mix Ratio
- High gloss, reflective finish for automotive and light industrial applications



| Part No. | Description | Size |
|-------------------|-----------------------------|--------|
| HIT.8030-1 | 4:1 Eco-Clear National Rule | Gallon |
| HIT.8031-4 | Eco Activator (Fast) | Quart |
| HIT.8032-1 | Eco Activator (Medium) | Quart |
| HIT.8033-4 | Eco Activator (Slow) | Quart |

2.1 VOC Eco-Clear

- Economical Urethane Clearcoat
- 4:1 Mix Ratio
- Excellent Flow Out
- Easy to use



| Part No. | Description | Size |
|-------------------|-------------|--------|
| HIT.8400-1 | Gray | Gallon |
| HIT.8401-4 | Gray | Quart |
| HIT.8402-4 | Activator | Quart |
| HIT.8403-4 | Activator | Quart |



Value Clearcoat

- Universal Urethane Clear Coat
- 4:1 Mix Ratio
- Quick Flash & Fast Dry Times
- 2-3 wet coats
- Not recommended for overall jobs

| Part No. | Description | Size |
|-------------------|---------------------|--------|
| HIT.8000-1 | 4:1 Value Clearcoat | Gallon |
| HIT.8010-4 | Activator (Medium) | Quart |
| HIT.8020-4 | Activator (Slow) | Quart |



COATINGS & RUST PREVENTATIVES

Multi-Purpose Clearcoat

- Ideal for a variety of projects
- Extremely user-friendly and easy to spray
- Excellent coverage
- Limited lifetime warranty



| Part No. | Description | Size |
|-------------------|-------------------------|--------|
| HIT.7000-1 | Multi-Purpose Clearcoat | Gallon |
| HIT.7005-4 | Activator (Fast) | Quart |
| HIT.7006-4 | Activator (Medium) | Quart |
| HIT.7007-4 | Activator (Slow) | Quart |



Multi-Purpose Clearcoat

- Premium, multi-purpose clear
- 32% - low solids
- 2.1 VOC compliant
- Limited life time warranty



| Part No. | Description | Size |
|---------------------|--------------------|-----------|
| HIT.77130-1 | 4:1 VOC Clear | Gallon |
| HIT.77130-4 | 4:1 VOC Clear | Quart |
| HIT.77131-16 | Activator (Fast) | Half Pint |
| HIT.77131-4 | Activator (Fast) | Quart |
| HIT.77132-16 | Activator (Medium) | Half Pint |
| HIT.77132-4 | Activator (Medium) | Quart |
| HIT.77133-16 | Activator (Fast) | Half Pint |
| HIT.77133-4 | Activator (Fast) | Quart |



High Solids Glamour Clear

- Premium high gloss, high solids clearcoat
- For overall, multi-panel or spot repairs



| Part No. | Description | Size |
|--------------------|--------------------|--------|
| HIT.77125-1 | 2:1 Glamour Clear | Gallon |
| HIT.77125-4 | 2:1 Glamour Clear | Quart |
| HIT.77150-4 | Activator (Medium) | Quart |
| HIT.77150-8 | Activator (Medium) | Pint |
| HIT.77152-4 | Activator (Fast) | Quart |
| HIT.77160-4 | Activator (Slow) | Quart |



Universal Clearcoat

- Excellent gloss and durability
- Easy to apply and dries to a hard chip-resistant finish



| Part No. | Description | Size |
|--------------------|--------------------|-----------|
| HIT.8100-1 | 4:1 National Rule | Gallon |
| HIT.8100-4 | 4:1 National Rule | Quart |
| HIT.8101-16 | Activator (Fast) | Half Pint |
| HIT.8101-4 | Activator (Fast) | Quart |
| HIT.8102-16 | Activator (Medium) | Half Pint |
| HIT.8102-4 | Activator (Medium) | Quart |
| HIT.8103-16 | Activator (Fast) | Half Pint |
| HIT.8103-4 | Activator (Fast) | Quart |



High Solids Universal Urethane Clear

- Superior corrosion protection
- Excellent adhesion to bare materials
- Ideal filler for repairing imperfections
- Chromate-free



| Part No. | Description | Size |
|-------------------|--------------------|--------|
| HIT.7150-1 | 4:1 VOC Clear | Gallon |
| HIT.7151-4 | Activator (Fast) | Quart |
| HIT.7152-4 | Activator (Medium) | Quart |



Euro Clear

- Exceptional gloss
- Level flow out
- Durable
- Easy buffing
- Economical cost



| Part No. | Description | Size |
|--------------------|--------------------|--------|
| HIT.8450-5 | 2:1 VOC Euro Clear | Gallon |
| HIT.8421-25 | Activator (Fast) | 2.5 L |
| HIT.8422-25 | Activator (Medium) | 2.5 L |
| HIT.8423-25 | Activator (Slow) | 2.5 L |

2.1 VOC Euro Glass Clear

- Maintains excellent gloss retention
- Applies easily for smooth flow and leveling
- Works over most basecoat systems
- Can be buffed between 6-36 hours

| Part No. | Description | Size |
|---------------------|--------------------|--------|
| HIT.77190-5 | 2.1 VOC Clear | Gallon |
| HIT.77191-25 | Activator (Fast) | 2.5 L |
| HIT.77192-25 | Activator (Medium) | 2.5 L |
| HIT.77193-25 | Activator (Slow) | 2.5 L |



COATINGS & RUST PREVENTATIVES

High Solids Euro Clear

- Premium high gloss, high solids clearcoat
- Excellent weathering capability and designed to resist stone chips and abrasions
- Dries to a glass-like finish in air dry or forced dry applications



| Part No. | Description | Size |
|--------------------|--------------------|--------|
| HIT.7160-1 | 2:1 Euro Clear | Gallon |
| HIT.7161-25 | Activator (Fast) | 2.5 L |
| HIT.7162-25 | Activator (Medium) | 2.5 L |
| HIT.7163-25 | Activator (Slow) | 2.5 L |



Speed Clear

- One to two panel application
- Superb blending
- Can be applied to flexible parts
- Exceptional flow and leveling
- Excellent distinction of image
- Can be sanded and buffed in 25 minutes



| Part No. | Description | Size |
|--------------------|--------------------|-----------|
| HIT.8550-1 | Speed Clear | Gallon |
| HIT.8550-4 | Speed Clear | Quart |
| HIT.8551-16 | Activator (Medium) | Half Pint |
| HIT.8551-4 | Activator (Slow) | Quart |



Flat Finish Urethane Clearcoat

- Produces an excellent matte finish
- High quality UV protection and durability
- Can be applied over any color basecoat paint



| Part No. | Description | Size |
|--------------------|--------------------|-----------|
| HIT.77165-1 | Urethane Clearcoat | Gallon |
| HIT.77165-4 | Urethane Clearcoat | Quart |
| HIT.7101-4 | Activator (Fast) | Quart |
| HIT.7101-16 | Activator (Fast) | Half Pint |
| HIT.7102-4 | Activator (Medium) | Quart |
| HIT.7102-16 | Activator (Medium) | Half Pint |
| HIT.7103-4 | Activator (Slow) | Quart |

2.1 VOC Flat Finish Clear

- Premium, flat finish clear
- 2.1 VOC compliant
- Limited lifetime warranty



| Part No. | Description | Size |
|---------------------|--------------------|-----------|
| HIT.77140-1 | 2.1 VOC Clear | Gallon |
| HIT.77140-4 | 2.1 VOC Clear | Quart |
| HIT.77141-4 | Activator (Fast) | Quart |
| HIT.77141-16 | Activator (Fast) | Half Pint |
| HIT.77142-4 | Activator (Medium) | Quart |
| HIT.77142-16 | Activator (Medium) | Half Pint |
| HIT.77143-4 | Activator (Slow) | Quart |
| HIT.77143-16 | Activator (Slow) | Half Pint |

National Rule 4:1 High Build Primer

- Use for spot repair and large panels
- Excellent build and surface leveling properties
- Easy to sand wet or dry
- Tintable with up to 10% with urethane mixing base



| NATIONAL RULE | | | 2.1 VOC | | |
|-----------------|-------|--------|------------------|-------|--------|
| Part No. | Color | Size | Part No. | Color | Size |
| UPO.2253 | Gray | Gallon | UPO.2253V | Gray | Gallon |
| UPO.2275 | Black | Gallon | UPO.2275V | Black | Gallon |
| UPO.2277 | White | Gallon | UPO.2277V | White | Gallon |

National Rule Fast Hardeners

- Ideal for spot & panel repairs

| Part No. | Size |
|-----------------|-------|
| UPO.2303 | 1L |
| UPO.2305 | 2.5L |
| UPO.2307 | 250ml |



National Rule Standard Hardeners

- Ideal for larger repair areas

| Part No. | Size |
|-----------------|-------|
| UPO.2323 | 1L |
| UPO.2325 | 2.5L |
| UPO.2327 | 250ml |



National Rule Slow Hardeners

- Ideal for larger repair areas and high temperatures

| Part No. | Size |
|-----------------|------|
| UPO.2333 | 1L |
| UPO.2335 | 2.5L |



COATINGS & RUST PREVENTATIVES

2.1 VOC Hardeners

- For use with 2.1 VOC Compliant U-POL 2K primers and clearcoats

| Part No. | Description | Size |
|-----------------|-------------|------|
| UPO.2371 | Slow | 1L |
| UPO.2381 | Fast | 1L |
| UPO.2382 | Fast | 2.5L |
| UPO.2391 | Standard | 1L |
| UPO.2392 | Standard | 2.5L |



National Rule Acid #8 Acid Etch Primer

- Etch and prime bare metal in one step
- Creates an anti-corrosive barrier that prevents steel from rusting
- Can be directly topcoated – no sanding required

**UPO.0776**

Rapid System Primer

- Fast air dry finish saves time and energy costs
- Excellent coverage and easy sanding
- Only one hardener required for all climates and conditions

| Part No. | Description | Size |
|-----------------|-------------|--------|
| UPO.6301 | Gray | Quart |
| UPO.6303 | Gray | Gallon |
| UPO.6401 | Hardener | 1L |
| UPO.6425 | Hardener | 250ml |



National Rule 4:1 Universal Clearcoat

- U.V. resistant high build finish with excellent gloss retention
- Can be applied over most water and solvent borne basecoat paint systems
- Excellent scratch and abrasion resistance
- Easy to apply

**UPO.2882**

4:1 System 20 Spot/Panel Clearcoat

- Good flow and non-sag properties
- Hardens rapidly to give a high build U.V. resistant coating
- Excellent gloss and long term durability
- Can be air dried, low baked or I.R. cured

**UPO.2892**

4:1 Water Clearcoat 2.1 VOC

- U.V. resistant high build finish with excellent gloss retention
- Can be applied over most water and solvent borne basecoat paint systems
- Excellent scratch and abrasion resistance
- Excellent flow and non-sag properties

**UPO.2872V**

National Rule 2:1 HS Overall Clearcoat

- U.V. resistant high build finish with excellent gloss retention
- Can be applied over most water and solvent borne basecoat paint systems
- Excellent scratch and abrasion resistance
- Easy to apply

**UPO.2822**

2:1 Clearcoat 2.1 VOC

- Exceptional gloss and gloss retention, even at higher temperatures
- Excellent image clarity and depth
- Longer open time allows for improved flow and levelling

**UPO.2843**

National Rule 2:1 HS Super Clearcoat

- U.V. resistant high build finish with excellent gloss retention
- Can be applied over most water and solvent borne basecoat paint systems
- Excellent scratch and abrasion resistance

**UPO.2802**

COATINGS & RUST PREVENTATIVES

Raptor 1K Roll Bar & Chassis Paint

- Heat resistance up to 250°F
- Direct to metal - no need for primer
- Clog free fan nozzle - gives a smooth finish on larger areas
- 5x tougher than ordinary paint



| Part No. | Color |
|-----------------|-------------|
| UPO.4900 | Gloss Black |
| UPO.4901 | Satin Black |



Raptor High Temp Wheel Paint

- Heat resistance up to 250°F
- Direct to metal - no need for primer
- Clog free fan nozzle - gives a smooth finish on larger areas
- 5x tougher than ordinary paint



| Part No. | Color |
|-----------------|-------------|
| UPO.4907 | Satin Black |
| UPO.4908 | Silver |
| UPO.4909 | Gloss Black |
| UPO.4911 | Gloss Clear |



Raptor High Temp Engine Enamel

- Ceramic Technology – Heat resistance up to 600°F while retaining gloss
- Superior corrosion resistance
- Excellent adhesion – won't blister, flake or peel
- Fast drying – touch dry in 30 min
- 5x Tougher than ordinary paint



| Part No. | Color |
|-----------------|-------------|
| UPO.4921 | Bright Red |
| UPO.4922 | Gloss Black |
| UPO.4923 | Satin Black |
| UPO.4924 | Flat Black |
| UPO.4925 | Gloss Clear |



Raptor High Temp Engine Enamel Primer

- 5x Tougher
- Fast drying
- Super smooth finish
- Can be directly overcoated
- Excellent anti-corrosive properties

**UPO.4920**

Raptor High Temp Caliper Enamel

- Advanced Ceramic Technology – Heat resistance up to 950°F
- Achieves a high gloss finish
- Superior corrosion resistance



| Part No. | Color |
|-----------------|-------------|
| UPO.4930 | Satin Black |
| UPO.4931 | Real Red |



Raptor High Temp Flameproof Primer

- 5x Tougher
- Heat resistant up to 2000°F
- Superior adhesion
- Good chemical resistance to automotive fluids and common solvents once cured

**UPO.4940**

Raptor High Temp Flameproof

- Advanced Ceramic Technology (uses advanced heat resistant pigment technology)
- Superior protection from heat, oil and other automotive fluids
- Excellent adhesion – won't blister, flake or peel
- Clog free spot nozzle – ideal for 3D surfaces
- 5x Tougher than ordinary paints



| Part No. | Color |
|-----------------|-------------|
| UPO.4941 | Satin Clear |
| UPO.4942 | Flat Black |
| UPO.4943 | Flat Red |

Tiger Seal

- Ready for use 1K formula
- Completely and permanently seals and bonds body panels, trim and seams
- Use to seal around windows, doors and lights
- Use a standard caulking gun with the cartridge
- Immediately paintable



| Part No. | Color |
|-----------------|-------|
| UPO.0727 | White |
| UPO.0728 | Gray |
| UPO.0729 | Black |



COATINGS & RUST PREVENTATIVES

Ultimate Overall Clearcoat

- High solids Urethane Clearcoat
- 4:1 mix ratio
- Excellent for use in force or air dry applications
- Excellent blending and buffing properties

| Part No. | Description | Size |
|--------------------|-----------------|--------|
| FNH.FC720-1 | Clearcoat | Gallon |
| FNH.FC710-1 | Clearcoat | Gallon |
| FNH.FH612-4 | Medium Hardener | Quart |
| FNH.FH611-4 | Fast Hardener | Quart |
| FNH.FH613-4 | Slow Hardener | Quart |



2.1 VOC Super Brillante Clearcoat

- High solids Urethane Clearcoat
- 4:1 mix ratio
- Excellent for use in force or air dry applications
- Excellent blending and buffing properties



| Part No. | Description | Size |
|--------------------|-----------------|--------|
| FNH.FC740-1 | Clearcoat | Gallon |
| FNH.FC741-4 | Fast Hardener | Quart |
| FNH.FC742-4 | Medium Hardener | Quart |

2K HS Urethane Primer

- High build
- Excellent filling and adhesion
- Excellent adhesion and gloss / color holdout



| Part No. | Description | Size |
|--------------------|-------------|--------|
| FNH.FP410-1 | Primer | Gallon |
| FNH.FH411-4 | Hardener | Quart |

Acrylic Primer Surfer

- Easy to sand
- Good adhesion
- Fast filling characteristics

**FNH.FP401-1**

1K Acrylic Primer - Gray

- Two parts primer to 3 parts activator
- Use on a variety of substrates
- Use for spot, panel and small repairs

**USC.2255-1**

2K Urethane Sealer and Primer - Gray

- Builds fast and levels smoothly
- Dries quickly and sands easily
- Resists sand scratch swelling



| Part No. | Description | Size |
|-------------------|-----------------|--------|
| USC.2820-1 | Urethane Sealer | Gallon |
| USC.2990-1 | Urethane Primer | Gallon |
| USC.2815-4 | Activator | Quart |



Universal Urethane Clearcoat

- 4:1 mix ratio
- Easy to apply
- Ideal for use on spot, panel, multi-panel and overall refinishing



| Part No. | Description | Size |
|-----------------|------------------|--------|
| USC.10-1 | Clearcoat | Gallon |
| USC.12-4 | Fast Activator | Quart |
| USC.13-4 | Medium Activator | Quart |
| USC.13-4 | Slow Activator | Quart |



Glamour Urethane Clearcoat

- A premium glamour clearcoat that delivers on performance, durability and appearance.
- Recommended 2-coat coverage results in a beautiful high gloss finish
- National Rule compliant



| Part No. | Description | Size |
|-----------------|------------------|--------|
| USC.40-1 | Clearcoat | Gallon |
| USC.42-4 | Fast Activator | Quart |
| USC.43-4 | Medium Activator | Quart |
| USC.44-4 | Slow Activator | Quart |



Euro Value Clearcoat

- A cost-effective solution to the European topcoat
- Doesn't skimp on performance
- Delivers on dry times to turn jobs around fast



| Part No. | Description | Size |
|--------------------|------------------|------|
| USC.7400-1 | Clearcoat | 5L |
| USC.7405-25 | Fast Activator | 2.5L |
| USC.7415-25 | Medium Activator | 2.5L |
| USC.7425-25 | Slow Activator | 2.5L |



Glamour Urethane Clearcoat

- A high solids clearcoat that delivers a premium finish not lacking in shine
- Use this clearcoat on any job, any size.



| Part No. | Description | Size |
|--------------------|------------------|------|
| USC.7500-5 | Clearcoat | 5L |
| USC.7505-25 | Fast Activator | 2.5L |
| USC.7515-25 | Medium Activator | 2.5L |
| USC.7525-25 | Slow Activator | 2.5L |



Low VOC Adhesion Primer

- Eliminates the need for prep paste and scuff pads
- Reduces damage to new bumpers
- Ready to use - 1 coat coverage
- Quick dry time allows



| Part No. | Color |
|-----------------|-------|
| TRM.1074 | White |
| TRM.1084 | Gray |
| TRM.1094 | Black |

TRANSTAR

Super Hi Build Waterborne Primer

- Superior fill and build properties
- Provides outstanding adhesion and topcoat holdout
- Low odor
- Easy-to-apply



TRM.1225

TRANSTAR

Universal Primer

- Eliminates the need for prep paste and scuff pads
- Reduces damage to new bumpers
- Ready to use - 1 coat coverage
- Quick dry time allows



| Part No. | Color | Size |
|-----------------|-------|--------|
| TRM.6001 | Gray | Gallon |
| TRM.6004 | Gray | Quart |
| TRM.6021 | Black | Gallon |

TRANSTAR

1K Acrylic Speed Sealer

- Ready-to-spray
- Good holdout properties
- Excellent adhesion
- Non-sanding and ideal for spot and panel refinishing



| Part No. | Color | Size |
|-----------------|-------|--------|
| TRM.6081 | Gray | Gallon |
| TRM.6804 | Gray | Quart |

TRANSTAR

1K Low VOC Speed Sealer

- Ready-to-spray acrylic sealer
- Good holdout properties and excellent adhesion
- Non-sanding and ideal for spot and panel refinishing
- Can be applied over sanded factory primers on replacement parts and panels

| Part No. | Color | Size |
|-------------------|-------|--------|
| TRM.6091 | Gray | Gallon |
| TRM.6091-B | Black | Gallon |
| TRM.6091-W | White | Gallon |
| TRM.6094 | Gray | Quart |



TRANSTAR

COATINGS & RUST PREVENTATIVES

2K Epoxy Primer/Sealer

- Chromate free corrosion-resistant coating
- Excellent adhesion on a variety of properly prepared surfaces
- Improves adhesion of body fillers and resists moisture damage caused by water permeation



TRANSTAR

| Part No. | Color | Size | Part No. | Color | Size |
|-----------------|-------|--------|-----------------|-----------|--------|
| TRM.6101 | White | Gallon | TRM.6161 | Black | Gallon |
| TRM.6104 | White | Quart | TRM.6164 | Black | Quart |
| TRM.6131 | Gray | Gallon | TRM.6141 | Activator | Gallon |
| TRM.6134 | Gray | Quart | TRM.6144 | Activator | Quart |

Self-Etching Primer

- Two part self etching and passivating primer
- Excellent protection against corrosion to bare metal
- Easy mix ratio and requires no induction time prior to using



TRANSTAR

| Part No. | Color | Size |
|-------------------|-------------|--------|
| TRM.6111 | Olive Green | Gallon |
| TRM.6114 | Olive Green | Quart |
| TRM.6121-F | Activator | Gallon |
| TRM.6124-F | Activator | Quart |

Kwik Seal 2K Urethane Sealer

- Excellent adhesion to bare metal, aluminum, SMC, fiberglass, old paint finishes and all Transtar primers
- Excellent leveling and gloss hold out properties
- Compatible with most basecoat/clearcoat and single stage systems



TRANSTAR

| Part No. | Color | Size | Part No. | Color | Size |
|-----------------|-------|--------|-----------------|-----------|--------|
| TRM.6221 | White | Gallon | TRM.6241 | Black | Gallon |
| TRM.6224 | White | Quart | TRM.6244 | Black | Quart |
| TRM.6231 | Gray | Gallon | TRM.6254 | Activator | Gallon |
| TRM.6234 | Gray | Quart | TRM.6257 | Activator | Quart |

EZ Sand Acrylic Urethane Primer

- Premium grade lead and chromate free
- Exceptional fill and build characteristics
- Excellent top coat hold out, gloss and D.O.I.
- Sands easily wet or dry



TRANSTAR

| Part No. | Color | Size |
|-----------------|-------------|--------|
| TRM.6401 | Olive Green | Gallon |
| TRM.6404 | Olive Green | Quart |

2K Kwik Prime

- Quick drying
- Easy to sand wet or dry
- Provides corrosion protection along with excellent fill and build properties



TRANSTAR

| Part No. | Color | Size |
|-----------------|-----------|-----------|
| TRM.6441 | Gray | Gallon |
| TRM.6444 | Gray | Quart |
| TRM.6454 | Activator | Quart |
| TRM.6457 | Activator | Half Pint |

2K Acrylic Urethane Primer

- Premium lead/chrome free two component acrylic urethane primer surfacer
- Exceptional fill and build
- Excellent top coat hold out, gloss and D.O.I.
- Sands easily wet or dry



TRANSTAR

| Part No. | Color | Size |
|-----------------|-------|--------|
| TRM.6561 | Gray | Gallon |
| TRM.6564 | Gray | Quart |

Kwik Finish 2.1 Clearcoat

- Can be used with all solvent based and water based basecoats
- Can be buffed in 2 hours at 75°F (24°C).
- Fast dry time
- Reduced bake time

| Part No. | Size |
|-----------------|-----------|
| TRM.6571 | Gallon |
| TRM.6574 | Quart |
| TRM.6584 | Quart |
| TRM.6587 | Half Pint |

TRANSTAR



Kwik Gloss Acrylic Urethane Clearcoat

- Meets all current and proposed VOC regulations
- Can be used with all solvent and water based basecoats.
- Suitable for all automotive refinishing as well as trucks and equipment



TRANSTAR

2K Acrylic Urethane Primer

- Excellent fill and build characteristics
- Sands easily wet or dry without clogging



TRANSTAR

| Part No. | Color | Size | Part No. | Color | Size |
|-----------------|-----------|--------|-------------------|-----------|-----------|
| TRM.6841 | Clearcoat | Gallon | TRM.6876 | Activator | 2.5L |
| TRM.6844 | Clearcoat | Quart | TRM.6877 | Activator | Half Pint |
| TRM.6854 | Activator | Quart | TRM.6894 | Activator | Quart |
| TRM.6856 | Activator | 2.5L | TRM.6894HT | Activator | Quart |
| TRM.6874 | Activator | Quart | TRM.6896 | Activator | Half Pint |

| Part No. | Color | Size |
|-----------------|-----------|--------|
| TRM.6921 | Gray | Gallon |
| TRM.6934 | Gray | Quart |
| TRM.6937 | Activator | Gallon |

Euro Classic Primer

- Quick drying
- Easy to sand wet or dry
- Provides corrosion protection along with excellent fill and build properties



TRANSTAR

| Part No. | Color | Size |
|-----------------|-----------|-----------|
| TRM.7241 | Gray | Gallon |
| TRM.7244 | Gray | Quart |
| TRM.7274 | Black | Quart |
| TRM.7254 | Activator | Quart |
| TRM.7257 | Activator | Half Pint |

2.1 Low VOC Euro Classic Clearcoat

- Designed for applications requiring the ultimate finish appearance
- Optimum flow and leveling and imparts a glass-like finish



TRANSTAR

| Part No. | Description | Size |
|-----------------|-------------|-------|
| TRM.7311 | Clearcoat | 5L |
| TRM.7314 | Clearcoat | Quart |
| TRM.7326 | Activator | 2.5L |
| TRM.7238 | Activator | Pint |
| TRM.7336 | Activator | 2.5L |

2.1 Low VOC Euro Classic DTM Primer

- Can be applied directly to metal surfaces
- Quick drying and easy to sand wet or dry
- Provides corrosion protection along with excellent fill and build properties

| Part No. | Color | Size |
|-----------------|-----------|-----------|
| TRM.7361 | White | Gallon |
| TRM.7371 | Black | Gallon |
| TRM.7341 | Gray | Gallon |
| TRM.7374 | Black | Quart |
| TRM.7354 | Activator | Quart |
| TRM.7357 | Activator | Half Pint |

TRANSTAR



Uro-Fill Urethane Primer Surfacers- Gray

- Easily sprays to an ultrasmooth texture
- Use over bare steel, body filler, fiberglass and treated aluminum
- Quickly finish sands with fine grit sandpaper and provides an excellent base



EVERCOAT

| Part No. | Description | Size |
|-----------------|-------------|--------|
| FIB.2224 | Primer | Gallon |
| FIB.2233 | Activator | Quart |

Dura Build Acrylic Primer - Gray

- Easily fills grind marks, sand scratches and other minor surface imperfections
- Sands easily to an ultra-fine finish with minimum shrinkage
- Can be applied to metal, body filler, polyester glazing putty, wood, and more



EVERCOAT

| Part No. | Description |
|-----------------|-------------|
| FIB.2273 | Quart |
| FIB.2274 | Gallon |

COATINGS & RUST PREVENTATIVES

Slick Sand

- Extra high-build
- Excellent adhesion
- Ideally suited for large uneven surfaces

EVERCOAT

| Part No. | Size |
|----------------|--------|
| FIB.708 | Quart |
| FIB.709 | Gallon |

Super Build

- Built-in guide coat
- Adheres to a broad range of substrates
- Direct to metal application

EVERCOAT**FIB.740****Super Build 4:1 Polyester Primer Surfacer**

- Exceptional filling capabilities

EVERCOAT**FIB.730****Feather Fill® G2**

- High-build
- Smooth spraying
- Easy sanding
- Fast dry-to-sand time

EVERCOAT

| Part No. | Color | Size |
|----------------|-------|--------|
| FIB.711 | Buff | Gallon |
| FIB.712 | Gray | Quart |

| Part No. | Color | Size |
|----------------|-------|--------|
| FIB.713 | Gray | Gallon |
| FIB.715 | Black | Gallon |

4:1 Polyester Primer Catalyst

- Epoxy enriched catalyst
- Provides end users with an easier mix ratio than conventional polyester primers
- Provides a more uniform mix

EVERCOAT

| Part No. | Description |
|----------------|----------------------|
| FIB.733 | Primer Catalyst |
| FIB.734 | Fast Primer Catalyst |

Rust Shield™

- Paint direct to rust or bare sanded steel
- Fast application
- Compliant everywhere
- Enhancer available for gloss adjustment
- Can be topcoated for UV resistance

| Part No. | Color | Size |
|------------------|------------|--------|
| SEM.28091 | Flat Black | Gallon |
| SEM.28101 | Black | Gallon |
| SEM.28104 | Black | Quart |
| SEM.28111 | White | Gallon |

SEM®**Flexible Primer Surfacer**

- Ready to spray
- Quick drying
- Easy to sand
- Flexible formulation

SEM®

| Part No. | Size |
|------------------|--------|
| SEM.39131 | Gallon |
| SEM.39134 | Quart |

**Self Etching Primer**

- Excellent adhesion to steel, aluminum and stainless steel
- Quick drying

SEM®**Rust Trap™**

- Premium moisture-cured urethane technology
- Paint direct to rust or bare sanded steel
- No conversion products needed
- Wet-on-wet application for fast repairs

| Part No. | Color | Size |
|------------------|-------|--------|
| SEM.45501 | Black | Gallon |
| SEM.45504 | Black | Quart |
| SEM.45508 | Black | Pint |

**SEM**®

| Part No. | Color | Size |
|------------------|-------|--------|
| SEM.39671 | Black | Gallon |
| SEM.39674 | Black | Quart |
| SEM.39681 | Gray | Gallon |
| SEM.39684 | Gray | Quart |
| SEM.39691 | Green | Gallon |
| SEM.39694 | Green | Quart |

COATINGS & RUST PREVENTATIVES

Cleaner Degreaser

- Industrial Strength Cleaner
- Non-Flammable / Water-Based
- Use on Engines, Fuel Tanks, Holding Tanks, Grease Traps, Plastics, Wood, Fiberglass, & Painted Surfaces



| Part No. | Size |
|------------------|--------|
| POF.40101 | Gallon |
| POF.40104 | Quart |

Metal Prep

- Easy-to-use metal etching rust neutralizer – one step process
- Coats metal with zinc phosphate
- No harmful residues
- Insures perfect paint adhesion



| Part No. | Size |
|------------------|--------|
| POF.40201 | Gallon |
| POF.40204 | Quart |

Rust Remover

- Fast acting formula
- Reusable and biodegradable
- No sanding or scrubbing
- Water-based rust inhibitor solution



| Part No. | Size |
|------------------|--------|
| POF.40701 | Gallon |
| POF.40704 | Quart |

Reducer Solvent

- Thins urethane primers, paints, and coatings
- Pure ingredients ideal for spray gun and brush applications



| Part No. | Size |
|------------------|-------|
| POF.40804 | Quart |
| POF.40816 | 8 oz |

Stop Rust Kit - Gloss Black

- Covers a 6 sq. ft. area with two coats
- Ideal for small projects
- Cost-effective price for three premium POR-15 products



POF.40909

Self Etch Primer

- Zinc enriched rust protection
- Water resistant after 15 minutes
- Resists sagging and setting
- Topcoat in 30 minutes
- Professional use only



POF.41018

Weld-Thru Primer

- Minimizes Heat Zone During Welding
- Reduces Welding Distortion and Splatter
- Provides Corrosion Resistance to Welding Surfaces



POF.41418

2K Urethane Coat

- Durable long lasting coating
- Hammer-tested for toughness
- High corrosion resistance
- For professional use



POF.43504

Detail Paint

- Fast drying for quick and easy handling
- Replicates the look of various metals
- Resists corrosion and abrasion
- For professional use

| Part No. | Color |
|------------------|-----------------|
| POF.41618 | Cast Aluminum |
| POF.41718 | Cast Iron Gray |
| POF.41818 | Stainless Steel |



COATINGS & RUST PREVENTATIVES

Rust Preventive Coating

- Single component permanent moisture cured urethane
- Non-porous coating
- Chemical resistant
- Self-leveling when applied with a brush
- Completely waterproof



| Part No. | Color | Size |
|------------------|------------------|----------|
| POF.45001 | Gloss Black | Gallon |
| POF.45004 | Gloss Black | Quart |
| POF.45006 | Gloss Black | 4 oz |
| POF.45008 | Gloss Black | Pint |
| POF.45101 | Clear | Gallon |
| POF.45104 | Clear | Quart |
| POF.45108 | Clear | Pint |
| POF.45201 | Gray | Gallon |
| POF.45204 | Gray | Quart |
| POF.45205 | Gray | 5 Gallon |
| POF.45208 | Gray | Pint |
| POF.45301 | Silver | Gallon |
| POF.45304 | Silver | Quart |
| POF.45308 | Silver | Pint |
| POF.45401 | Semi-Gloss Black | Gallon |
| POF.45404 | Semi-Gloss Black | Quart |
| POF.45408 | Semi-Gloss Black | Pint |

High Temp

- Temperatures up to 1200°F
- Resists cracking, chipping and peeling
- Weather, salt and moisture resistant
- For professional use



| Part No. | Color | Size |
|------------------|---------------|---------------|
| POF.44101 | Flat Black | Gallon |
| POF.44104 | Flat Black | Quart |
| POF.44116 | Flat Black | 8 oz |
| POF.44118 | Flat Black | 15 oz Aerosol |
| POF.44304 | Aluminum | Quart |
| POF.44316 | Aluminum | 8 oz |
| POF.44318 | Aluminum | 15 oz Aerosol |
| POF.45204 | Manifold Gray | Quart |
| POF.44216 | Manifold Gray | 8 oz |
| POF.44218 | Manifold Gray | 15 oz Aerosol |

Top Coat

- No need for primer or undercoat
- Use over POR-15® Rust Preventative Coating for permanent protection



| Part No. | Color | Size |
|------------------|---------------|---------------|
| POF.45801 | Gloss Black | Gallon |
| POF.45804 | Gloss Black | Quart |
| POF.45808 | Gloss Black | Pint |
| POF.45818 | Gloss Black | 15 oz Aerosol |
| POF.45901 | Chassis Black | Gallon |
| POF.45904 | Chassis Black | Quart |
| POF.45908 | Chassis Black | Pint |
| POF.45918 | Chassis Black | 15 oz Aerosol |
| POF.46001 | Silver | Gallon |
| POF.46004 | Silver | Quart |
| POF.46008 | Silver | Pint |
| POF.46018 | Silver | 15 oz Aerosol |
| POF.46101 | Safety Red | Gallon |
| POF.46104 | Safety Red | Quart |
| POF.46118 | Safety Red | 15 oz Aerosol |
| POF.46201 | Safety Orange | Gallon |
| POF.46204 | Safety Orange | Quart |
| POF.46218 | Safety Orange | 15 oz Aerosol |
| POF.46301 | Safety Yellow | Gallon |
| POF.46304 | Safety Yellow | Quart |
| POF.46318 | Safety Yellow | 15 oz Aerosol |
| POF.46401 | Safety Blue | Gallon |
| POF.46404 | Safety Blue | Quart |
| POF.46418 | Safety Blue | 15 oz Aerosol |
| POF.46501 | Safety Green | Gallon |
| POF.46504 | Safety Green | Quart |
| POF.46518 | Safety Green | 15 oz Aerosol |
| POF.46601 | Flat Gray | Gallon |
| POF.46604 | Flat Gray | Quart |
| POF.46618 | Flat Gray | 15 oz Aerosol |
| POF.46701 | Red Oxide | Gallon |
| POF.46704 | Red Oxide | Quart |
| POF.46718 | Red Oxide | 15 oz Aerosol |
| POF.46801 | Gloss White | Gallon |
| POF.46804 | Gloss White | Quart |
| POF.46808 | Gloss White | Pint |
| POF.46818 | Gloss White | 15 oz Aerosol |

COATINGS & RUST PREVENTATIVES

Patch Filler and Seam Sealer

- Permanently seal seams
- Patch holes in steel, wood or some plastics
- Fix holes in fuel tanks
- Bond steel to some plastics, wood or concrete



| Part No. | Color |
|------------------|-------|
| POF.49013 | Black |
| POF.49023 | White |



Fuel Tank Sealer

- Stops rust, corrosion and leaks
- Seals pinholes and seams
- Bonds and seals with a light gray non-porous flexible film



| Part No. | Size |
|------------------|--------|
| POF.49201 | Gallon |
| POF.49204 | Quart |
| POF.49208 | Pint |
| POF.49216 | 8 oz |



Motorcycle Fuel Tank Repair Kit

- Removes gum and varnish from tank
- Removes rust and prepares tank for sealer
- Proven to effectively seal fiberglass tanks

**POF.49229**


Fuel Tank Repair Kit

- Removes gum and varnish from tank
- Stops rust, corrosion and leaks permanently
- Seals pinholes and seams

**POF.49239**

Rust Preventative

- Superior rust control
- Single-package air dry system
- Impermeable barrier
- Lead and isocyanate free
- No sandblasting required



| Part No. | Color | Size |
|-----------------------|-----------|---------------|
| ZER.60SP | Red Oxide | 12 oz Aerosol |
| ZER.AR-60GA-CA | Red Oxide | Gallon |
| ZER.AR-60QT-CA | Red Oxide | Quart |
| ZER.61SP | Gray | 12 oz Aerosol |
| ZER.AR-61GA-CA | Gray | Gallon |
| ZER.AR-61QT-CA | Gray | Quart |

| Part No. | Color | Size |
|-----------------------|-------|---------------|
| ZER.62SP | Black | 12 oz Aerosol |
| ZER.AR-62GA-CA | Black | Gallon |
| ZER.AR-62QT-CA | Black | Quart |
| ZER.67SP | White | 12 oz Aerosol |
| ZER.AR-67GA-CA | White | Gallon |
| ZER.AR-67QT-CA | White | Quart |

De-Wipe Outs

- Helps eliminate dust, oils, static, and other contaminants that can cause paint defects
- Safe for use on most automotive surfaces

| Part No. | Description |
|-------------------|--|
| DEV.803045 | DeWipe-Outs 11" x 17" 85% IPA / 15% DI Water |
| DEV.803046 | DeWipe-Outs 11" x 17" 50% IPA / 50% DI Water |
| DEV.803048 | DeWipe-Outs Storage Case |
| DEV.803418 | Low VOC DeWipe-Outs 11" x 17" Acetone Blend |
| DEV.803553 | Anti-Static Wiper |

DeVilbiss
By Binks


COATINGS & RUST PREVENTATIVES

Rust Check Rust Killer Primer

- Protects new and old metals
- Resists high temperatures and common chemicals
- Touch up rust surface spots, frame rails
- No sanding required



DOM.DS11000



Rust Check Rust Converter

- Can be applied directly over rust
- Resists high temperatures and common chemicals
- Touch up rust surface spots, autobody repairs, frame rails



DOM.DS11006



Crystal Clear 2K Chip Guard

- Excellent UV resistance
- Leaves no tape line like protective adhesive films
- Permanently flexible
- Extremely resilient and durable against chips



DOM.BCG4



Fisheye Remover

- Help avoid and prevent fisheyes
- Can be used with virtually all types of urethane and non-urethane 2K topcoats
- Use for a smooth finish over surfaces that show evidence of fisheying usually due to contamination.

TRM.6737 **TRANSTAR**

Gravitex Plus Underbody Coating

- Ready for use 1K formula – no measuring or mixing required
- Protects against stone chips, salt, rust and dampness
- Helps to deaden sound and vibrations
- High build formula covers weld marks and seams



Part No. Color

UP0.0721 Black

UP0.0722 White

UP0.0723 Gray



Bumper Cladding

- Sticks to smooth or textured TPO plastics
- Simple, ready-to-spray, 1K formulation means there's no waste
- Compatible with most urethane and polyester-based base-clear topcoat systems


Polyvance
 ADVANCING POLYMER REPAIR

| Part No. | Color | Size |
|-------------------|------------|---------------|
| URE.3601-1 | Light Gray | Gallon |
| URE.3601-4 | Light Gray | Quart |
| URE.3601-A | Light Gray | 11 oz Aerosol |
| URE.3602-1 | Dark Gray | Gallon |
| URE.3602-4 | Dark Gray | Quart |
| URE.3604-1 | White | Gallon |
| URE.3604-4 | White | Quart |
| URE.3611-1 | Light Gray | Gallon |
| URE.3611-4 | Light Gray | Quart |
| URE.3611-A | Light Gray | 11 oz Aerosol |
| URE.3612-1 | Dark Gray | Gallon |
| URE.3612-4 | Dark Gray | Quart |
| URE.3613-4 | White | Quart |
| URE.3701-1 | Black | Gallon |
| URE.3701-4 | Black | Quart |
| URE.3701-A | Black | 11 oz Aerosol |

2.8 VOC Single Stage Factory Pack

- Includes the top 18 most popular colors in the industry
- Glossy finish, no top coat necessary
- High gloss, high solids, direct to metal, user friendly single stage topcoat
- Dries faster, lasts longer
- Long term color and gloss retention



USE IT ON



CARS



TRUCKS



CONSTRUCTION EQUIPMENT



TRAILERS



OFFICE EQUIPMENT



PATIO FURNITURE

& MORE



Hot Rod Black
1401



Gloss Black
1402



Gloss White
1403



Viper Red
1404



Oxford White
1405



Galaxy Silver
1406



Charcoal Mist
Metallic
1407



Fleet White
1408



Pure White
1409



Swift Red
1410



Brilliant Black
Pearl
1411



International
Harvester Red
1412



Allis Chalmers
Orange
1413



Caterpillar Yellow
1414



School Bus
Yellow
1415



John Deere
Yellow
1416



John Deere
Green
1417



Ford Blue
1418

| Part No. | Color | Size |
|-------------------|-----------------------|--------|
| HIT.1401-1 | Hot Rod Black | Gallon |
| HIT.1401-4 | Hot Rod Black | Quart |
| HIT.1402-1 | Gloss Black | Gallon |
| HIT.1403-1 | Gloss White | Gallon |
| HIT.1404-1 | Viper Red | Gallon |
| HIT.1405-1 | Oxford White | Gallon |
| HIT.1406-1 | Galaxy Silver | Gallon |
| HIT.1407-1 | Chacoal Mist Metallic | Gallon |
| HIT.1408-1 | Fleet White | Gallon |
| HIT.1409-1 | Pure White | Gallon |

| Part No. | Color | Size |
|-------------------|---------------------------|--------|
| HIT.1410-1 | Swift Red | Gallon |
| HIT.1411-1 | Brilliant Black Pearl | Gallon |
| HIT.1412-1 | International Harvest Red | Gallon |
| HIT.1413-1 | Allis Chalmers Orange | Gallon |
| HIT.1414-1 | Caterpillar Yellow | Gallon |
| HIT.1415-1 | School Bus Yellow | Gallon |
| HIT.1416-1 | John Deere Yellow | Gallon |
| HIT.1417-1 | John Deere Green | Gallon |
| HIT.1418-1 | Ford Blue | Gallon |

FACTORY PACKAGES

Factory Pack-Series Polyester Basecoat

- High quality, polyester composition
- Simple inventory control
- Blendable to match many OEM paint codes
- Can be tinted with any high quality basecoat
- May be mixed with any high grade urethane reducer (recommended at 1:1 mix ratio)



| | | | | | | | | |
|--|--|---|--|---|---|--|--|--|
| | | | | | | | | |
| Frost White HFP150 (GM WA-8624) | White HFP151 (GM WA-8554) | Oxford White HFP154 (FORD YZ/Z1) | Super White HFP158 (TOY 040) | White Diamond Pearl HFP161 (GM WA-800J) | Black HFP250 (GM WA-8555) | Dark Shadow Gray HFP254 (FORD CX) | Pewter Metallic HFP256 (GM WA-382E) | Galaxy Silver HFP350 (GM WA-519F) |
| | | | | | | | | |
| Sparkle Silver HFP360 (H.O.K.) | Victory Red HFP450 (GM WA-9260) | Corvette Red HFP451 (GM WA-9075) | Torredor Red HFP454 (FORD FL) | Crush Orange HFP550 (CHRY PL4) | Corvette Yellow HFP650 (GM 52) | Arizona Beige HFP655 (FORD AQ) | Green with Envy HFP755 (CHRY PGE) | Dark Blue Pearl HFP856 (FORD DX) |

NATIONAL RULE

| Part No. | Color | Size |
|---------------------|---------------------|--------|
| HIT.HFP150-1 | Frost White | Gallon |
| HIT.HFP150-4 | Frost White | Quart |
| HIT.HFP151-1 | White | Gallon |
| HIT.HFP151-4 | White | Quart |
| HIT.HFP154-1 | Oxford White | Gallon |
| HIT.HFP154-4 | Oxford White | Quart |
| HIT.HFP158-1 | Super White | Gallon |
| HIT.HFP158-4 | Super White | Quart |
| HIT.HFP161-1 | White Diamond Pearl | Gallon |
| HIT.HFP250-1 | Black | Gallon |
| HIT.HFP250-4 | Black | Quart |
| HIT.HFP254-1 | Dark Shadow Gray | Gallon |
| HIT.HFP256-1 | Pewter Metallic | Gallon |
| HIT.HFP350-1 | Galaxy Silver | Gallon |
| HIT.HFP350-4 | Galaxy Silver | Quart |
| HIT.HFP360-1 | Sparkle Silver | Gallon |
| HIT.HFP450-1 | Victory Red | Gallon |
| HIT.HFP450-4 | Victory Red | Quart |
| HIT.HFP451-1 | Corvette Red | Gallon |
| HIT.HFP454-1 | Torredor Red | Gallon |
| HIT.HFP454-4 | Torredor Red | Quart |
| HIT.HFP550-1 | Crush Orange | Gallon |
| HIT.HFP650-1 | Corvette Yellow | Gallon |
| HIT.HFP655-1 | Arizona Beige | Gallon |
| HIT.HFP755-1 | Green with Envy | Gallon |
| HIT.HFP856-1 | Dark Blue Pearl | Gallon |

3.5 VOC

| Part No. | Color | Size |
|----------------------|---------------------|--------|
| HIT.HFP150C-1 | Frost White | Gallon |
| HIT.HFP151C-1 | White | Gallon |
| HIT.HFP154C-1 | Oxford White | Gallon |
| HIT.HFP158C-1 | Super White | Gallon |
| HIT.HFP161C-1 | White Diamond Pearl | Gallon |
| HIT.HFP250C-1 | Black | Gallon |
| HIT.HFP254C-1 | Dark Shadow Gray | Gallon |
| HIT.HFP256C-1 | Pewter Metallic | Gallon |
| HIT.HFP350C-1 | Galaxy Silver | Gallon |
| HIT.HFP360C-1 | Sparkle Silver | Gallon |
| HIT.HFP450C-1 | Victory Red | Gallon |
| HIT.HFP451C-1 | Corvette Red | Gallon |
| HIT.HFP454C-1 | Torredor Red | Gallon |
| HIT.HFP550C-1 | Crush Orange | Gallon |
| HIT.HFP650C-1 | Corvette Yellow | Gallon |
| HIT.HFP655C-1 | Arizona Beige | Gallon |
| HIT.HFP755C-1 | Green with Envy | Gallon |
| HIT.HFP856C-1 | Dark Blue Pearl | Gallon |

2.8 VOC CATALYST

| Part No. | Color | Size |
|--------------------|-------------------------|------------|
| HIT.1020-16 | Urethane Paint Cataylst | Half Paint |
| HIT.1020-4 | Urethane Paint Cataylst | Quart |



2A Aftermkt Armor Bedliner

The Strength of a Defender.

Introducing a bedliner that performs above the rest. This newly developed bedliner offers truck beds incredible resistance from scratches, stains, water and corrosion. Along with ultra performance and longevity, it gives you complete control of appearance with texture options AND the flexibility to create any color you can imagine.

Offer your customers the latest in bedliner technology with the strength of 2A Aftermkt Armor Bedliner.

To find out more, give us a call at 800.824.2843 or email info@tat-co.com.



AFTERMKT ARMOR

© 2023 Transtar Autobody Technologies, Inc. All rights reserved.

BED LINERS

Raptor Bedliner Kit

- Protects against rust and corrosion
- Provides a water resistant finish, keeping moisture out and reducing rust
- UV resistant - delivers a high level of fade resistance
- Can be applied with U-POL application gun, HVLP gun, roller or brush



| Part No. | Description | Size |
|-------------------|---------------------------------------|--------|
| UP0.0820 | Black Raptor Kit | 4L Kit |
| UP0.0820G | Black Raptor Kit w/Gun | 4L Kit |
| UP0.0820V | 1.7 Low VOC Black Raptor Kit | 4L Kit |
| UP0.0820VG | 2.6 Low VOC Black Raptor Kit w/Gun | 4L Kit |
| UP0.0821 | Tintable Raptor Kit | 4L Kit |
| UP0.0820G | Tintable Raptor Kit w/Gun | 4L Kit |
| UP0.0820V | 1.7 Low VOC Tintable Raptor Kit | 4L Kit |
| UP0.0821VG | 2.6 Low VOC Tintable Raptor Kit w/Gun | 4L Kit |
| UP0.4801 | Black Raptor Liner 1L Kit | 1L Kit |
| UP0.4802 | Tintable Raptor Liner 1L Kit | 1L Kit |
| UP0.4803 | 2.6 VOC Black Raptor Liner 1L Kit | 1L Kit |
| UP0.4804 | 2.6 VOC Tintable Raptor Liner 1L Kit | 1L Kit |
| UP0.4807 | White Raptor Kit | 4L Kit |
| UP0.4808 | 2.6 VOC White Raptor Kit | 4L Kit |

Traction Slip Resistant Additive

- Produces a slip resistant surface
- Can be added directly into RAPTOR Tough and Tintable Protective Coating bottles prior to spraying
- Packaged in a convenient 200g resealable bag
- Fills one bottle of RAPTOR



UP0.4800



Anti-Corrosive Epoxy Primer

- Advanced resin technology improves adhesion to bare metal and other surfaces
- Can be applied directly onto surface rust
- Can be applied wet on wet
- Covers approximately 5.88m² @ 75u DFT per litre



| Part No. | Color | Size |
|-----------------|-------|--------|
| UP0.4830 | Gray | 1L Kit |
| UP0.4831 | Gray | 1L Kit |



Raptor Color

- Concentrated tint for use with RAPTOR Tintable Protective Coating
- Mix with RAPTOR Tintable Base to give a rich, UV resistant color
- Choose either a single color or use different colors to create your own multi-colored custom look



| Part No. | Color | Part No. | Color |
|-----------------|-------------|-----------------|-------------|
| UP0.4854 | White | UP0.4862 | Light Green |
| UP0.4857 | Beige | UP0.4863 | Green |
| UP0.4858 | Light Brown | UP0.4864 | Pine Green |
| UP0.4859 | Sepia Brown | UP0.4866 | Yellow |
| UP0.4861 | Navy Blue | UP0.4867 | Orange |

Raptor 1K Truck Bed Coating

- Textured finish
- Excellent adhesion to metal, aluminum, fiberglass, plastic and wood
- Durable, impact & abrasion resistant 1K coating
- Ideal for truck beds, tail gates, running boards, fender flares and more



| Part No. | Color | Size |
|-----------------|-------|-----------------|
| UP0.4877 | White | 14.3 oz Aerosol |
| UP0.4878 | Gray | 14.3 oz Aerosol |
| UP0.4879 | Black | 14.3 oz Aerosol |

Raptor Professional Vari-Nozzle Application Gun

- Adjustable spray nozzle lets you dial-in the desired finish and texture
- Easy to use, easy to maintain, easy to clean
- Professional grade aluminum body is lightweight and has a hanger hook for easy storage or change over



UP0.4880



FROM WORKSITE TO WEEKEND.

THE ULTIMATE SHIELD FOR YOUR TRUCK BED.

HIGH TECK TRUCK BEDLINERS



BL0726 BEDLINER
APPLICATOR SPRAY GUN

Durable, UV-Resistant Coating Engineered for Extreme Conditions and Versatile Applications

A high quality, chemical resistant textured coating with an outstanding resistance to UV damage, and abrasion! Originally designed to be used on truck beds to withstand even the toughest conditions, it has 1000s of applications in automotive, agricultural, heavy machinery, commercial, and anywhere else you need a long lasting durable coating.

FEATURES & BENEFITS

- SUPERIOR UV RESISTANCE
- SUPERIOR ADHESION TO MOST SUBSTRATES
- FAST FIRM BUILD
- 1000S OF USES (AUTOMOTIVE, INDUSTRIAL, AND HOME)
- FAST AND EASY TO USE



BL100 NATIONAL RULE STANDARD
TRUCK BED LINER KIT, BLACK, 3.24 LB/GAL VOC



BL200 NATIONAL RULE TRUCK BED LINER KIT,
TINTABLE, 2.93 LB/GAL VOC

BED LINERS

Raptor 2K Bedliner Aerosol

- Easy and convenient - activate using the valve on base
- Textured "gun" finish
- No need for spray equipment
- Ideal for both consumers and professionals



| Part No. | Color | Part No. | Color |
|-----------------|-------------|-----------------|-------------|
| UPO.4883 | Black | UPO.4886 | Flame Red |
| UPO.4884 | Basalt Gray | UPO.4887 | Olive Green |
| UPO.4884 | White | UPO.4888 | Sepia Brown |

Raptor Adhesion Promoter

- Excellent adhesion characteristics
- Sprays flat
- Can be topcoated with most water or solvent based paint systems
- Provides a protective barrier against lifting or solvent attack

**UPO.5024**

Bed Liner Kit

- Textured rich black finish
- Superior UV resistance
- Superior adhesion to most substrates
- Fast firm build



| Part No. | Description |
|-------------------|-----------------|
| HIT.BL100 | Black |
| HIT.BL200 | Tintable |
| HIT.BL0726 | Application Gun |



Truckbed liner Kits

- Durable, slip resistant, non-corrosive coating
- Outstanding adhesion and chemical resistance
- Will not fade
- Bonds to most surfaces
- Tintable version to match OEM colors

**SEM.39650**

Pro-Tex™ Truckbed Liner Kits

- Tough, durable, non-corrosive coating
- Air and water tight
- Tintable version to match OEM colors; including true white
- Outstanding chemical resistance
- Bonds to most surfaces



| Part No. | Size |
|------------------|----------|
| SEM.40640 | Gallon |
| SEM.40665 | 5 Gallon |



Rock-It XC™

- Best-in-class durability, gloss, and texture
- Free applicator in every kit
- Superior fade resistance and UV stability
- Resistant to a variety of strong chemicals
- Durable coating that maintains flexibility
- Excellent for sound dampening



| Part No. | Description |
|------------------|--------------|
| SEM.46650 | Black Kit |
| SEM.46670 | Tintable Kit |

Gladiator™ XC

- Tough, durable, matte finish, 2K coating
- Excellent fade resistance and UV stability
- T3 True Tint Technology™ - non yellowing formula
- Produce a variety of textures with Economy Coating Gun, HVLP gun, roller, or brush
- Outstanding adhesion to most surfaces



| Part No. | Description |
|------------------|---------------------|
| SEM.56650 | Black Kit w/ Gun |
| SEM.56670 | Tintable Kit w/ Gun |

BED LINERS

2K Protective Coating Spray-on Kit (Black)

- Advanced hybrid-polymer technology
- Forms an extremely tough and flexible membrane
- Impact, mar, and abrasion resistant
- Textured non-slip grippy surface
- Easy shake & shoot application
- UV stable



SEY.2K202441

SEYMOUR

Schutz gun

- Ensures optimal performance and allows for efficient and effective application of the coating
- Built with high-quality materials to ensure durability and longevity



SEY.ZOGUN0001

SEYMOUR

Urethane Truck Bed Liner Kit

- Waterproof
- Tough & Durable
- UV resistant to chalking



| Part No. | Color |
|-------------------|----------|
| USC.2000-2 | Black |
| USC.2100-2 | Tintable |



EZ Liner Bedliner and Industrial Strength Coating

- Apply with a brush, roller or schutz gun (BUPA)
- 1 kit is enough for 1 average size truck bed
- Very low VOC



DOM.BEZLG



EZ Liner Aerosol Bedliner

- Resists heavy impact, scratches, severe weather, rust and fading
- Seals out moisture and corrosion
- Remains permanently flexible
- Ultra chemical resistant



DOM.SEZLUS



Shake and Shoot Bedliner Kit

- Multiple textures achievable
- One kit will provide coverage for a standard truck bed
- Provides superior resistance to abrasion and scraping damage



| Part No. | Description |
|-------------------|----------------------|
| DOM.BSSBL | Low VOC Black Kit |
| DOM.BSSBLT | Low VOC Tintable Kit |



Gator Guard II – 2K Epoxy Bedliner Kit

- Modified urethane 2K epoxy for increased flexibility
- Excellent adhesion
- 1.7 L kit covers 50 – 55 sq. ft.
- 6.8L kit covers 200 – 220 sq. ft
- LOW VOC
- High impact resistance



| Part No. | Description |
|------------------|--------------------|
| DOM.BGG2 | 2K Epoxy Black Kit |
| DOM.BGG2W | 2K Epoxy White Kit |



Truck Bed Coating

- Resists scratches, dents, and corrosion
- Can be applied with a roller, spray gun, or aerosol
- Suitable for truck beds, inner fenders, tailgates, bedrails, cargo vans, step areas, and running boards



DUP.TR250

Dupli-Color

OEM Bed Liner

- Waterproof and stain resistant
- Easy soap and water clean up
- Prevents chips and scratches
- Permanently Flexible



| Part No. | Size |
|------------------|--------|
| POF.49701 | Gallon |
| POF.49704 | Quart |



BED LINERS

Raptor 2K Bedliner Aerosol

- Easy and convenient - activate using the valve on base
- Textured "gun" finish
- No need for spray equipment
- Ideal for both consumers and professionals



| Part No. | Color | Part No. | Color |
|-----------------|-------------|-----------------|-------------|
| UP0.4883 | Black | UP0.4886 | Flame Red |
| UP0.4884 | Basalt Gray | UP0.4887 | Olive Green |
| UP0.4885 | White | UP0.4888 | Sepia Brown |

Nylon Bed Liner Brush

- unique brush material made of a special nylon filament impregnated with silicon carbide
- Non-sparking for safer operation
- Non-oxidizing, won't react with metal
- Will not load or clog



| Part No. | Description |
|------------------|--------------|
| AES.51886 | 6" Cup Brush |
| AES.4546 | 6" Brush |



Bedliner Nylon Cup Brush

- Ensures proper adhesion of all bedliners Cuts sanding time up to 50%.
- Works with standard 5/8" thread buffer/ polisher at 1000 to 1400 RPM



DOM.TNBC



Bedliner Wire Trim Tape

- Embedded metal wire ensures a clean edge on truck rails
- Metal wire on edge cuts through newly applied bedliner upon removal for crisp, clean edges
- 1/4" x 100 ft per roll (6.35 mm x 30.5 m)



DOM.WBWT



6" Nylon Bed Brush

- Special design helps prevent clogging and loading
- Constructed of non-oxidizing materials which will not react with metal
- Non-sparking material creates a safer brush than conventional wire brushes



AST.4546



UNDERCOATING AND SOUND

Paintable Rubberized Undercoating

- Paintable
- Premium corrosion resistance
- Stays flexible
- Will not crack or chip
- Dries quickly to a non-tacky surface



HIT.9984



Max Undercoating Rubberized

- Paintable
- Premium corrosion resistance
- Stays flexible & will not crack or chip
- Dries quickly to a non-tacky surface



HIT.9985



Quick Dry Rubberized Undercoat

- Fast drying, easy to apply
- Excellent abrasion resistance
- Retains black color
- Won't sag or run
- Dries completely, yet remains flexible
- Seals out dust, fumes, moisture, heat and cold



TRANSTAR

| Part No. | Size |
|----------------------|---------------|
| TRM.4361-F | Gallon |
| TRM.4364-F | Quart |
| TRM.60-4363-F | 20 oz Aerosol |

UNDERCOATING AND SOUND

Amber Rustproofing

- Superior rust protection
- Flows into hard to reach seams
- Designed for replacement panels or new car rustproofing
- Restores the repair of existing corrosion protection to original specifications

**TRM.60-4423****TRANSTAR****3M™ Rubberized Undercoating**

- Multi-purpose undercoating may be applied to cars, truck and recreational vehicles
- Sound deadening properties help reduce road noise
- Anti-corrosive coating protects the undercarriage of vehicles from rust and abrasion

**MMM.8883****3M****Dynatron™ Dyna-Pro™ Paintable Rubberized Undercoating**

- Flexible rubberized coating resists weathering, salt spray, chipping and dust
- Fully paintable and texturized to match OEM paint finishes for higher customer satisfaction
- Forms electromechanical barrier against rust, limiting comebacks

**DYN.544****Dynatron****3M™ Professional Grade Rubberized Undercoating**

- Multi-purpose undercoating may be applied to cars, truck and recreational vehicles
- Sound deadening properties help reduce road noise
- Asphalt-based product

**MMM.3584****3M****Bondo Dynatron™ Rubberized Undercoating**

- Multi-purpose undercoating may be applied to cars, truck and recreational vehicles
- Sound deadening properties help reduce road noise
- Asphalt based product

**DYN.737****Dynatron****Raptor Rubberized Undercoating**

- Ideal for protecting underbodies and wheel wells from stone chips, salt spray, moisture and rust
- Superior adhesion
- Durable, abrasion resistant finish

**UPO.4840****upol****Fast Dry Paintable Black Rubberized Undercoating**

- Fast drying
- OEM type texture
- High rubber content (no asphalt)
- Paintable
- Excellent build and non-sag properties

**Part No.** **Size****DOM.SUFUS** 14.3 oz Aerosol**DOM.SUFVUS** 14.3 oz Aerosol**DOM.BUF** Quart**DOM.BUF1** Gallon**DOM.BUF5** 5 Gallon**DOM.BUR1** Gallon**DOM.BUR5** 5 Gallon**Raptor 2K Anti-Corrosive Epoxy Primer Aerosol**

- Easy and convenient – activate using the valve on base
- No need for spray equipment

**UPO.4842****upol****Low VOC Rubberized Undercoating**

- Creates a tough, flexible, textured surface
- Non-asphaltic
- Paintable

**FIB.1348****EVERCOAT**

UNDERCOATING AND SOUND

Rubberized Undercoating

- Tough, heavy duty rubber barrier
- Protects against salt and chemicals
- Sound barrier and vibration reducer
- Paintable

POF.49308



Undercoating

- Uniform appearance
- Excellent adhesion
- Economical

| Part No. | Description |
|----------|-------------|
|----------|-------------|

| | |
|-----------|--------------------|
| SEM.40523 | Low VOC Rubberized |
|-----------|--------------------|

| | |
|-----------|---------|
| SEM.40463 | Low VOC |
|-----------|---------|

| | |
|-----------|-------|
| SEM.39523 | Quart |
|-----------|-------|



Rubberized Undercoating

- Premium protection against rust and abrasion
- Reduces road noise
- Long-lasting results

USC.51333



Undercoating

- Protective and paintable rubberized finish
- Resists rust and improves appearance
- Reduces road noise
- Dry to touch in 1 Hour / Handle in 2 Hours

DUP.UC101 **Dupli-Color®**

Undercoating

- Sprays on using Rusfre Mitey Bee Gun (sold separately)
- A rubberized, chemically formulated effective rust preventive
- Contains bound fibers for bonding to prevent chipping, cracking and peeling
- sprays evenly, covers effectively and sound deadens



| Part No. | Size |
|--------------|------------|
| BBB.1020F-1 | Gallon |
| BBB.1020F-25 | 2.5 Gallon |

RUSFRE®

Rustproofing

- Chemically formulated wax-based rustproofing that creeps and penetrates into cracks and close fitting areas
- Sets up quickly with no lingering odors
- Sprays and fogs evenly
- Does not affect electrical systems or door and window mechanisms



| Part No. | Color | Size |
|-------------|-------|--------|
| BBB.1000-1B | Black | Gallon |
| BBB.1000-1C | Clear | Gallon |

RUSFRE®

Mitey Bee Rustproofing Spray Gun

- Designed to spray undercoating and rustproofing material
- Includes pickup tube and hose so you can spray right out of the gallon jugs
- Made in the USA



BBB.5050QC

RUSFRE®

3M™ Sound Deadening Pad

- Conformable pad quiets noise around trunks, door panels, hoods, floor pans and more
- Self-adhesive material is easy to install without any special tools
- Multi-purpose sound deadening mat reduces road noise, sound system vibrations, and rattles



MMM.8883

3M

Q-Pads

- Easy to use
- Self adhering
- Sound deadening

| Part No. | Size | Qty |
|----------|-----------|--------|
| FIB.116 | 12" x 12" | 6 pads |
| FIB.117 | 16" x 16" | 4 pads |

EVERCOAT®

UNDERCOATING AND SOUND

Xtreme Dynamat

- Thin, lightweight and flexible
- Peel and stick application
- Unaffected by cold weather
- Aluminum laminate reflects heat



| Part No. | Size | Qty |
|----------------|-----------|-----|
| RBL.136 | 24" x 48" | 1 |
| RBL.138 | 10" x 10" | 4 |
| RBL.139 | 18" x 32" | 2 |

RBL PRODUCTS, INC.
Detroit / USA

Sound Damping Sheet

- Easy to cut to size and shape
- Peel and stick application
- Flexible
- Can be stacked



| Part No. | Size | Qty |
|----------------|-----------|--------|
| RBL.128 | 12" x 12" | 6 |
| RBL.140 | 3' x 4.5' | 1 Roll |

RBL PRODUCTS, INC.
Detroit / USA

CIC Kit

- State-of-the-art corrosion protection system with all four aerosols
- The 36-inch CIC Flex Wand with 360-degree spray tip, and an aluminum aerosol caddy for attachment to a tool cart or nearby wall



Like 90 GO FAST

LKE.10010

POLISHERS & BUFFERS

7" Electric Polisher

- Powerful 11 Amp motor with Soft Start technology
- Ball bearing construction for long life
- Variable dial speed control
- (1,000-3,000 RPM) provides the ability to adjust for specialty applications
- Includes both D-handle & Side Handle for comfort and control
- 1 Year Limited Warranty



HIT.T200

**7" Polisher/Sander with Locking Switch**

- Lock-on switch for comfort during extended use
- Adjustable dial speed control from 1,000 to 3,000 rpm
- Includes both D handle and side handle which can be mounted on either side
- Includes rubber backing pad, velcro backing pad, and polishing bonnet

TITAN
PROFESSIONAL TOOLS

TTN.22530

**Variable Speed Polisher**

- Powerful, 12 amp, all ball-bearing construction for long life
- Variable speed trigger
- External brush caps for easy servicing
- Conveniently located variable speed dial



DEWALT

| Part No. | Description |
|--------------------|--------------------------------|
| DEW.DWP849 | 7" - 9" Polisher |
| DEW.DWP849X | 7" - 9" Polisher w/ Soft Start |

ACCESSORIES:

Carbon Brush Set
DEW.N398321



Backpad
DEW.N092491

7" Variable Speed Polisher

- Powerful 10 AMP motor delivers 3,200 RPM
- Variable speed dial and trigger
- Rubberized loop handle and gear housing
- Wire mesh intake covers
- 3-prong plug
- Lock-on button

Makita



| Part No. | Description |
|--------------------|--------------------------------|
| MAK.9227C | 7" Polisher/Sander (Tool Only) |
| MAK.9237CX2 | 7" Polisher/Sander Kit |

POLISHERS & BUFFERS

Wizards 21™ HD Big Throw Polisher

- DIY- easy to use
- Removes scratches with professional results
- Corrects imperfections without swirls or holograms
- No burns from paint overheating
- High torque cuts working time



| Part No. | Description |
|----------------------|----------------------------|
| WIZ.DA21HSKIT | Polisher and SSR Kit Combo |
| WIZ.DA21HD | Polisher (Tool Only) |

Wizards 21™ Big Throw Mini Polisher

- DIY- easy to use
- Vibration-Free Orbital Polisher
- Removes scratches with professional results
- Corrects imperfections without swirls or holograms



| Part No. | Description |
|----------------------|----------------------------|
| WIZ.DAPM12KIT | Polisher and SSR Kit Combo |
| WIZ.DAPM12 | Polisher (Tool Only) |

3M™ Perfect-it™ EX AC Rubbing Compound

- Quickly removes sand scratches and defects
- Smooth handling on the panels with no chatter and drag
- Easy clean up on all surfaces including textured plastics
- Clear finish

| Part No. | Size |
|------------------|--------|
| MMM.36060 | Quart |
| MMM.36061 | Gallon |



COMPOUNDS, POLISHES & PADS

3M™ Perfect-It™ Low Lint Wool Compounding Pad

- Fast-cutting
- 100% wool abrasive
- No linting for refined finishes
- 4" diameter




3M™ Perfect-It™ Foam Compounding Pad

- For removing P1200 or finer sand scratches
- 4" diameter
- Excellent access in small areas or tight spaces



3M™ Perfect-It™ Foam Compounding Pad


- Waffle style
- Diameters as small as 3"
- Works with 3M™ Hookit™ and Quick Connect system



| Part No. | Size |
|------------------|--------|
| MMM.33284 | 6" Pad |
| MMM.5706 | 8" Pad |

3M™ Perfect-It™ Low Lint Wool Compounding Pad

- 100% wool pad
- Most aggressive pad for scratch removal
- 9" diameter



3M™ Perfect-It™ Low Linting Wool Compounding Pad

- Low-linting 100% wool pad
- Cuts fast without the mess
- Removes scratches and defects quicker than foam



3M™ Perfect-It™ EX Machine Polish

- Removes swirl marks after compounding
- Longer wet time
- 1 Quart



| Part No. | Size |
|-----------------|--------|
| MMM.6094 | Quart |
| MMM.6095 | Gallon |

COMPOUNDS, POLISHES & PADS

3M™ Perfect-It™ Foam Polishing Pad

- Specially designed foam face holds polish
- Prevents slinging for faster, cleaner results
- 4" diameter



3M MMM.30042

3M™ Perfect-It™ Foam Polishing Pad

- Waffle face provides smooth contact surface
- Quickly removes compounding swirls



| Part No. | Size |
|---------------------|--------|
| 3M MMM.33285 | 6" Pad |
| MMM.5707 | 8" Pad |

3M™ Perfect-It™ EX Ultrafine Machine Polish

- Quickly and completely removes machine polish swirls, even on black vehicles
- Longer wet time



| Part No. | Size |
|---------------------|--------|
| 3M MMM.39062 | Pint |
| MMM.6068 | Quart |
| MMM.6069 | Gallon |

3M™ Perfect-It™ Ultrafine Foam Polishing Pad


- Ideal during final polishing step for ultrafine paint finish
- Eliminates polish swirls and holograms
- 4" diameter



3M MMM.30043

3M™ Perfect-It™ Ultrafine Polishing Pad

- Helps eliminate swirl marks and apply high gloss finishes
- Waffle face



| Part No. | Size |
|---------------------|--------|
| 3M MMM.33286 | 6" Pad |
| MMM.5708 | 8" Pad |

3M™ Perfect-It™ 1-Step Finishing Material

- The stay-wet formula helps reduce sling for less mess and a shorter cleanup time
- Glossier finish



| Part No. | Size |
|---------------------|--------|
| 3M MMM.33039 | Quart |
| MMM.33040 | Gallon |
| MMM.33044 | Pint |

3M™ Perfect-It™ 1-Step Foam Finishing Pad

- Combines the cut of a compounding pad and the finish of a polishing pad
- Tapered edge



| Part No. | Size |
|---------------------|--------|
| 3M MMM.33034 | 6" Pad |
| MMM.33035 | 8" Pad |

3M™ Perfect-It™ Paint Finishing Pad Kit

- Complete 4-pad kit for compounding, polishing and finishing in collision repair
- Single-sided 4" pads



3M MMM.30045

3M™ Perfect-It™ Detailing Cloth

- Removes oily or filmy residue
- Will not scratch or streak delicate surfaces
- Non-linting



3M

| Part No. | Color | Size |
|--------------------|--------|-----------|
| 3M MMM.6016 | Yellow | 12" x 14" |
| MMM.6018 | Yellow | 16" x 16" |
| MMM.6020 | Blue | 12" x 14" |

3M™ Perfect-It™ Cleaner Clay

- Removes foreign particles embedded in automotive paint and clear coat



3M MMM.38070

3M™ Headlight Lens Restoration System

- Easy heavy duty kit solution help your headlights look like new



3M MMM.39008

3M™ Quick Headlight Clear Coat Wipes

- Wipe-on fluid is excellent for lightly yellowed or recently restored lenses
- Dries to UV resistant coating that extends lens clarity and life



3M MMM.32516

COMPOUNDS, POLISHES & PADS

3M™ Rubbing Compound

- Removes scratches caused by sanding
- Removes oxidation, stains and blemishes



| Part No. | Size |
|-----------------|--------|
| MMM.5974 | Gallon |
| MMM.5973 | Quart |

3M™ 8" Foam Compounding Pad, Single Sided

- Retains compound to reduce slinging and help with even application
- Helps refine scratches



MMM.5723

3M™ 8" Perfect-It™ Foam Polishing Pad

- Provides soft surface for applying 3M polishes
- Waffle face
- Quickly removes compounding swirls



MMM.5725

3M™ Machine Polish

- Removes compound swirl marks
- Leaves a swirl-free finish when applied with a 3M™ Foam Polishing Pad
- Formulated for vehicles with dark color paints



MMM.05996

3M™ Super Duty Rubbing Compound

- Economical liquid compound delivers a high rate of cut
- Removes 1000 and finer sand scratches



| Part No. | Size |
|-----------------|--------|
| MMM.5955 | Gallon |
| MMM.5954 | Quart |

3M™ Superbuff Wool Compounding Pad, Double Sided

- 100% premium wool
- Removes scratches and oxidation
- For compounding paint, gelcoat, and fiberglass surfaces



MMM.5703

3M™ Superbuff Wool Compounding Pad, Single Sided

- 100% premium wool
- Removes scratches and oxidation
- For compounding paint, gelcoat, and fiberglass surfaces



MMM.5711

3M™ Perfect-It™ Compound Pad, Single Sided

- Removes finishing abrasive sand scratches
- Fast cutting compound pad
- Fewer fly-offs



MMM.5719

3M™ Perfect-It™ Foam Compounding Pad

- Diameters as small as 3"
- Holds polish
- Prevents slinging
- Faster, cleaner results



| Part No. | Color |
|-----------------|-------|
| MMM.5737 | White |
| MMM.5738 | Black |

3M™ Perfect-It™ Random Orbital Polish

- Delivers a high-gloss finish
- Experience a virtually defect-free finish with no fear of burn through



1 Quart



MMM.33134

3M™ Perfect-It™ Random Orbital Compound

- Fast-cutting compound
- Works great on fresh and cured paints
- No swirl marks



| Part No. | Size |
|------------------|--------|
| MMM.34132 | Gallon |
| MMM.33131 | Quart |

3M™ Paste Rubbing Compound

- Specially designed for removing fine grit sanding scratches
- Medium cutting capability
- Minimal swirl marks



1 Gallon



MMM.5983

COMPOUNDS, POLISHES & PADS

3M™ Finesse-it™ II Machine Polish

- Removes compound swirls from clear coat
- High gloss, smooth surface finish
- Removes small scratches



1 Quart



MMM.5928

3M™ Perfect-It™ Ultrafine Polishing Pad

- Soft, smooth surface
- Eliminate swirl marks and apply high gloss finishes
- Waffle face



MMM.5733

3M™ Hand Glaze

- Restores a brilliant shine and sparkle to automotive paints
- Creates an "almost-wet" look that simply amazes
- Easy to apply and wipe up



1 Quart



MMM.5990

3M™ Perfect-It™ Quick Connect Adaptor

- Allows quick changes of buffing pads
- Easy to change between compound and polishing pads



MMM.5752

3M™ Perfect-It™ Detailing Cloths

- Great for paint, chrome and glass
- Non-Linting
- Clear Coat Safe
- 12" x 14" (Yellow)



MMM.6016

3M™ Wool Compounding Pad, D0uble Sided

- Removes finishing abrasive sand scratches
- Double sided screw-on pads
- Untwisted wool yarn construction



MMM.5704

3M™ Buffing and Polishing Backup Pad

- Supports single-sided compounding or polishing pads
- Hole patterns provide escape route for dust



MMM.5717

3M™ Perfect-It™ Random Orbital Foam Polishing Pad

- High-gloss finish, haze, and swirl-free finish
- Less sling than a rotary tool for easy clean up



MMM.34123

3M™ Finesse-it™ Knit Buffing Pad

- Constructed from wool fibers knit into a polyester fabric
- More aggressive and cut faster when compared to foam



MMM.85078

COMPOUNDS, POLISHES & PADS

Hyper Wash

- Rich, stable foam provides excellent performance
- 400:1 dilution ratio
- Lifts dirt and grime off surfaces without stripping wax
- Provides a deep gloss and rich shine



| Part No. | Size |
|-------------------|----------|
| MDL.D11001 | Gallon |
| MDL.D11005 | 5 Gallon |



Shampoo Plus

- Lubricating formula
- Rinses clean
- Safely and effectively lifts dirt
- Conditioning formula deepens gloss



| Part No. | Size |
|-------------------|----------|
| MDL.D11101 | Gallon |
| MDL.D11105 | 5 Gallon |



Rinse Free Express Wash & Wax

- Wash and wax all exterior vehicle surfaces without rinsing
- High gloss, water beading durability
- Non-scratch, non-streak formula



MDL.D11501



Mirror Glaze® Professional Detailing Clay

- Quickly and easily removes bonded surface contaminants
- Restores a "smooth as glass" finish



| Part No. | Description |
|-------------------|-------------|
| MIR.C-2000 | Mild |
| MIR.C2100 | Aggressive |



All Purpose Cleaner

- Ideal for reconditioning most interior surfaces
- Active foaming action lifts dirt



| Part No. | Description |
|-------------------|-------------|
| MDL.D10101 | Gallon |
| MDL.D10105 | 5 Gallon |



Super Degreaser

- Strong and fast acting for tough jobs
- Residue-free performance
- Pleasant fragrance



| Part No. | Description |
|-------------------|-------------|
| MDL.D10801 | Gallon |
| MDL.D10805 | 5 Gallon |



Surface Prep

- Spray and wipe to prepare surface for paint correction, touch-up paint, or coatings
- Reveals true paint condition for defect inspection during paint correction

MIR.M12201



Ultra Pro Speed Compound

- Fast, even cut with extremely high gloss finish
- Quick removal of 1,200 grit or finer sanding marks
- Easy wipe-off, virtually zero dusting or sling with long work cycle



| Part No. | Size |
|-------------------|--------|
| MIR.M11032 | 21 oz |
| MIR.M1101 | Gallon |



Ultra Cut Compound

- Exclusive, super-micro abrasive technology
- Ultra-fast cutting removes 1200 grit or finer sanding marks
- Super-micro abrasives leave best in class finish
- Great for removing scratches, defects, acid rain and severe swirls/holograms



| Part No. | Size |
|------------------|--------|
| MIR.10532 | Quart |
| MIR.10501 | Gallon |



COMPOUNDS, POLISHES & PADS

Mirror Glaze® Pro Speed Compound

- Fast cutting compound with advanced technology
- Quick removal of 1200 grit and finer sanding marks
- Removes deep scratches, acid rain, and severe swirls/holograms



| Part No. | Size |
|-------------------|--------|
| MIR.M10032 | 32 oz |
| MIR.M10001 | Gallon |

Diamond Cut Compound 2.0

- Super-fast cutting, low swirl compound
- Successfully tested in high solids production shops
- Low-dusting, low splatter formula cleans with ease



| Part No. | Size |
|------------------|--------|
| MIR.M8532 | 32 oz |
| MIR.M8501 | Gallon |

Heavy Cut Cleaner

- Provides serious defect removal including heavy swirls, scratches, severe oxidation, alkaline and acid rain etching
- Cuts quickly, then reduces to a buffing rouge to minimize swirling
- Safe and effective on all glossy paint finishes



MIR.M0416

Fine Cut Cleaner

- Removes fine surface defects including light oxidation, stains, scratches, swirls and fresh water spots
- Mildly abrasive cleaner cuts quickly
- Buffered abrasive action lubricates the finish to prevent scouring or scratching



MIR.M0216

So1o All-In-One

- Super Micro Abrasive Technology
- Polishes without hazing surface
- Removes up to 3,000 grit sanding marks
- Low dusting formula
- Considerable defect removal
- Durable water beading protection



MIR.M30032

Ultra Pro Finishing Polish

- Creates deep, glossy finish without swirls or holograms
- Designed to remove DA haze or Rotary swirls and leave a flawless finish
- Easy wipe-off



| Part No. | Size |
|-------------------|--------|
| MIR.M21032 | 32 oz |
| MIR.M21001 | Gallon |

Ultra Finishing Polish

- Advanced technology formula provides a deep gloss and rich, swirl-free results
- Permanently removes swirls and light defects from all paint



| Part No. | Size |
|-------------------|--------|
| MIR.M20508 | 8 oz |
| MIR.M20532 | 32 oz |
| MIR.M20501 | Gallon |

Microfiber Finishing Wax

- Creates deep, glossy finish without swirls or holograms
- Designed to remove DA haze or Rotary swirls and leave a flawless finish
- Easy wipe-off



| Part No. | Size |
|-------------------|--------|
| MDL.D30116 | 16 oz |
| MDL.D30101 | Gallon |

Machine Glaze

- Outshines other machine applied polishes, glazes, waxes, and sealants
- Penetrating nutrients revitalize glossy paint finishes
- Buffing residue wipes off easily



MIR.M0316

Show Car Glaze

- Outshines other hand applied polishes, glazes, waxes and sealants
- Restores a dazzling, deep, wet shine
- Safe and effective on all glossy paint finishes



MIR.M0716

COMPOUNDS, POLISHES & PADS

Swirl Remover 2.0

- Removes fine scratches and swirl marks while providing a dark, dramatic shine
- Deep gloss cleaner and polish in one
- Formulated to reduce splatter and make application and wipe-down easier
- Safe and effective on all glossy paint finishes



MIR.M0916

Diamond Cut Compound 2.0

- Hybrid Ceramic SiO2 sealant provides our most durable professional sealant to date
- Incredible gloss, slickness & beading on paint & Paint Protection Film
- Won't stain trim or decals



| Part No. | Size |
|------------------|--------|
| MIR.M2716 | 16 oz |
| MIR.M2701 | Gallon |

Ultra Polishing Wax

- Latest chemistry delivers significant cleaning ability and durable protection in one quick and easy step
- Meguiar's most advanced one step that saves on time and money by presenting a great alternative
- Quick and easy wipe off



MIR.D16601

Synthetic X-Press Spray Wax

- Easy to use mist on, wipe off for deep shine and durable protection
- Produces a deep, dark "wet-look" shine
- Can be applied in direct sunlight, and dries clear on plastic trim
- Can be applied to wet or dry paint



MIR.D15601

Synthetic X-Press Spray Wax

- Easy to use mist on, wipe off for deep shine and durable protection
- Produces a deep, dark "wet-look" shine
- Can be applied in direct sunlight, and dries clear on plastic trim
- Hydrophobic Polymer Technology™ allows moisture to bead and roll off the waxed paint



MIR.D15601

HiTech Yellow Wax

- Blend of premium carnauba wax with silicones, polymers and other waxes creates durable paint protection
- Gives your finish richness and depth of color



| Part No. | Size |
|------------------|--------|
| MIR.M2616 | 16 oz |
| MIR.M2601 | Gallon |

Synthetic Sealant 2.0

- Hydrophobic Polymer Technology™ provides amazing gloss and water beading
- Synthetic polymer formulation provides technologically advanced paint care and protection
- Visually eliminates fine scratches and swirls



MIR.M2116

Professional Quick Detailer

- One-step cleaner/wax, specially formulated for high production reconditioning
- Quickly and safely removes oxidation and blemishes
- Restores deep gloss and provides a durable wax finish



MIR.M6601

Liquid Cleaner Wax

- One-step application cleans, polishes and protects
- Removes light oxidation, light swirls and mild defects
- Creates a long lasting, high gloss finish
- Safe and effective on all glossy paint finishes including clear coats

MIR.M0616



COMPOUNDS, POLISHES & PADS

Glass Cleaner Concentrate

- Easily and consistently removes tough vinyl fog residue and smoker's film
- Removes road grime, dirt and bug splatter leaving crystal clear, streak-free glass
- Safe and effective on window tint

| Part No. | Size |
|-------------------|----------|
| MDL.D12001 | Gallon |
| MDL.D12005 | 5 Gallon |



Water Based Dressing

- High gloss spray or wipe on application
- Restores & protects vinyl, plastic, leather & rubber surfaces
- Dilute 1:1 for natural low gloss look

MDL.D17105



All Season Dressing

- High gloss, weather resistant shine
- Instant results, wet look, lasting performance
- VOC compliant

| Part No. | Size |
|-------------------|----------|
| MDL.D16001 | Gallon |
| MDL.D16005 | 5 Gallon |



Silicone Free Dressing

- Incredibly deep, rich glossy shine on all exterior rubber and plastic surfaces
- VOC-compliant formula
- Body shop safe

| Part No. | Size |
|-------------------|----------|
| MDL.D16101 | Gallon |
| MDL.D16105 | 5 Gallon |



Vinyl & Rubber Cleaner/Conditioner

- Leaves vinyl and rubber with a clean, rich natural sheen instead of a greasy or artificial plastic look
- Restores life and color to your vehicle's rubber and vinyl surfaces

| Part No. | Size |
|------------------|----------|
| MIR.M4016 | Gallon |
| MIR.M4001 | 5 Gallon |



Leather and Interior Cleaner

- Removes tough stains fast!
- Non-staining formula
- Restores "like new" look
- Colorless with a pleasant citrus fragrance

MDL.D18101



Leather Cleaner and Conditioner

- Thick, rich lotion that leaves a non-oily, natural, soft, supple finish
- Gentle and specialized cleaners coupled with conditioning agents
- Pleasant fragrance

MDL.D18001



Non Acid Wheel & Tire Cleaner

- Effective and easy cleaning on wheels and tires
- Quickly removes brake dust, road grime, light grease and dirt
- Spray on, lightly agitate, hose off

| Part No. | Size |
|-------------------|----------|
| MDL.D14301 | Gallon |
| MDL.D14305 | 5 Gallon |



DA Microfiber Correction System Kit

- Includes everything you need to get started for removing defects and adding glossy protection
- Ideal for use with MT300 dual action polisher, but can be used with any DA polisher

MDL.DMCKIT5



KIT INCLUDES:

- 2 - DA Microfiber Cutting Discs (DMC5)
- 2 - DA Microfiber Finishing Discs (DMF5)
- 1 - Backing Plate (W67DA)
- 1 - DA Microfiber Correction Compound - 16oz (D30016)
- 1 - DA Microfiber Finishing Wax - 16 oz (D30116)
- 1 - Meguiar's Black Apron (MGAPRON)

COMPOUNDS, POLISHES & PADS

DA Microfiber Cutting Discs

- Cuts through moderate surface defects with no swirls
- Optimal cutting efficiency and controlled conformability
- Machine Washable



| Part No. | Size |
|-----------------|--------|
| MDL.DMC3 | 3 inch |
| MDL.DMC5 | 5 inch |

Dual Action Finishing Discs

- Refines surface to a high gloss finish
- Best on flat surfaces
- Hook and loop attachment
- Reusable and machine washable



| Part No. | Size |
|------------------|--------|
| MDL.DMF3 | 3 inch |
| MDL.DMF5 | 5 inch |
| MDL.DMF5B | 5 inch |

DA Microfiber Xtra Cutting Discs

- Removes severe to moderate surface defects
- Engineered for increased cutting efficiency
- Best on flat surfaces



| Part No. | Size |
|-----------------|--------|
| MDL.DMX5 | 5 inch |
| MDL.DMX6 | 6 inch |

Soft Buff DA Foam Cutting Pad

- Cuts through moderate surface defects with no swirls
- Low profile for optimized performance
- Advanced cutting and finishing results



| Part No. | Size |
|-----------------|--------|
| MIR.DFC5 | 5 inch |
| MIR.DFC6 | 6 inch |

Soft Buff DA Foam Finishing Pad

- Luxurious high gloss finish with no swirls
- Low profile for optimized performance
- Advanced finishing results



| Part No. | Size |
|-----------------|--------|
| MIR.DFF5 | 5 inch |
| MIR.DFF6 | 6 inch |

Soft Buff DA Foam Polishing Pad

- Eliminates minor surface defects while restoring gloss with no swirls
- Low profile for optimized performance



| Part No. | Size |
|-----------------|--------|
| MIR.DFP5 | 5 inch |
| MIR.DFP6 | 6 inch |

7" Soft Buff Rotary Foam Cutting Pad

- Recessed backing for easy centering with reduced operating temperature
- Quick and easy pad changes



MIR.WRFC7

7" Soft Buff Rotary Foam Finishing Pad

- Reduces chatter resulting in smooth, easy buffing
- Recessed backing for easy centering



MIR.WRFF7

7" Soft Buff Rotary Foam Polishing Pad

- Eliminates minor surface defects while restoring gloss
- Reduces chatter resulting in smooth, easy buffing



MIR.WRFP7

8" Soft Buff Rotary Wool Cutting Pad

- 100 percent natural wool
- 1.25" 4-ply twisted fibers for faster cutting
- Removes sanding marks and severe defects



MIR.WRWC8

7" Soft Buff Rotary Heavy Cutting Wool Pad

- 1" twisted wool fibers for faster cutting
- Flat pad design expands cutting area to reduce buffing time
- For use with Rotary Polisher



MDL.WRWHC7

Water Magnet Microfiber Drying Towel

- Absorbs up to two times the water of traditional terry towels

MIR.X2000



Water Magnet Microfiber Drying Towel

- Thick, deep dual-sided microfiber pile absorbs two times more

MIR.X2020



COMPOUNDS, POLISHES & PADS

Mist-N-Shine®

- Safe on fresh paint
- Show winning gloss
- Contains no wax or silicones



| Part No. | Size |
|------------------|--------|
| WIZ.01214 | 22 oz |
| WIZ.01217 | Gallon |

Wipe Down™

- Safe for all paint systems.
- Quickly cleans matte finishes
- Adds no gloss or protection
- Removes streaks and smears



WIZ.01220

Mystic Spray Wax™

- Slick Nano Technology Protection
- Instant bonding to paint, ceramic coat, chrome, glass, fiberglass or any hard surface



WIZ.01235

Mystic Clay™

- Makes paint very smooth
- Removes all surface contaminants
- Safe on all paint/clears, metals, fiberglass and glass



WIZ.10023

Metal Polish

- Fast cutting, highest gloss possible
- Brightens and protects ALL metals
- Safe for coated wheels, and motorcycles



WIZ.11011

Metal Renew™

- Fast cut, high gloss
- Less messy to use
- Easy to apply and remove
- Brightens and renews



WIZ.11020

Mystic Nano Wax™

- Incorporates synthetic Nano Wax polymers
- Extreme gloss, slickness and protection benefits
- Safe for fresh paint
- Body shop safe



WIZ.11030

Shine Master™

- Easy on — easy off
- Awesome gloss
- No streaks or smears
- No free silicone or wax



| Part No. | Size |
|------------------|--------|
| WIZ.11033 | 16 oz |
| WIZ.11036 | Gallon |

Mystic Cut™ Compound

- Exclusive "Smart Abrasive Technology" incorporates latest Nano abrasives
- Progressive cutting action with no gritty mess



| Part No. | Size |
|------------------|--------|
| WIZ.11038 | 8 oz |
| WIZ.11048 | 32 oz |
| WIZ.11052 | Gallon |

Mystic Nano Wax™

- Extreme gloss, slickness and protection benefits.
- Safe results on ALL paint/clear types, new or aged



WIZ.11039

Finish Cut™ Compound

- Easy swirl removal — easy clean-up
- One step buffing on most colors



WIZ.11040

Turbo Cut™ Compound

- Fast cut on dead paint gel coat and fiberglass
- No wax, silicone or crystalline silica



WIZ.11044

COMPOUNDS, POLISHES & PADS

Mystic Polish™

- Exclusive "Nano-Sphere Technology"
- No wax, silicone or crystalline silica
- Safe for all paints



| Part No. | Size |
|------------------|--------|
| WIZ.11047 | 32 oz |
| WIZ.11050 | Gallon |



Tire & Vinyl Shine™

- Non-greasy
- Beautifies vinyl, leather, rubber, plastic, and more
- No residue to attract dust or transfer to clothing



| Part No. | Size |
|------------------|--------|
| WIZ.11055 | 22 oz |
| WIZ.11057 | Gallon |



Wizards® Wash

- Thick, rich, long-lasting foam
- Streak-free rinsing
- Adds lubrication when wet sanding



| Part No. | Size |
|------------------|--------|
| WIZ.11077 | 16 oz |
| WIZ.11079 | Gallon |



Bug Release™

- Quickly removes bugs and residue
- Neutralizes acidic bug proteins
- Non Toxic — biodegradable



| Part No. | Size |
|------------------|--------|
| WIZ.11083 | 2 oz |
| WIZ.11081 | 22 oz |
| WIZ.11082 | Gallon |



Power Clean™

- Non-caustic, contains no acid
- Contains environmentally-friendly surfactants
- Cleans tires and raised white letters
- Dissolves oil & grime



| Part No. | Size |
|------------------|--------|
| WIZ.11088 | 22 oz |
| WIZ.11087 | Gallon |



Carpet & Upholstery Cleaner

- Fresh scent, enzyme free
- Great for cleaning vehicle interior surfaces
- Excellent for removing odors from carpet and upholstery



WIZ.11104



7" Fast Cut Wool Pad

- 100% twisted wool buffing pad
- Use with all compounds
- Aggressive cutting without burning paint
- All pads use Velcro® attachments



WIZ.11201



7" 50/50 Blended Wool Cutting Pad

- 50/50 Blend of Wool and Polyester
- Use with all compounds
- Best overall one step pad



WIZ.11203



8" Foam Cut Yellow Buffing Pad

- Firm, high density (stiff) foam
- Use with compounds or polish
- Removes swirls and wool pad marks



WIZ.11204



8" Foam Polish White Buffing Pad

- Medium density (softer) foam
- Use with all compounds or polish
- Removes swirls on softer clears



WIZ.11205



8" Foam Finish Gray Buffing Pad

- Low density (softer) foam
- Use with machine polish, sealant, or glaze
- Light polishing on softer clears



WIZ.11206



7" Bendi-Backer™ Backing Plate

- Soft and super-flexible to form into style line contours when buffing
- Helps to eliminate hot spots and burns



WIZ.11207



COMPOUNDS, POLISHES & PADS

Mini Buffing System

- Saves time with expert results
- Cut, polish, remove swirls, or apply wax/sealer
- Use on paint, metal and plastic surfaces
- Great for tight areas or spot repairs



WIZ.11250



KIT INCLUDES:

- 3" Wool Mini Buffing Pad, (cutting) - 11251
- 4" Yellow Foam Mini Buffing Pad, (light cutting) - 11252
- 4" Grey Foam Mini Buffing Pad (final finishing) - 11253
- Mini Backing Plate Set with D/A Adapter (standard 5/16") and Drill Adapter (standard 1/4" shank) - 11254

The Aggressor™ Cutting Pad, 8"

- Grip hold with recessed backing for fast and easy centering
- Fastest cut available from a foam pad



WIZ.11310



The Finisher Buffing Pad, 8"

- For smooth finishing swirl removal
- Grip hold with recessed backing for fast and easy centering



WIZ.11312



The Ultra Finishing Buffing Pad, 8"

- Fast cutting, highest gloss possible
- Brightens and protects ALL metals
- Safe for coated wheels, and motorcycles



WIZ.11314



6" 21 DA Wool Cutting Pad

- Fast cutting wool for DA
- Use with the WIZARDS 21™ Big Throw Polisher
- Velcro® attachment / 6" backing plate compatible




WIZ.11600



6" 21 DA Polisher Microfiber Cutting Pad

- 1st Step cutting with the Wizard 21 Big Throw Polisher
- Fast cutting microfiber face



WIZ.11601



6" 21 DA Polisher Yellow Foam Polishing Pad

- 2nd Step polishing with the Wizard 21 Big Throw Polisher
- Power Core™ rubber interface



WIZ.11604



21 DA Polisher Gray Foam Finishing Pad

- 3rd Step waxing/finishing with the Wizard 21 Big Throw Polisher
- Power Core™ rubber interface



WIZ.11605



Ceramic Coat for Paint

- High Solids SiO2 Quartz
- Antioxidant – Antistatic
- Repels Dirt and Water
- 1.7 oz



WIZ.31001



Ceramic Coat For Paint Kit

- 9-piece application kit, includes everything needed for paint protection.
- Adds a "super slick, super gloss, and super protective layer" that lasts up to three years



WIZ.31009



KIT INCLUDES:

- 4 oz Precoat Cleaner
- 4 Edgeless Microfiber Cloths
- Applicator Pads
- 50 ml Ceramic Coat for Paint Nano Ceramic 9H+
- 8 oz Ceramic Detailer
- Nitrile Gloves

COMPOUNDS, POLISHES & PADS

Wizards Select® Hybrid Ceramic Detailer

- Spray on, wipe off
- Streak Free - shade or full sun
- Removes light dust and more
- Super Gloss - hydrophobic beading



WIZ.51011

Select Pro® Cut & Polish 2

- Removes compound swirl marks
- Produces high gloss finish
- For all paint types
- Easy clean-up
- Use with gray foam pad



| Part No. | Size |
|------------------|--------|
| WIZ.41002 | 32 oz |
| WIZ.42002 | Gallon |

Select Pro® Ultra Fine 3

- Quickly removes fine swirls
- Shows quality gloss on black paint
- For all paint types
- Easy clean-up



| Part No. | Size |
|------------------|--------|
| WIZ.41003 | 32 oz |
| WIZ.42003 | Gallon |

Select Pro® Starter Kit

- Complete 8-piece detailing kit — all the essentials from compounding through finishing
- Designed to cover the full cycle: aggressive correction → smoothing → final gloss



WIZ.41010

KIT INCLUDES:

- **SELECT PRO™ EXTRA CUT**
Rubbing Compound - Size: 32oz - Part Number: 41001
- **SELECT PRO™ CUT & POLISH**
Machine Polish - Size: 32oz - Part Number: 41002
- **SELECT PRO™ ULTRA FINE**
Machine Finish - Size: 32oz - Part Number: 41003
- **THE AGGRESSOR™ CUTTING PAD**
Foam Cutting Pad - Size: 8"x1/2" - Part Number: 11310
- **THE FINISHER BUFFING PAD**
Foam Buffing Pad - Size: 8"x1/2" - Part Number: 11312
- **THE ULTRA FINISHING BUFFING PAD**
Foam Buffing Pad - Size: 8"x1/2" - Part Number: 11314
- **MIST-N-SHINE®**
Professional Detailer - Size: 22oz - Part Number: 01214
- **PLUSH HIGH PILE MICROFIBER CLOTH**
Detailing Cloth - Size: 16"x16" - Part Number: 11430

Select Pro® Extra Cut 1

- Wizards Most Aggressive Compound
- Removes P1200 & Finer Sandscratches
- For All Paint Types
- Easy Cleanup



WIZ.42001

Black Renew™

- Cleans and renews all smooth and textured trim, plastic and rubber
- Instantly removes embedded wax and white residue
- Great for faded fairing interiors



WIZ.66309

Water Bandit™

- Absorbs 3 times faster than an ordinary leather chamois
- Never lints and will not shed
- Unharmful by grease, oil or solvents; sensitive on paint



WIZ.11066



SCAN QR CODE
TO VIEW VIDEOS



COMPOUNDS, POLISHES & PADS

Ultra 2-Step MaxCut™ Compound

- Super-hard abrasive engineered for the latest clear coat technologies
- Cleans up quickly
- Contains no fillers, waxes or silicones



| Part No. | Size |
|-------------------|--------|
| PES.139032 | Quart |
| PES.139001 | Gallon |



Ultra 2-Step Compound

- Designed to simplify the buffing process
- Features water-based products that contain no waxes, fillers or silicones
- Works effectively with both wool and foam pads and over a wide range of buffing speeds



| Part No. | Size |
|-------------------|--------|
| PES.139332 | 32 oz |
| PES.139301 | Gallon |



Ultra 2 Step® Finishing Polish

- Advanced all-in-one polish and swirl remover
- Water-based formula contains no waxes, fillers or silicones
- Creates deep gloss and swirl-free final finish



| Part No. | Size |
|-------------------|--------|
| PES.139401 | Gallon |
| PES.139432 | 32 oz |



Spray 'N Shine

- Produces a showroom shine on cured and new paint
- Makes pre-delivery cleanup fast and easy
- Creates a breathable film
- Ideal as a clay bar wetting agent



| Part No. | Size |
|-------------------|--------|
| PES.130901 | Gallon |
| PES.130922 | 22 oz |



Ultra Complete Glaze™

- Easy-on / easy-off application for quick pre-delivery prep
- Breathable film ideal for freshly-cured paint
- Silicone-free formula offers 30 days of protection



PES.144132



Hook & Loop Pads and Backing Plate

- Designed for professional compounding, polishing, and finishing in automotive detailing
- High-performance wool and foam pads for various stages of paint correction



| Part No. | Description |
|-------------------|----------------------------|
| PES.890146 | Black & White Wool Pad |
| PES.890171 | White Foam Compounding Pad |
| PES.890172 | Gray Foam Polish Pad |
| PES.810116 | Flex Foam Backing Plate |



Ultra Cutting Creme

- Removes coarse through fine sand scratches on cured and fresh paint
- Produces good gloss on all automotive coatings
- Restores gloss to marine coatings and gelcoats
- Contains no waxes or silicones




| Part No. | Size |
|-------------------|--------|
| PES.131903 | 2 oz |
| PES.131932 | Quart |
| PES.131901 | Gallon |
| PES.131905 | 3 kg |



Wool Hook & Loop Pads

- All wool single-sided pads
- 9" diameter
- Feature 1-1/2" thick wool pile



| Part No. | Description |
|-------------------|-------------------------|
| PES.890140 | Black Wool Cutting Pad |
| PES.890143 | Green Light Cutting Pad |



Blue Foam Soft Polishing Pad

- Firm, fine, soft polish foam pad
- Removes swirls and brings up the gloss



PES.890145



COMPOUNDS, POLISHES & PADS

Ultra Polish

- Silicone-free polish
- Creates a very high gloss finish
- No waxes, fillers or silicone



Part No. **Size**

PES.133532 32 oz

PES.133501 Gallon



Swirl Remover

- Designed to remove swirls from both fresh and cured paint surfaces
- Leaves a high-gloss finish



PES.133632



Cutting Compound

- Cuts quickly
- Contains no waxes, fillers or silicones
- Significantly reduces buffing and cleanup time



Part No. **Size**

PES.131432 32 oz

PES.131401 Gallon



Super Cut Compound

- Use on gel coat and fiberglass surfaces
- Contains no waxes, fillers or silicones
- Water-based formula cleans up easily



Part No. **Size**

PES.134532 32 oz

PES.134501 Gallon



Gel Coat Compound

- Immediate cutting action won't overheat the surface
- Contains no waxes, fillers or silicones
- Water-based formula cleans up easily



Part No. **Size**

PES.138532 32 oz

PES.138501 Gallon



Yellow Blended Wool Medium Cutting Pad

- Blended wool, medium cut compounding pad
- Removes 2000 grit and lighter sanding scratches on fresh paint



PES.890142



PACE™ Heavy Cut Compound

- Polishes to a deep gloss in one step
- Reduces cycle times
- Contains no waxes, fillers or silicones



Part No. **Size**

PES.133116 16 oz

PES.133132 32 oz

PES.133101 Gallon



PACE™ Medium Cut Compound

- Polishes to a deep gloss in one step
- Reduces cycle times
- Contains no waxes, fillers or silicones



Part No. **Size**

PES.133216 16 oz

PES.133232 32 oz



PACE™ Ultimate Polish

- One-step finishing polish for enhancing the appearance where light correction with a deep gloss is desired
- Specially formulated for use with dual-action orbital polishers



Part No. **Size**

PES.133316 16 oz

PES.133332 32 oz



Finishing Polish

- Designed for light correction and final polish
- Water-based formula
- Low dusting formula
- Contains no waxes, fillers or silicone



PES.132332



Fast Wax®

- Provides brilliant, high-gloss shine
- Adds paste wax protection with liquid wax ease
- Premium natural and synthetic ingredients



Part No. **Size**

PES.134132 32 oz

PES.134101 Gallon



Ammonia-Free Glass Cleaner

- Removes oily films and dirt



PES.132920

NANOSKIN® AutoScrub™ Wash Mitt

Part No. **Color**

PES.8130722 Yellow

PES.8130723 Blue



COMPOUNDS, POLISHES & PADS

12" One Pass® Superflex® Waterblade®

- Whisks away water
- Will not scratch
- Handle design molds to acute angles and shapes



SMA.25-923



11" One Pass® Soft-N-Dry™ Waterblade®

- One Pass® Patented T-Bar® edge whisks away water
- Soft Medical Grade Silicone Blade will not scratch



SMA.25-925



14" Classic Patented One Pass® Y-Bar™ Design Waterblade®

- Sheds water droplets easier
- Easily glides over and around chrome strips, sharp edges and grooves
- Will not scratch



SMA.25-925



Dual-Purpose Toothbrush

- White nylon bristles staple-set at each end of plastic handle
- Dual brush heads allow for cleaning in the smallest areas
- Great for fine detail work



SMA.85-653



Green Nylon Brush Head

- Flagged-tip bristles staple-set in a foam block
- Features one threaded flow-thru hole and one tapered handle hole



SMA.85-673



Speedy Foam® Micro Foam Buffing Pads

- Yellow Foam - Soft, pliable and tough
- Designed for buffing and paint oxidation removal on all paint surfaces
- Features Loop Backing



SMA.44-603



Tuffer Buffer™ 4-Ply Wool Compounding & Buffing Pads

- 100% twisted 4-ply wool
- Soft and absorbent
- For buffing or compounding in small hard-to-get-at places



SMA.57-135



Micro Buffing & Polishing Kit

- A special selection of Micro Pads and Accessories
- Specially designed for buffing or polishing in small, hard-to-get-at places. Use for small touch-up spots



SMA.85-938



Waffle Pad Assortment Kit

- A special selection of Micro Pads and Accessories
- Specially designed for buffing or polishing in small, hard-to-get-at places. Use for small touch-up spots



SMA.85-992



Speedy Surface Prep® Deluxe Pads

- Speedy removal of surface contaminants
- Leaves surface smooth as glass



| Part No. | Grade | Color |
|--------------------|--------|--------|
| SMA.SSP-571 | Fine | Blue |
| SMA.SSP-572 | Medium | Yellow |

Speedy Surface Prep® Towels

- Speedy removal of surface contaminants
- Easy to use with less effort
- Leaves surface smooth as glass



| Part No. | Grade | Color |
|--------------------|--------|-------|
| SMA.SSP-580 | Fine | Grey |
| SMA.SSP-589 | Medium | Blue |

Sure Dri® Towel

- Tremendous absorption of water



SMA.11-140

Water Sprite PVA Speedy Drying Cloth

- Fast drying on any surface



SMA.WSY5-1



RESPIRATORY PROTECTION

3M™ Dual Cartridge Respirator Assembly

- NIOSH approved for respiratory protection against certain organic vapors and particulates
- Lightweight well balanced design enhances comfort
- Half face piece design is ideal for intermittent use

| Part No. | Size |
|-----------------|--------|
| MMM.7191 | Small |
| MMM.7192 | Medium |
| MMM.7193 | Large |

3M**REPLACEMENT:**

Particulate Filter
MMM.7194



Organic Vapor Cartridge
MMM.7046



Pre-Filter Retainer Ring
MMM.7054



Cartridge/Filter Packout
MMM.7195

3M™ Qualitative Fit Test Apparatus

- Qualitative Fit test kit for particulate respirators
- Kit includes hood, collar, 2 nebulizers, sensitivity solution, fit testing solution, and user instructions

**3M****MMM.16358****3M™ Respirator Cleaning Wipe**

- Moist towelettes clean dirt and perspiration off facepiece respirators
- Individually packaged and sealed to ensure uncompromised sanitary quality
- Disposable, one-time-use for convenience

**3M****MMM.16358****3M™ Full Facepiece Respirator Packout**

- Comfortable and durable respiratory protection
- Designed to help protect from certain airborne contaminants



| Part No. | Size |
|-----------------|--------|
| MMM.7162 | Medium |
| MMM.7163 | Large |

3M**3M™ Dual Cartridge Respirator Packout**

- Lightweight, with a swept back cartridge and filter
- Designed for unobstructed vision and excellent balance



| Part No. | Size |
|-----------------|--------|
| MMM.7178 | Medium |
| MMM.7179 | Large |

3M**3M™ Half Facepiece Respirator Packout**

- Nuisance level relief against organic vapours
- Ozone protection up to 10 times the Occupational Exposure Limit



| Part No. | Size |
|-----------------|--------|
| MMM.7182 | Medium |
| MMM.7183 | Large |
| MMM.7184 | Filter |

3M**3M™ Faceshield Cover**

- Accessory to protect lenses from scratches and dust
- Designed for use with 3M Full Facepiece 6000 Series
- Also known as “tear away” or “peel-off” lens cover

**MMM.7142****3M****3M™ Professional Series Half Facepiece Paint Spray Packout**

- Cool Flow™ valve
- Durable, long-lasting, face piece
- Reduces heat and moisture build-up

| Part No. | Size |
|------------------|--------|
| MMM.37077 | Small |
| MMM.37078 | Medium |
| MMM.37079 | Large |

3M

RESPIRATORY PROTECTION

3M™ Particulate Welding Respirator

- Adjustable noseclip options help provide a custom and secure seal
- Designed for ease of breathing

**MMM.7189****3M™ Particulate Respirator**

- Two-strap design with welded dual point attachment helps provide a secure seal
- Cushioning nose foam

**MMM.46457****3M™ Cool Flow™ Valve Particulate Respirator**

- Helps direct exhaled air downward and allows for easy breathing
- Up to 50% easier breathing

**MMM.54343****Half-Mask Low Maintenance Cartridge Respirator**

- NIOSH OV/P95 approved
- Includes Hygiene Guard & Shape Retainer insert
- Best design, performance and comfort

Part No.**Size****GER.8111P**

Small

GER.8211P

Medium

GER.8311P

Large

GERSON®**N95 Particulate Respirator**

- Adjustable nose bridge with foam strip
- Latex-free adjustable head straps
- NIOSH Approved

**SAS.8610****N95 Valved Particulate Respirator**

- Two-strap design with welded dual point attachment helps provide a secure seal
- Cushioning nose foam

**SAS.8611****Nuisance Dust Mask**

- Adjustable metal nosepiece
- Single strap elastic head band
- Soft metal nose piece

**SAS.2985**

DISPOSABLE GLOVES

Diamond Grip Powder-Free Latex Glove

- Natural
- Non-Sterile
- Ambidextrous
- Textured fingers
- Beaded cuff
- For single use only

**MICROFLEX®****Part No.****Size****MIC.MF300-S**

Small

MIC.MF300-M

Medium

MIC.MF300-L

Large

MIC.MF300-XL

X Large

Safegrip Powder-Free Latex Glove

- Blue
- Non-Sterile
- Ambidextrous
- Textured fingers
- Beaded cuff
- For single use only

**MICROFLEX®****Part No.****Size****MIC.SG375-S**

Small

MIC.SG375-M

Medium

MIC.SG375-L

Large

MIC.SG375-XL

X Large

MidKnight Black Powder-Free Nitrile Glove

- Black
- Non-Sterile
- Ambidextrous
- Fully textured
- Silicone free
- For single use only

**MICROFLEX®****Part No.****Size****MIC.MK296-S**

Small

MIC.MK296-M

Medium

MIC.MK296-L

Large

MIC.MK296-XL

X Large

MIC.MK296-XXL

2X Large

DISPOSABLE GLOVES

Orange Mega Texture Powder-Free Nitrile Glove

- Orange
- Non-Sterile
- Ambidextrous
- Textured grip
- Tear resistant

MICROFLEX[®]

| Part No. | Size |
|----------------------|----------|
| MIC.93256-M | Medium |
| MIC.93256-L | Large |
| MIC.93256-XL | X Large |
| MIC.93256-XXL | 2X Large |

Black Dragon Zero Black Nitrile Gloves

- Black
- Non-Sterile
- Powder-free
- Textured fingers

MICROFLEX[®]

| Part No. | Size |
|----------------------|----------|
| MIC.BD1001NPF | Small |
| MIC.BD1002NPF | Medium |
| MIC.BD1003NPF | Large |
| MIC.BD1004NPF | X Large |
| MIC.BD1005NPF | 2X Large |

MidKnight Touch Powder-Free Nitrile Gloves

- Black
- Non-Sterile
- Ambidextrous
- Textured fingers

MICROFLEX[®]

| Part No. | Size |
|----------------------|----------|
| MIC.93732-S | Small |
| MIC.93732-M | Medium |
| MIC.93732-L | Large |
| MIC.93732-XL | X Large |
| MIC.93732-XXL | 2X Large |

Raven[®] Patriot Powder-Free Exam Grade Nitrile Gloves

- Powder-free
- Thickness: 7 mil
- Outstanding strength, wear and dexterity
- Textured fingertips



| Part No. | Size |
|------------------|----------|
| SAS.66482 | Medium |
| SAS.66483 | Large |
| SAS.66484 | X Large |
| SAS.66485 | 2X Large |

Raven[®] Powder-Free Exam Grade Nitrile Gloves

- Powder-free
- Thickness: 7 mil
- Textured
- Non-latex
- Outstanding strength, wear and dexterity



| Part No. | Size |
|------------------|----------|
| SAS.66516 | Small |
| SAS.66517 | Medium |
| SAS.66518 | Large |
| SAS.66519 | X Large |
| SAS.66520 | 2X Large |

Astro-Grip[®] Powder-Free Exam Grade Nitrile Gloves

- Powder-free
- Thickness: 7 mil
- Dual-sided 3D cube grip
- High-visibility orange color



| Part No. | Size |
|------------------|----------|
| SAS.66472 | Medium |
| SAS.66473 | Large |
| SAS.66474 | X Large |
| SAS.66475 | 2X Large |

Thickster[®] Powdered Latex Gloves

- Powdered latex
- Thickness: 14 mil
- 12" length for added protection
- Beaded cuff



| Part No. | Size |
|-----------------|----------|
| SAS.6602 | Medium |
| SAS.6603 | Large |
| SAS.6604 | X Large |
| SAS.6605 | 2X Large |

Thickster[®] Powder-Free Exam Grade Latex Gloves

- Powder-free
- Thickness: 14 mil
- 12" length for added protection
- Beaded cuff



| Part No. | Size |
|--------------------|----------|
| SAS.6602-20 | Medium |
| SAS.6603-20 | Large |
| SAS.6604-20 | X Large |
| SAS.6605-20 | 2X Large |

Dyna Grip[®] Powder-Free Exam Grade Latex Gloves

- Powder-free
- Thickness: 7 mil
- Beaded cuff for easy donning
- Textured



| Part No. | Size |
|---------------------|----------|
| SAS.650-1001 | Small |
| SAS.650-1002 | Medium |
| SAS.650-1003 | Large |
| SAS.650-1004 | X Large |
| SAS.650-1005 | 2X Large |



PROTECTIVE APPAREL

Paint Suit

- Extremely lightweight and breathable
- Vented yoke back and under arms
- Carbon fiber thread
- Elastic back and separate hood
- Back pocket and chest pocket
- Lint-free, densely woven, polyester multi-filament yarn
- 2-way zipper
- Machine washable



PREMIUM

| Part No. | Size | Color |
|-------------------|----------|-------|
| HIT.PS105B | Medium | Black |
| HIT.PS110B | Large | Black |
| HIT.PS115B | X Large | Black |
| HIT.PS120B | 2X Large | Black |
| HIT.PS125B | 3X Large | Black |
| HIT.PS205W | Medium | White |
| HIT.PS210W | Large | White |
| HIT.PS215W | X Large | White |
| HIT.PS220W | 2X Large | White |
| HIT.PS225W | 3X Large | White |



ECONOMY

| Part No. | Size | Color |
|-------------------|----------|-------|
| HIT.PS9054 | Medium | White |
| HIT.PS9056 | Large | White |
| HIT.PS9058 | X Large | White |
| HIT.PS9060 | 2X Large | White |
| HIT.PS9062 | 3X Large | White |



The Original Shoot Suit

- Full body coverage
- Head to toe with lint-free nylon
- Glazed breathable poly/cotton on back and hood

Shoot Suit®



Accessories:

Shoot Boots (Shoe Covers)

SUI.6191000L - 2 pairs

SUI.6191000XL - 2 pairs



| Part No. | Size | Color | Legacy No. |
|-----------------------|----------|-------|------------|
| SUI.6121000S | Small | Black | 2000B |
| SUI.6121000M | Medium | Black | 2001B |
| SUI.6121000L | Large | Black | 2002B |
| SUI.6121000XL | X Large | Black | 2003B |
| SUI.6121000XXL | 2X Large | Black | 2004B |
| SUI.61210004XL | 4X Large | Black | 2004B |

| Part No. | Size | Color | Legacy No. |
|-----------------------|----------|-------|------------|
| SUI.6121044S | Small | White | 2000W |
| SUI.6121044M | Medium | White | 2001W |
| SUI.6121044L | Large | White | 2002W |
| SUI.6121044XL | X Large | White | 2003W |
| SUI.6121044XXL | 2X Large | White | 2004W |

Also Available:

HHL Plus All Purpose Coverall
SUI.SUI.6122099 (S, M, L, XL, XXL, XXXL, 4XL)



White Paint Suits

- High quality paint suit
- 100% breathable polyester
- Offers superior protection over clothing
- Anti-static
- Open at the wrist, ankle and face
- Machine washable



| Part No. | Size | Color |
|--------------------|----------|-------|
| SAT.530050W | X Small | White |
| SAT.530052W | Small | White |
| SAT.530054W | Medium | White |
| SAT.530056W | Large | White |
| SAT.530058W | X Large | White |
| SAT.530060W | 2X Large | White |
| SAT.530062W | 3X Large | White |
| SAT.530064W | 4X Large | White |



Pro Series Paint Suit for Women

- Permanent antistatic fiber
- Machine washable
- Made from 100% polyester
- Antistatic built-in carbon fiber threads to dissipate electronic charges
- Breathable full poly-cotton back



| Part No. | Size | Color |
|----------------------|----------|-------|
| SAT.540050GBG | X Small | White |
| SAT.540052GBG | Small | White |
| SAT.540054GBG | Medium | White |
| SAT.540056GBG | Large | White |
| SAT.540058GBG | X Large | White |
| SAT.540060GBG | 2X Large | White |
| SAT.540062GBG | 3X Large | White |



PROTECTIVE APPAREL

Gen-Nex® Crew Coverall

- Non-woven, microporous material with polyethylene coating helps protect against light liquid splashes and dry particulates
- Professional grade, lightweight, durable and comfortable
- Full zipper front
- Elastic wrist and ankle cuffs



| Part No. | Size | Color |
|-----------------|----------|-------|
| SAS.6951 | Small | White |
| SAS.6952 | Medium | White |
| SAS.6953 | Large | White |
| SAS.6954 | X Large | White |
| SAS.6955 | 2X Large | White |
| SAS.6956 | 3X Large | White |
| SAS.6957 | 4X Large | White |
| SAS.6958 | 5X Large | White |



Moonsuit® Nylon/ Cotton Coverall

- Breathable, cool cotton back
- Lightweight, durable rip-stop nylon front
- Full pullover hood, zipper front, and elastic waist
- Hook and loop wrist and ankle closures
- Washable



| Part No. | Size |
|-----------------|----------|
| SAS.6937 | Medium |
| SAS.6938 | Large |
| SAS.6939 | X Large |
| SAS.6940 | 3X Large |



Gray Paint Suit

- High quality paint suit
- 100% breathable polyester
- Offers superior protection over clothing
- Anti-static
- Open at the wrist, ankle and face
- Machine washable



| Part No. | Size | Color |
|--------------------|----------|-------|
| SAT.520052G | Small | Gray |
| SAT.520054G | Medium | Gray |
| SAT.520056G | Large | Gray |
| SAT.520058G | X Large | Gray |
| SAT.520060G | 2X Large | Gray |
| SAT.520062G | 3X Large | Gray |
| SAT.520064G | 4X Large | Gray |



Pro Series Paint Suit

- Sewn in Carbon Fibre Thread to dissipate electro-static charges
- Specially treated to keep it lint free
- Heavy duty zipper
- Fully breathable back fabric
- Underarm zipper
- Machine washable



| Part No. | Size |
|---------------------|----------|
| SAT.510050PS | X Small |
| SAT.510052PS | Small |
| SAT.510054PS | Medium |
| SAT.510056PS | Large |
| SAT.510058PS | X Large |
| SAT.510060PS | 2X Large |
| SAT.510062PS | 3X Large |



Premium Coverall

- Ideal for precision work in environments that require clean, static-free conditions
- Breathable TRIGON fabric in key areas such as the back, armpits, and crotch, allowing superior airflow without sacrificing durability



| Part No. | Size |
|-------------------|----------------------|
| DEV.803531 | Medium |
| DEV.803532 | Large |
| DEV.803533 | X Large |
| DEV.803534 | 2X Large |
| DEV.803535 | 3X Large |
| DEV.803536 | Knee Pads (Set of 2) |



PROTECTIVE APPAREL

CLEAN Coverall

- Lightweight durable nylon front
- Breathable, cool cotton
- Full pullover hood
- Zipper front and elastic waist
- Washable/reusable

DeVilbiss
By Binks

| Part No. | Size |
|-------------------|----------|
| DEV.803596 | Medium |
| DEV.803597 | Large |
| DEV.803598 | X Large |
| DEV.803599 | 3X Large |



CLEAN Hooded Lab Coat

- Lightweight durable nylon
- Full pullover hood
- Elastic wrist closures
- Washable/reusable
- Full zipper front
- 3-pocket design

DeVilbiss
By Binks

| Part No. | Size |
|-------------------|----------|
| DEV.803664 | Medium |
| DEV.803665 | Large |
| DEV.803666 | X Large |
| DEV.803667 | 3X Large |



CLEAN Disposable Overall

- Disposable
- Lightweight and comfortable
- Full pullover hood
- Full zipper front
- Elastic wrist closures

DeVilbiss
By Binks

| Part No. | Size |
|-------------------|----------|
| DEV.803671 | Medium |
| DEV.803672 | Large |
| DEV.803673 | X Large |
| DEV.803674 | 3X Large |



CLEAN Disposable Overall

- Anti-static coating (EN 1149-1:2006)
- Dust and lint-free
- Protects against overspray
- Tight fit to neck, sleeves and ankles cuffs
- Maximum movability
- Efficient body heat loss

Colad
inventing more

| Part No. | Size |
|------------------------|----------|
| EMM.520052PLAIN | Small |
| EMM.520054PLAIN | Medium |
| EMM.520056PLAIN | Large |
| EMM.520058PLAIN | X Large |
| EMM.520060PLAIN | 2X Large |
| EMM.520062PLAIN | 3X Large |
| EMM.520064PLAIN | 4X Large |



Anti Static Spray Suit with Detachable Hood

- Carbon fiber thread dissipates electro-static charges
- Separate hood
- Extremely lightweight
- Machine washable
- Adjustable wrist straps

E-Z MIX

| Part No. | Size |
|------------------|----------|
| EZM.74042 | Medium |
| EZM.74446 | Large |
| EZM.74850 | X Large |
| EZM.75254 | 2X Large |
| EZM.75658 | 3X Large |



White Lab Coat with Detachable Hood

- Dissipates electro-static charges and protects painters from harmful overspray
- Lint free
- Lightweight, breathable material
- Reduces body heat

E-Z MIX

| Part No. | Size |
|-------------------|----------|
| EZM.64042W | Medium |
| EZM.64446W | Large |
| EZM.64850W | X Large |
| EZM.65254W | 2X Large |
| EZM.65658W | 3X Large |



PROTECTIVE APPAREL

KleenGuard™ A20 Coveralls

- Breathable particle protection coveralls
- Superior particle holdout coupled with unmatched comfort attributes
- Five layers of stacked barrier protection (SMMMS) against hazardous particles



| Part No. | Size |
|------------------|----------|
| KIM.49113 | Large |
| KIM.49114 | X Large |
| KIM.49115 | 2X Large |
| KIM.49116 | 3X Large |



SuperTuff® Painter's Ultra Spray Suit

- Polyester with carbon fiber thread for superior anti-static control
- Lint-free, washable and reusable
- 2-way zipper, attached drawstring hood and 3 pockets
- Breathable, lightweight fabric



| Part No. | Size |
|------------------|----------|
| TRC.28031 | Medium |
| TRC.28032 | Large |
| TRC.28033 | X Large |
| TRC.28034 | 3X Large |



SuperTuff® Anti-Static Breathable Painter's Spray Suit

- Lightweight, 100% polyester and anti-static
- Lint-free, washable and reusable
- 2-way zipper, attached drawstring hood and 3 pockets



| Part No. | Size |
|------------------|---------|
| TRC.28041 | Medium |
| TRC.28042 | Large |
| TRC.28043 | X Large |



MISCELLANEOUS SAFETY

100% Cotton Spray Sock - 12pc Display

- 100% Soft, lint free combed cotton
- Comfortable and breathable 100% combed cotton fabric
- Protects your head & neck from over spray
- One size fits all design
- Individually bagged / 12 pieces per display


AES.141

Spray Sock

- All cut edges stitch-finished to be lint-free

GERSON®


| Part No. | Description |
|--------------------|----------------------------|
| GER.070195B | Dry-Wick Polyester Economy |
| GER.070295 | Non-Linting Spray Sock |

Painter's Spray Sock

- Comfortable cotton blend
- Snug fit around head and neck
- One size fits most

| Part No. | Description | Color |
|-----------------|-------------|-------|
| SAS.6810 | Standard | White |
| SAS.6910 | Deluxe | Black |



Premium White Spray Sock

- Made from soft t-shirt material which permits the painter a longer more comfortable fit
- All fabric ends are finished
- Lint Free



SuperTuff® Spray Socks

- Protects against paint overspray
- Medium weight
- Spray socks fits most


TRC.09301B


MISCELLANEOUS SAFETY

Disposable Shoe Cover

- Economical and disposable
- Leaves dirt, grease, oil, and other damaging contaminants outside

**AES.DSC-100**

Gen-Nex® 6809 Shoe Cover

- Easy to slip over shoes
- Slip resistant soles
- Machine washable
- Keeps shoes clean

**SAS.6809**

Padded Kneeler

- Will work great for any job requiring you to kneel down on hard surfaces
- Very lightweight, durable, and comfortable
- Easy to clean with soap and water

**SAT.KNE0002**

Uncorded Ear Plug

- Pre-shaped foam ear plugs
- Soft foam ear plugs conform to the inner ear canal
- Packed in dispenser box

**SAS.6100**

E-A-R™ soft™ Neon Blasts™ Disposable Corded Ear Plug

- Poly bag keeps each pair of earplugs clean before use
- Regular size fits most earcanals
- Soft foam earplugs
- Noise reduction rating (NRR) 33 dB CSA Class AL

**MMM.311-1252**

NSX® Safety Eyewear

- High-impact polycarbonate lens
- 99.9% UV protection
- Scratch resistant coating
- Wrap-around lens



| Part No. | Description |
|-----------------|-------------|
| SAS.5330 | Turbo |
| SAS.5340 | Standard |

Standard Face Shield

- Impact-resistant polycarbonate shield
- Curved design protects a larger area for facial protection
- Push and turn ratchet-sizing adjustment



| Part No. | Description |
|-----------------|--------------------------------|
| SAS.5140 | Standard |
| SAS.5145 | Deluxe |
| SAS.5145 | Deluxe Face Shield Replacement |



TACK CLOTHS

Blend Prep Blue Tack Rag

- Dry Tack
- Synthetic hydro-entangled fibers are locked together for durable, tear resistant and lint-free fabric
- Apertured to pick up and trap all particulates
- Completely removes surface particulates without leaving harmful residues



| Part No. | Size |
|--------------------|-----------|
| GER.020008B | 18" x 18" |
| GER.020008C | 9" x 18" |

GERSON®

Economy Tack Cloths

- Soft cotton mesh material contours to surface shapes
- Removes surface particulates without leaving harmful residue
- Wax and Silicone-Free
- Size: 18" x 36" / 12 per box
- Thread count 20 x 12

**GERSON®**

| Part No. | Color |
|--------------------|-----------|
| GER.020001B | Code Blue |
| GER.020001G | Gold |
| GER.020001R | Orange |
| GER.020001W | White |

TACK CLOTHS

Ultra Prep™ Tack Rag Green

- Universal Tack. Wax and Silicone-Free
- Apertured to pick up and trap all particulates
- Removes surface particulates without leaving harmful residues
- Waterborne compatible
- Size: 18" x 18"



GERSON®
GER.020008G

Standard Tack Cloth

- Soft cotton mesh material contours to surface shapes
- Completely removes surface particulates without leaving harmful residue
- Wax and Silicone-Free
- Size: 18" x 36"



| Part No. | Color |
|--------------------|-------|
| GER.020002B | Blue |
| GER.020002G | Gold |

GERSON®

Supreme Gold Tack Rag

- Soft cotton mesh material contours to surface shapes
- Removes surface particulates without leaving harmful residue
- Wax and Silicone-Free
- Size: 28" x 24" / 12 per box



GERSON®
No. 020004G

Perfect Poly™ Tack Cloth

- Assures blemish-free mirror smooth finish
- Will not dry-out, harden or darken
- Spontaneous combustion proof
- Leaves no residue
- Non-Toxic



BOND CORP.

Crystal
TACK CLOTH

CRY.PP-A

Tack Cloth

- Waterborne compatible
- No VOC's
- Non-Toxic
- Size: 18" x 36"
- Thread count: 28 x 24



BOND CORP.

Crystal
TACK CLOTH

CRY.PREM-A

Tack Cloth

- 24/20 Mesh
- 18 x 36"
- 12 Cloths per Box

BOND CORP.

Crystal
TACK CLOTH



CRY.RGLR-A

Surgical Blue Tack Rags

- Excellent for any clearcoat/basecoat applications
- Anti-static, non-toxic, safe and odorless
- Removes dust, lint, metal and other contaminants
- Silicone and solvent free



DATCO
INTERNATIONAL, INC.

| Part No. | Thred Count |
|------------------|-------------|
| MWB.15802 | 20 x 12 |
| MWB.15801 | 20 x 16 |

Magnum Blue Tack Cloths

- Ultra-soft, anti-static, non-abrasive tack cloths
- Convenient pop-up design
- Wax and silicone-free



USC

USC.51333

Surgical Blue Tack Rags

- Compatible with all primers, primer surfaces, sealers and high solid coatings
- Contains no oils, solvents, silicones



AES INDUSTRIES
For all your refinishing needs!

AES.144

Paint Prep Wipes

- Strong absorbent non-woven material
- Removes grease, dirt, wax, sanding dust, and other contaminants
- Lint free
- Waterborne compatible



DeVilbiss
By Binks

Dry Polyester Tack Wipe

- Compatible with all paints
- Non-toxic
- Wax and silicone-free
- Engineered to leave no residue
- Soft polyester material contours to surface



DeVilbiss
By Binks

DEV.TCK-121-K12

STICKS AND STRAINERS

Strainers

- Economy paper strainers
- Nylon 190 micron mesh
- 1000 units per case

**NOP.STRAINERS**

Sticks

- 12" Kentucky paint paddles
- Straight pine wood
- Extra thick for heavy materials

**NOP.STICKS**

Paint Paddle

- 12" Bamboo Paint Paddle

**PA Astro****AST.4586****Turbomix™ Paintsaver™
Paint Stirrer**

- 30% faster stirring
- Unique wave format with holes
- Ergonomic handle
- Made from recycled materials

**Colad**
inventing more**EMM.9500****8.5" Plastic Mixing Stick**

- Faster mixing with both water and solvent based paints
- Rounded edge for use with plastic paints

**E-Z MIX® EZM.85100****12" Plastic Mixing Stick**

- Ideal for waterborne paint mixing
- Also works with solvent and resins
- Won't absorb solvents or paint, Can be cleaned and reused

**E-Z MIX® EZM.12100****Elite Strainers**

- "No touch" contamination-free storage and dispensing of strainers
- Pre-packed pods
- Color-coded filter for easy identification of micron size, white mesh also available
- Product of USA

**GERSON®**

| Part No. | Filter | Mesh Color |
|---------------------|------------|------------|
| GER.010914B | 125 Micron | Blue |
| GER.010921CS | 125 Micron | White |
| GER.010614Y | 190 Micron | Yellow |
| GER.10601 | 190 Micron | White |
| GER.010701 | 260 Micron | White |
| GER.010714R | 260 Micron | Orange |
| GER.010814B | 150 Micron | Turquoise |

Disposable Paint Filter Bag

- Regular Mesh/Elastic Top Bag Strainers
- Removes unwanted debris from paint and stain
- 600 microns (regular mesh)
- 5 gallon bags

**TRIMACO****TRC.11513****Paint Strainer Bag**

- Strainer Bag with Elastic Top
- 600 microns
- 5 gallon bags

**GERSON® GER.71207**

CLOTH RAGS

T-Shirt Material Wiping Cloths

- White or gray absorbent low lint cloth
- Made from virgin mill end 100% cotton
- Bleached and washed for optimum performance
- 16" x 16" cloth size



| Part No. | Size | Color |
|-----------------|--------|-------|
| HIT.T1 | 1 lb | White |
| HIT.T5 | 5 lbs | White |
| HIT.T10 | 10 lbs | White |
| HIT.T10G | 10 lbs | Gray |
| HIT.T25 | 25 lbs | White |

Blue Wiping Cloth

- Professional Grade
- Great for paint clean up
- Tough on all surfaces
- Durable wet or dry
- Super absorbent
- Not washable



TRC.84075

SHOP TOWELS

WypAll® Oil, Grease & Ink Cloths

- Durable Wipes
- Absorb up to 8 times their weight in oil



| Part No. | Description | Size |
|------------------|-------------|---------------|
| KIM.33352 | Brag™ Box | 16.8" x 12.1" |
| KIM.33241 | Jumbo Roll | 12.2" x 9.8" |

Scott Shop Towel - Blue

- Strong, durable, and absorbent
- 55 sheets per roll
- 30 rolls/case
- Color: Blue



KIM.75130



Scott Shop Towel - 10"x13" Blue

- Strong, durable, and absorbent
- Center pull box, 200 sheets/box
- Color: Blue



KIM.75190



Scott® Rags In A Box™

- 7X stronger when wet*
- All-purpose, cloth-like towels – ideal textile replacement
- Strong & durable for scrubbing
- Absorbent for multi-purpose cleaning
- Compatible with chemicals for surface cleaning

*Compared to kitchen paper towels.



KIM.75260

Wypall® 1/4 Fold L40 Wipes

- Specially designed to absorb liquids, lubricants and oils
- A plush, soft surface with pockets in the inner layer to enhance absorbency



KIM.05701



Wypall X60 Jumbo Wipers

- Jumbo rolls provide the larger sheet size and high count
- Color: White



KIM.34955



Wypall Plus Pop-Up Box

- Removes soils and liquids from face and hands
- One-at-a-time dispensing



KIM.05790



WypAll® GeneralClean™ L20 Medium Cleaning Cloths

- 2-ply for strength and absorbency
- Single-use cleanup
- Textured for extra cleaning power



KIM.47758



SHOP TOWELS

**WypAll® GeneralClean™ L30
Heavy Duty Cleaning Towels**

- Towel-like feel
- Double re-creping (DRC) technology



| Part No. | Description | Size |
|------------------|-------------|---------------|
| KIM.05816 | Pop Up™ Box | 16.4" x 9.8" |
| KIM.05841 | Jumbo Roll | 12.2" x 12.4" |

**WypAll® PowerClean™ L40
Extra Absorbent Towels**

- Absorbent and tough wiping towels
- Cleans grease or oil

**KIM.05796****WypAll® PowerClean™ X70
Medium Duty Cloths**

- Strong, durable, and absorbent
- Center pull box, 200 sheets/box
- Color: Blue



| Part No. | Description | Size |
|------------------|------------------|---------------|
| KIM.41702 | Center Pull Roll | 12.2" x 9.8" |
| KIM.55300 | Brag™ Box | 11.1" x 16.8" |

**WypAll® PowerClean™ X80
Heavy Duty Cloths**

- Heavy duty cleaning wipes
- Great for cleaning abrasive surfaces
- Fast-absorbing and superior strength when wet or dry



| Part No. | Description | Color | Size |
|------------------|-------------|-------|---------------|
| KIM.41025 | Jumbo Roll | White | 12.2" x 12.4" |
| KIM.41041 | Brag™ Box | Blue | 11.1" x 16.8" |
| KIM.41055 | Jumbo Roll | Red | 12.2" x 12.4" |

**Work smarter, not harder.**

Incorporating virtually lint-free prep towels in the refinish process translates to a better job, completed in less time with fewer wipes.



Your Trusted Source for
Critical Cleaning Towels and Wipes

PRISTINE® PREP TOWELS - Premium refinisher's towels • Virtually lint free • Solvent resistant

| Part No. | Product | Format | Material | Description | Qty/Cs |
|-------------------|-----------------------|--------------------------|----------|-----------------------|--------|
| MDI.95012B | Prep Towels | Flat - Bulk | Blue | 12" x 13" (1,000/box) | 1 |
| MDI.93012B | Prep Towels | Flat - Bulk | White | 12" x 13" (1,000/box) | 1 |
| MDI.95014 | Prep-All® Towels | Flat - Dispenser Box | Blue | 12" x 14" (250/box) | 1 |
| MDI.93014 | Prep-All® Towels | Flat - Dispenser Box | White | 12" x 14" (250/box) | 1 |
| MDI.95102 | Pristine® Clean Wipes | 1/4 Fold - Dispenser Box | Blue | 12" x 17" (250/box) | 1 |
| MDI.93102 | Pristine® Clean Wipes | 1/4 Fold - Dispenser Box | White | 12" x 17" (250/box) | 1 |
| MDI.93570 | Universal Performance | Double Pop-up Box | White | 12" x 17" (250/box) | 1 |
| MDI.93139 | Universal Performance | 1/4 Fold - Dispenser Box | White | 12" x 17" (300/box) | 1 |
| MDI.95075 | Pristine® Clean Wipes | Pop-up Box | Blue | 12" x 17" (80/box) | 4 |

ADVANTAGE® SHOP WIPES - #1 All-purpose wipe • Ultra absorbent • Great on grease • Soft hand feel

| Part No. | Product | Format | Material | Description | Qty/Cs |
|------------------|--------------------------|----------------------|----------|---------------------|--------|
| MDI.86884 | "The Champ™" Performance | Roll in Tote Box | White | 9" x 12" (225/box) | 4 |
| MDI.86201 | "The Champ™" Performance | 1/4 Fold - Perf-Pak™ | White | 11" x 13" (50/pack) | 20 |

SHOP TOWELS

Paper Wiper Centerfeed White W1,W2

- Multipurpose cloth
- 866.67 ft per roll
- Roll width: 9"
- Sheet length: 13"
- 800 sheets / 2 ply

**TOR.130211B****Centerfeed Paper Wiper White M2**

- Multipurpose cloth
- 419.79 ft per roll
- Roll width: 9"
- Sheet length: 15.5"
- 325 sheets / 2 ply

**TOR.130251A****Low-Lint Cleaning Cloth**

- Multi-purpose, extremely low-lint performance
- Portable Top-Pack
- 4 x 120 cloths

**TOR.192480****Industrial Wiper Blue W1/W2**

- Heavy duty
- 492.19 ft per roll
- Roll width: 11"
- Sheet length: 15.75"
- 375 sheets / 4 ply

**TOR.13244101****ShopMax Heavy Duty Paper Shop Towel Blue**

- Durable and strong
- 47 ft per roll
- Roll width: 11"
- Sheet length: 9.4"
- 60 sheets / 1 ply

**TOR.450360****ShopMax Heavy Duty Centerfeed White W21**

- Excellent oil and water absorption
- 216.67 ft per roll
- Roll width: 9"
- Sheet length: 13"
- 200 sheets / 1 ply

**TOR.450137****Paper Wiper Plus Centerfeed White W2**

- Reusable
- 380 ft per roll
- Roll width: 9.8"
- Sheet length: 15.2"
- 300 sheets / 1 ply

**TOR.192128A****ShopMax Heavy Duty Centerfeed Paper Towel W22**

- Excellent oil and water absorption
- Reusable
- Stays strong even when wet



| Part No. | Color |
|-------------------|-------|
| TOR.450338 | Blue |
| TOR.450138 | White |

**Basic Centerfeed Paper Wiper White M2**

- High quality and high absorbency
- 590 ft per roll
- Roll width: 9"
- Sheet length: 11.8"
- 600 sheets / 2 ply

**TOR.121201****Low-Lint Cleaning Cloth Turquoise W24**

- Premium quality
- Soft and flexible - ideal in tight spaces
- Folded: 9" x 4.12"
- 1 ply

**TOR.192475****Heavy-Duty Cleaning Cloth**

- Strong and absorbent
- Durable and reusable
- Soft and strong



| Part No. | Color |
|--------------------|------------|
| TOR.530182 | Top-Pack |
| TOR.530137A | Centerfeed |

Industrial Low-Lint Cleaning Cloth Blue W4

- Antistatic
- Use in and around sensitive electronic components
- Multifold
- 1 ply

**TOR.192578**

MISCELLANEOUS SHOP ITEMS

Anti-Static PrepTech Wipes

- 11" x 15 1/2" Quarter Folded Wipe
- 50 Wipes Per Pouch
- Reduces Static Electricity on Surfaces
- 85/15 Isopropyl Alcohol

**RBL.USB4PNT**

MISCELLANEOUS SHOP ITEMS

Razor Blades

- Each blade wrapped in shelling paper for edge protections
- Convenient, resealable storage box
- Aluminum back

**HIT.1009**

#12 Carbon Steel Razor Blade

- Heavy duty high carbon steel
- Each blade is individually wrapped and protected in shelling paper
- fits all standard single edge scrapers and box cutters

**ASR.APBL-7055-0000**

Plastic Razor Blade

- 1mm thick "dozer" style flat edge
- Removes and strips away vinyl decals, pinstriping, and more

**AES.87606**

2 oz Touch-up Bottle

- Use bottle graphics for mixing accuracy
- Restore those annoying spots and scratches effortlessly

**E-Z MIX® EZM.70002**

Dabbers

- Lint-free nylon tip
- Great for extracting dust or contamination from freshly sprayed paintwork

**E-Z MIX® EZM.78000**

Touch Up Brushes (36)

- Lint-free nylon fiber tip
- Tapered head for precise application
- Flexibility for maximum accessibility
- Save time and money on touch-up work

E-Z MIX® EZM.76000

Mini Touch-up Brushes W/ Flex Tip

- Lint-free nylon fiber tip
- 100 per tube

E-Z MIX® EZM.77100

Acid Brush

- Solvent resistant brush
- Made from 100% pure horsehair
- Smooth application with little to no air bubbles

| Part No. | Size |
|----------------|------|
| AES.546 | 3/8" |
| AES.547 | 1/2" |



Acid Brush

- 1/2" stiff horse hair brushes
- Pack of 144

**MAC.7-2**

Acid Brush

- 3/8" horse hair brush
- Clean hard to reach areas

OAK.1

Sword Striper Pinstriping Brush

- Lacquer and enamel resistant
- The sword style is the best for all-around work
- Excellent for auto body touch-up and pinstriping
- Dark green thread ferrule

| Part No. | Head Width |
|------------------|------------|
| MAC.20-00 | 7/32" |
| MAC.20-0 | 1/4" |



Camel Hair Brush Assortment Set

- Fine watercolor brushes
- Metal ferrules
- Guaranteed setting acetone resistant
- 144 piece set (24 of each size: 1,2,3,4,5,6)

**MAC.1930**

MISCELLANEOUS SHOP ITEMS

Assorted Brush Display

- Contains 24 pieces of each size from #1 to #6
- Painted wood handles
- Camel hair bristles



AES.2905

Chemical Resistant Spray Bottle with Large Sprayer

- Large comfort grip trigger
- Adjust spray pattern from fine mist to jet stream



AES.9900

Neon Snap Blade

- 13 pt
- When the blade dulls, simply snap off the used section to reveal a fresh, razor-sharp point



ASR.APTL-4004-CJAR

Hand Cleaner

- Waterless formula - simply work into hands and then wipe dry
- Includes glycerin, aloe vera and lanolin to keep hands from drying out
- Contains pumice scrubbers for difficult stains

| Part No. | Size |
|-----------------|--------|
| HIT.9994 | 500 mL |
| HIT.9995 | 2.5 L |



Paint Off Hand Cleaner

- Waterless, anti-bacterial hand cleaner
- Works well on urethanes, paint, grease and epoxies
- Contains Lanolin, glycerin and aloe vera to prevent skin from drying

| Part No. | Size |
|-------------------|----------------|
| DOM.CUSO | 500 mL |
| DOM.CUSOB | 2.5 L |
| DOM.TCUSOP | Pump for 2.5 L |



KrestoATP 2000mL - Softbottle

- Contains biodegradable walnut shell scrubbers and powerful cleaners
- Removes oil based paints, lacquers, multicomponent paints, adhesives, etc

STO.81874



Kresto 2000 mL - Softbottle

- Extra heavy-duty hand cleaner
- Comprised of natural walnut shell scrubbers
- Silicone-free and lightly perfumed
- 2000 ml SoftBottle

STO.87045



Kresto® Special ULTRA Hand Cleaner

- Highly Concentrated Formulation
- Contains Astopon® Scrubbing Agent
- Low odor
- Silicone-free



STO.KSP250ML



Mould Prep

- Removes double-sided tape from vehicle mouldings
- Safe to use on chrome inserted mouldings



EZM.71128

E-Z MIX®

Glass Cleaner

- Heavy-duty foam
- Ammonia-free
- Clean fresh fragrance
- Streakless shine



SPY.50

Sure-Grip® EX Flammable Safety Cabinet

- For safe storage of chemicals and flammable liquids
- Fire-resistant, leak-tested design
- 45 gallon storage capacity



JUS.894520 Justrite.

Autowriter Markers

- Ready to use, dries fast, removes easily
- Substrate: Steel, Plastic, Glass, Aluminum, Wood, Rubber



| Part No. | Color |
|------------------|---------------|
| USC.37000 | Assorted (12) |
| USC.37001 | Blue |
| USC.37002 | Pink |
| USC.37003 | Yellow |
| USC.37004 | White |
| USC.37007 | Green |
| USC.37008 | Red |

MANUFACTURER INDEX

| | | | | | |
|-------------------------|--|------------------------------|---|---------------------------|--|
| 3M | 1, 6, 7, 14, 15, 16, 17, 27, 28, 39, 47, 70, 71, 74, 75, 85, 87, 88, 89, 90, 91, 92, 93, 109, 117, 118, 119, 120, 159, 162, 163, 164, 165, 178, 179, 185 | Finish 1 | 142 | Preval | 36 |
| AES Industries | 32, 35, 45, 59, 63, 64, 67, 72, 79, 80, 125, 158, 184, 185, 186, 191, 192 | Flexzilla | 46 | Prevost | 45 |
| Air Filtration Co. | 38, 72 | Gerson | 179, 184, 185, 186, 187 | Q1 Masking Solutions | 71, 73, 77 |
| American Line | 191, 192 | GL Enterprises | 184 | RBL | 36, 39, 46, 70, 71, 161, 190 |
| American Tape | 72 | H & S Autoshot | 56, 57 | Reading Technologies Inc. | 5, 43, 45, 46, 48, |
| Andreae Filters | 38 | Herkules | 33, 51 | Rusfre | 160 |
| Andrew Mack | 191 | High Teck | 1, 2, 11, 17, 32, 33, 34, 66, 67, 68, 69, 70, 71, 78, 82, 93, 94, 108, 120, 125, 126, 134, 135, 136, 137, 138, 139, 151, 152, 155, 156, 158, 161, 181, 188, 191, 192, 196 | S&G Tool Aid | 5, 32, 63, 79, 80, 81, 82 |
| Astro Pneumatic | 32, 45, 48, 59, 62, 63, 64, 66, 67, 71, 80, 81, 82, 83, 85, 125, 158, 187 | Infratech | 49 | S.A.S Safety | 179, 180, 182, 184, 185 |
| Binks | 26 | Innovative Tools | 48, 65, 67 | SATA | 1, 10, 18, 19, 20, 29, 41, 44, 47, 48, 181, 182, 185, 195 |
| Blair | 63, 64, 85 | Iwata | 21, 22, 23, 43, 44 | SEM | 12, 33, 106, 107, 121, 122, 123, 124, 130, 131, 146, 156, 160 |
| Colad | 35, 135, 183, 187 | J-Tape | 76, 77 | Seymour | 133, 157 |
| Crystal | 186 | Justrite | 192 | Sharpe | 26, 42, 43, 45 |
| CTW International | 30 | Keysco Tools | 64, 67, 81 | ShootSuit | 181 |
| Datco International Inc | 186 | Kimberly-Clark | 138, 188, 189 | SM Arnold | 177 |
| Dent-Fix | 48, 53, 54, 55, 56, 60, 78, 79, 80 | Klean Strip | 33, 39, 106 | SprayMax | 13, 33, 126, 127, 128, 135 |
| DeVilbiss | 24, 25, 26, 27, 31, 32, 39, 40, 42, 44, 46, 149, 182, 183, 186 | Kresto (SC Johnson) | 192 | Sprayway | 192 |
| DeWalt | 161 | Like 90 | 133, 161 | Steck | 66, 79 |
| Dominion Sure Seal | 33, 124, 125, 132, 133, 150, 157, 158, 192 | Makita | 161 | Stoko (Kresto) | 192 |
| Dupli-Color | 157, 160 | Marson (Alcoa) | 59, 72, 109 | Sunmight | 86, 96, 97, 98 |
| Dura-Block | 104, 105 | Master Appliances | 78 | Titan | 78, 79, 161 |
| Duramix | 114, 115, 116, 117 | Meguiar's | 166, 167, 168, 169, 170 | Tork (SCA) | 190 |
| Dynabrade | 84, 85 | Mercantile Development (MDI) | 189 | Transtar | 120, 121, 129, 130, 143, 144, 145, 150, 153, 158, 159 |
| Dynatron | 109, 159 | Microflex | 179, 180 | Trimaco | 184, 187, 188 |
| Eagle | 100, 101 | Mirka | 99 | Uni-Ram | 50, 51 |
| Evercoat | 109, 110, 111, 112, 121, 145, 146, 159, 160 | Mo-Clamp | 58 | U-POL | 1, 4, 112, 113, 128, 129, 134, 135, 139, 140, 141, 150, 154, 156, 158, 159 |
| Excel Products | 35 | Milton | 8 | US Chemical | 35, 70, 72, 95, 96, 113, 114, 135, 142, 143, 157, 160, 186, 192 |
| E-Z Mix | 34, 183, 187, 191, 192 | MotorGuard | 9, 41, 42, 57, 62, 102, 103, 104, 194 | Viledon Engineering | 38 |
| FBS Distribution | 36, 76 | New Pig | 36 | Viskon-Aire | 37 |
| Finex by Sharpe | 26 | Polyvance (Urethane Supply) | 33, 61, 62, 150 | Wizards | 162, 171, 172, 173, 174 |
| | | POR-15 | 147, 148, 149, 157, 160 | Zero Rust | 149 |
| | | Presta | 175, 176 | | |




WARNING: This publication may feature products that contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For product specific information, please visit our website at nodonline.nationaloak.com. You can read more about Proposition 65 by visiting www.p65warnings.ca.gov.

DISCLAIMER: Some products may not be compliant in all markets. You should purchase products which are compliant in your area. Some products are available for drop ship only, such as large equipment. Please check with your representative for all product availability and shipping options. Not responsible for pictorial or typographical errors. This issue expires 6/30/26.

All American BLOCK PARTY

Purchase \$150 in MTG Blocks ★ Get the AP-7 Mini Blocks Kit FREE!



BLOCK BUSTER HT-1

Application: Fast Blocking, Filler Sanding, Dry Sanding

The Holey Terror

This exclusive dual-sided block sands areas where ordinary hard blocks are not as effective. Unique blue hole side acts as a grater for 30% faster cutting while black side is for less aggressive blocking wet or dry. Back side provides a rigid and comfortable, easy to hold surface. **Also Available:** HT-2 (2 pack) **Size:** 2-5/8" x 5-1/4"



MEMORY BLOCK MB-1

Application: Dry and Color Sanding

Contour Sanding Block

A unique sanding solution for difficult applications, the Memory Block features a firm vinyl side with extreme curving power for areas such as fender crowns and motorcycle tanks. The soft side features an exclusive memory foam that conforms to character lines and reduces pressure over nibs, louvers and other challenging features. **Size:** 2-5/8" x 6-1/2"



ROCKER BLOCK RK-1

Application: Wet & Dry Sanding, Filler Sanding, Color Sanding, Contour Sanding

Wrap it & Rock - 6" Disc Sanding Block Uses standard 6" PSA discs for rough sanding to final finish. Radius edge wraps paper cleanly for even sanding. Multi-layer design eliminates transfer of finger marks. **Size:** 2-3/4" x 6" **Also Available:** RKH-1 (6" Hook) RKL-1 (6" Loop) Faced Abrasive Discs Designed to reduce consumable costs and sanding contours quick. Sold separately.



ROLLER BLOCK RL-1

Application: Wet Sanding, Fine Color Sanding, Contour Sanding

Wrap it & Roll - Wet Sanding Block The special radius edges of the Roller Block lift the edges of the abrasive sheet to eliminate pressure points and sanding defects. This block utilizes standard 5-1/2" x 9" abrasive sheet folded into thirds. Specifically designed for wet sanding applications. Multi-layer design eliminates the transfer of finger marks. **Size:** 2-5/8" x 5-3/8"



SOFT BLOCK SB-1

Application: Wet & Dry Sanding, Color Sanding

Flexible Sanding Block

Motor Guard's original dual-sided sanding block. This unique sanding block utilizes two different densities to achieve the ultimate in block sanding of curved or irregular shaped surfaces. Dense side for aggressive blocking, soft side for fine color sanding. **Also Available:** SB-3 (3 pack) **Size:** 2-5/8" x 5-1/4"



FLEXI-BLOCKS AP-6

Application: Detail Sanding **Size:** 1-7/16" x 3/4" x 11"

\$32.50 VALUE!



MINI-BLOCKS AP-7

Application: Detail Sanding **Size:** 1-7/16" x 3/4" x 3-1/2"



BIG BLOCK BG6-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard)

Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For hand sanding over smaller areas. Ultra-flat face flexes slightly to conform to curved panels. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK BG12-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard)

Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For two-handed power blocking on large panels. **Size:** 2-5/8" x 12"




BIG BLOCK BGH6-1

Application: Fast Blocking, Filler Sanding, Dry Sanding

Hole Side Big Block

This one-of-a-kind big block features a hole side that acts like a grater for faster cutting. Smooth side for less aggressive blocking and radius edges match body contours. The soft center provides for a powerful finger grip. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK BGS6-1

Application: Wet & Dry Sanding, Color Sanding

Soft Side Big Block

A soft-sided big block for fine color sanding over large areas. Rigid inner layer prevents the transfer of finger marks to the finish and radius edges match body contours. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK BGK6-1

Application: Dry Sanding, Filler Sanding, Blocking

Hook Face Big Block

All the power and features of the big block with a hook face for use with loop sided abrasive sheets. Quickly and cleanly change sheets for maximum productivity. Low profile hook for even sanding and no tooth marks. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK BGK12-1

Application: Dry Sanding, Filler Sanding, Blocking

Hook Face Big Block

A hook faced big block in a longer length for two-handed sanding. No other hook and loop block flexes like the big block to conform to slightly curved panels. This allows for perfect finishing with no pressure points. **Size:** 2-5/8" x 12"



BIG BLOCK BGR6-1

Application: Aggressive Blocking, Filler Sanding

Rigid Block (Standard)

An extra-rigid block that flexes just enough to follow slightly curved surfaces. Comfort fit for high production blocking and other demanding applications. **Size:** 2-5/8" x 5-1/2"



BIG BLOCK BGRK6-1

Application: Aggressive Blocking, Filler Sanding

Rigid Block (Hook Face)

An extra-rigid block that flexes just enough to follow slightly curved surfaces. Comfort fit for high production blocking and other demanding applications. **Size:** 2-5/8" x 5-1/2"



BIG BLOCK BGR12-1

Application: Aggressive Blocking, Filler Sanding

Rigid Block (Standard)

For aggressive two-handed blocking that is unequaled. Super flat face flexes just enough to follow slightly curved surfaces. **Size:** 2-5/8" x 11"



BIG BLOCK BGRK12-1

Application: Aggressive Blocking, Filler Sanding

Rigid Block (Hook Face)

For aggressive two-handed blocking that is unequaled. Super flat face flexes just enough to follow slightly curved surfaces. **Size:** 2-5/8" x 11"



BIG BLOCK BGR16-1

Application: Dry Sanding, Filler Sanding, Blocking

Rigid Block (Standard)

Power block the largest panels with speed. Users of this block report maximum material removal in minimal time. **Size:** 2-5/8" x 16"



BIG BLOCK BGRK16-1

Application: Dry Sanding, Filler Sanding, Blocking

Rigid Block (Hook Face)

Power block the largest panels with speed. Users of this block report maximum material removal in minimal time. **Size:** 2-5/8" x 16"



100% AMERICAN 100% TARIFF-FREE

PROMOTION GOOD Q1 2026

SCAN QR CODE TO RECEIVE FREE GOODS (\$32.50 VALUE)

**MOTOR
GUARD**
60 YEARS OF EXCELLENCE


WWW.MOTORGUARD.COM

Pro Series Black Paint Suit

SATA

EXPERTLY DESIGNED FOR PROFESSIONAL PERFORMANCE
REUSABLE PAINT SUIT

ANTISATIC
with built in PERMANENT
carbon fiber thread



Machine Washable



Heavy duty zipper with
corded covering to prevent
fabric from getting caught.



Exterior front
utility pocket.



Underarm two-way zippers
opening for ventilation.



Easy access to
pant pockets.



Hook and loop cuff closures enable you to wear
your glove under or over the sleeve to protect your skin.



Easy to slip on
wide pant legs.



Adjustable Hook & Loop
leg closure.



NEW

Ergonomically
shaped sleeve for
easy movement.

550050BK
550052BK
550054BK
550056BK
550058BK
550060BK
550062BK
550064BK

X-Small
Small
Medium
Large
XLarge
XXLarge
XXXLarge
XXXXLarge

Bi-swing shoulders for ease of movement.
Back elastic for better fit and comfort.
2 utility back pockets.

INNOVATIVE DROP SEAT
FOR COMPLETE EASE OF MOVEMENT

Helps Prevent Ripping at the Crotch
Patented design



FULL BREATHABLE BACK

SATA USA Inc.
www.satausa.com

JOB PACKS

Small Jobs • Big Performance • Small Jobs • Big Performance

2.75" x 16.5" PSA - 5 / Pack

| PART # | GRIT |
|--------------|------|
| HIT.AFP40JP | 40G |
| HIT.AFP80JP | 80G |
| HIT.AFP120JP | 120G |



8 " DA DISC PSA - 5/Pack

| PART # | GRIT |
|---------------|------|
| HIT.DAP8040JP | 40G |
| HIT.DAP8080JP | 80G |



6 " DA DISC PSA - 5/Pack

| PART # | GRIT | PART # | GRIT |
|---------------|-------|---------------|------|
| HIT.DAP-PACK | ASST. | HIT.DAP6220JP | 220G |
| HIT.DAP6040JP | 40G | HIT.DAP6320JP | 320G |
| HIT.DAP6080JP | 80G | HIT.DAP6400JP | 400G |
| HIT.DAP6120JP | 120G | HIT.DAP6600JP | 600G |
| HIT.DAP6180JP | 180G | HIT.DAP6800JP | 800G |



BACK UP PADS & INTERFACE PADS

| PART # | DESCRIPTION |
|---------------|---------------------|
| HIT.DAP3GRIP | 3" PAD FOR GRIP |
| HIT.DAP6PSA | 6" PAD FOR PSA |
| HIT.DAP6GRIP | 6" PAD FOR GRIP |
| HIT.DAP6GMH | 6" MH PAD FOR GRIP |
| HIT.PAD6IFG | 6" INTERFACE PAD |
| HIT.PAD6IFGMH | 6" MH INTERFACE PAD |
| HIT.DAGPMH | ASST P+ GRIP MH AST |
| HIT.DAGPNH | ASST P+ GRIP NH AST |

HIGH TECK JOB PACKS

Small Jobs, Big Performance.
High Tech Job Packs are offered in
6" & 8" PSA Disc, PSA Air File Sheets
and Wet/Dry Sheets. Packaged in
small, convenient quantities
and popular grits.

FULL SHEET WET/DRY PAPER JOB PACK

9" X 11" 5/Pack
WATERPROOF

5.5" X 9" 5/Pack

| PART # | GRIT |
|----------------|------|
| HIT.FSWD220PJP | 220 |
| HIT.FSWD320PJP | 320 |
| HIT.FSWD400PJP | 400 |
| HIT.FSWD600PJP | 600 |
| HIT.FSWD800PJP | 800 |

| PART # | GRIT |
|-----------------|-------|
| HIT.HSWD1000PJP | 1000G |
| HIT.HSWD1200PJP | 1200G |
| HIT.HSWD1500PJP | 1500G |
| HIT.HSWD2000PJP | 2000G |



GRIT HAPPENS